



SOLAR REFLECTIVITY INDEX

SMP - Standard Colors	Cool Ratings		
	Color Name	Reflect	Emiss
Ash Gray	48.0%	0.85	54
Bright White	67.0%	0.85	80
Country Red	35.0%	0.85	36
Desert Beige	48.0%	0.85	50
Emerald Green	28.0%	0.85	27
Hawaiian Blue	30.0%	0.85	30
Koko Brown	31.0%	0.85	31
Light Stone	58.0%	0.85	68
Polar White	57.0%	0.85	66
Sahara Tan	53.0%	0.85	61

Kynar/PVDF - Standard Colors	Cool Ratings		
	Color Name	Reflect	Emiss
Almond	69.9%	0.85	85
Ash Gray	54.0%	0.85	63
Bone White	75.9%	0.85	93
Burnished Slate	29.0%	0.84	28
Charcoal Gray	26.0%	0.84	24
Classic Green	29.0%	0.85	29
Colonial Red	29.0%	0.85	29
Copper Penny	44.0%	0.85	49
Dark Bronze	26.0%	0.85	25
Desert Tan	47.0%	0.85	53
Mansard Brown	27.0%	0.85	26
Medium Bronze	31.0%	0.85	31
Regal Blue	26.0%	0.85	24
Regal Red	42.0%	0.83	45
Regal White	73.0%	0.85	89
Sandstone	60.0%	0.85	71
Slate Blue	31.45%	0.84	31
Slate Gray	38.0%	0.85	41
Terra Cotta	44.2%	0.83	48
Zinc Metallic®	31.0%	0.85	31

Additional Finishes	Cool Ratings		
	Color Name	Reflect	Emiss
A606-4 (aka Corten®)	N/A	N/A	N/A
Bare Cold Rolled Steel	N/A	N/A	N/A
Bonderized	N/A	N/A	N/A
Copper	N/A	N/A	N/A
Galvalume®/Zincalume®	68.0%	0.30	65
Galvanized G90	N/A	N/A	N/A
ReziBond®	N/A	N/A	N/A
Stainless Steel	N/A	N/A	N/A

Specialty Paint Prints	Cool Ratings		
	Color Name	Reflect	Emiss
Aged Copper®	44.0%	0.88	50
Antique Rustic®	30.0%	0.84	29
Black Ore Matte®	29.0%	0.90	31
Black Zinc Matte®	6.0%	0.91	2
Blackened Copper®	31.0%	0.77	34
Blackened Steel Matte®	30.0%	0.84	30
Copper Brown Patina®	35.0%	0.82	35
Copper Patina®	37.0%	0.85	39
Corten AZP Raw®	32.0%	0.89	34
Distressed Wood®	25.0%	0.89	25
Fresh Rust®	32.0%	0.89	34
Galv-Ten Robust™	52.0%	0.86	60
Gray Zinc Matte®	34.0%	0.87	32
Green Copper®	33.0%	0.87	35
Iron Rust®	32.0%	0.85	33
Kaleidoscope®	48.0%	0.80	52
Matte Black	5.0%	0.86	-2
Matte Dark Bronze	5.0%	0.87	24
Matte Midnight Black	5.0%	0.88	22
Matte Musket Gray	12.0%	0.88	31
Mesa Sunrise	40.0%	0.85	44
Orange Rust Matte®	36.0%	0.86	38
Patina	30.0%	0.85	30
Pre-Weathered Galvalume®	30.0%	0.79	27
Reclaimed Metal Rust®	47.0%	0.89	54
Sedona Rust®	30.0%	0.87	31
Speckled Blackened Rust®	33.0%	0.86	34
Speckled Blue Copper®	38.0%	0.87	41
Speckled Copper®	37.0%	0.88	40
Speckled Galvanized Rust®	41.0%	0.88	46
Speckled Rust®	35.0%	0.86	37
Streaked Blackened Rust®	31.0%	0.86	31
Streaked Blue Copper®	37.0%	0.89	41
Streaked Copper®	36.0%	0.88	39
Streaked Galvanized Rust®	40.0%	0.88	44
Streaked Rust®	36.0%	0.86	38
Vintage®	30.0%	0.70	22
Walnut Wood	17.0%	0.90	15
Weathered Metallic®	16.0%	0.85	12
Weathered Rustic®	13.0%	0.85	8
Zinc Patina	45.0%	0.78	47

All information stated in the color chart is correct at time of printing and subject to change without notice. Check our website for latest version. 01/2020.



SOLAR REFLECTIVITY INDEX

Matte Finishes	Cool Ratings		
	Reflect	Emiss	SRI
Matte Black	4.8%	0.86	-2
Matte Burnished Slate	29.2%	0.85	29
Matte Charcoal Gray	27.6%	0.83	26
Matte Classic Green	25.5%	0.82	22
Matte Colonial Red	25.9%	0.83	23
Matte Dark Bronze	5.1%	0.87	24
Matte Desert Tan	48.3%	0.83	54
Matte Mansard Brown	29.3%	0.83	28
Matte Medium Bronze	33.3%	0.84	34
Matte Midnight Black	5.3%	0.88	22
Matte Musket Gray	12.5%	0.88	31
Matte Patina	32.1%	0.82	31
Matte Regal White	75.5%	0.82	92
Matte Sandstone	62.5%	0.83	74
Matte Slate Gray	41.0%	0.84	44
Matte Zinc Metallic	29.8%	0.78	26

Kynar/PVDF - Special Order	Cool Ratings		
	Reflect	Emiss	SRI
Aged Patina	47.0%	0.85	53
Burgundy	25.0%	0.85	23
Champagne	37.0%	0.80	37
Dove Gray	49.0%	0.86	56
Evergreen	27.0%	0.86	26
Hartford Green	26.0%	0.85	24
Hemlock Green	29.0%	0.86	29
Pre-Weathered Galvalume	30.0%	0.79	27
Sage Green	28.0%	0.87	28
Sierra Tan	35.0%	0.86	37
Silver Metallic	59.0%	0.79	67
Solar White	68.0%	0.85	82
Stone White	60.0%	0.86	71
Surrey Beige	42.0%	0.85	46

All information stated in the color chart is correct at time of printing and subject to change without notice. Check our website for latest version. 01/2020.