



[www.piercemfg.com](http://www.piercemfg.com)



Pierce Manufacturing Inc., An Oshkosh Corporation Company  
P.O. Box 2017, Appleton WI 54912-2017 USA

Specifications, descriptions, and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment. All measurements are nominal values.  
© Pierce Manufacturing Inc., Pierce, the Pierce logo, Impel, Quantum, Saber, and Velocity are registered trademarks; Arrow XT, Enforcer, Husky, and PUC are trademarks; and Perform. Like No Other. is a service mark of Pierce Manufacturing Inc., Appleton, WI. Printed in U.S.A.

All other trademarks are the property of their respective owners.

P-0127-TANKBR 7/20







## All-purpose performance.

The Pierce® pumper tanker is the do all and everything vehicle. It hauls ample water for remote areas and daytime fires, and supports all the equipment needed for NFPA compliance.

- Water tank capacities up to 3,000 gallons
- Wide array of compartmentation available to store equipment
- Heavy-duty construction
- Full line of custom & commercial chassis availability



### PUMPER SPECS

<b>Custom Chassis</b>	Arrow XT™, Enforcer™, Impel®, Quantum®, Saber™, Velocity™
<b>Commercial Chassis</b>	Freightliner, International, Kenworth, Peterbilt
<b>Tank Capacities</b>	Up to 3,000 gallons / lifetime warranty
<b>Tank Dumps</b>	8", 10", 12" (rear only) Air actuated, electric, manual Round & square
<b>Body Lengths</b>	Single axle: 184" Tandem axle: 191", 211"
<b>Lower Compartment Load Capacity</b>	500 lb
<b>Body Material</b>	Aluminum or stainless
<b>Body Warranty</b>	5-yr structural





## Maximum storage and response.

The Pierce® PUC™ tanker minimizes vehicular space used for fire suppression and maximizes space for equipment while still providing big pump, foam, and CAFS capabilities.

- Eliminated pump house so you can build your apparatus around your needs
- Enclosed pump panel keeps out grime, grit, & moisture
- 1,500 gpm pump weighs 30 percent less than most existing pumps



### PUC SPECS

<b>Custom Chassis</b>	Arrow XT™, Enforcer™, Impel®, Quantum®, Velocity™
<b>Tank Capacities</b>	Up to 3,000 gallons / lifetime warranty
<b>Tank Dumps</b>	8", 10", 12" (rear only) Air actuated, electric, manual Round & square
<b>Body Lengths</b>	Tandem axle: 232", 244"
<b>Lower Compartment Load Capacity</b>	500 lb
<b>Body Material</b>	Aluminum
<b>Body Warranty</b>	10-yr structural



# DRY-SIDE & ELLIPTICAL TANKERS



## DRY-SIDE & ELLIPTICAL SPECS

<b>Custom Chassis</b>	Arrow XT™, Enforcer™, Impel®, Quantum®, Saber®, Velocity™
<b>Commercial Chassis</b>	Freightliner, International, Kenworth, Peterbilt
<b>Tank Capacities</b>	Up to 4,000 gallons / lifetime warranty
<b>Tank Dumps</b>	8", 10", 12" (rear only) Air actuated, electric, manual Round & square
<b>Body Lengths</b>	Single axle: 148" Tandem axle: 182", 216", 240"
<b>Lower Compartment Load Capacity</b>	500 lb
<b>Body Material</b>	Aluminum or stainless
<b>Body Warranty</b>	10-yr structural

## Haul it all.

The Pierce® dry-side tanker can haul 1,800 to 4,000 gallons of water while stowing equipment on both sides and comfortably accommodating hose lines.

- Integrated suction hose storage in body compartment
- Corrosion-resistant poly tank with baffling to help provide a smoother ride
- Multiple rear axle locations for optimal weight distribution







COMMERCIAL TANKER SPECS

<b>Commercial Chassis</b>	Freightliner M2-106 6x4 Freightliner M2-106 4x2 Freightliner 114SD 6x4
<b>Overall Height</b>	9' 5"
<b>Tank Capacities</b>	Single axle: 2,100 gallons Tandem axle: 3,000 gallons Lifetime warranty
<b>Tank Dumps</b>	10" Newton with optional swivel Sidewinder option for reduced overall length
<b>Body Lengths</b>	Single axle: 148" Tandem axle: 182", 216"
<b>Lower Compartment Load Capacity</b>	500 lb
<b>Body Material</b>	Aluminum
<b>Body Warranty</b>	5-yr structural

Feature-packed for maximum flexibility.

With choice of over 120 options, the Pierce® pre-engineered commercial tanker affords efficiencies for the department and freedoms for the user.

- Freightliner M2-106 6x4, tandem axle, 500 or 1,000 gpm w/PTO
- Freightliner M2-106 4x2, single axle, 500 or 1,000 gpm w/PTO
- Freightliner 114SD 6x4, tandem axle
- Fire Suppression: Waterous 750-1,500 gpm PTO drive – pump in motion







High side compartmentation.  
*Shown on a commercial tanker.*



Swingdown folding tank storage.  
*Shown on a pumper tanker.*



Dropdown ladder rack storage.  
*Shown on a pumper tanker.*



Integral suction hose storage.  
*Shown on a dry-side.*



Side dump.  
*Shown on a pumper tanker.*



Rear dump.  
*Shown on a pumper tanker.*



Swivel dump valve and safe access to hose bed.  
*Shown on a commercial tanker.*



Large compartment capacity.  
*Shown on a pumper tanker.*

## Big on storage. Big on flexibility. Big on performance.

When your department requires an all-purpose vehicle to perform the dual roles of water transport and on-the-spot firefighting, Pierce brings you a variety of options. Each tanker is designed to accommodate the fire department's water, foam, and equipment storage needs.

## Virtually limitless plumbing options.

If it's available on a pumper, it's also available for a tanker. Whether it's side control, a top-mount pump house or a Husky™ Foam System, we offer a huge variety of pump house configurations and arrangements to meet the ever-changing needs of every department.

