



ALUMINUM BODY    APPROACH ANGLE 11.0°    DEPARTURE ANGLE 9.5°

**NOTE**  
 DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. SHORLINE KUSMAUL SUPER AUTO-EJECT LOCATED ON DRIVERS SIDE OF CAB
2. BATTERY CHARGER LOCATED BEHIND DRIVER SEAT
3. BATTERY CHARGE INDICATOR LOCATED IN DRIVERS SIDE CAB WINDOW
4. ONSPOT AUTOMATIC TIRE CHAINS
5. CIRCUIT BREAKER PANEL IN COMPARTMENT PER SHOP ORDER
6. FIRE RESEARCH 3-WAY INTERCOM SYSTEM BETWEEN AERIAL TIP, PUMP PANEL & TURNTABLE
7. THREE 120V RECEPTACLES LOCATED PER SHOP ORDER
8. AC POWER TO AERIAL TIP
9. L.E.D. LIGHTING ON AERIAL LADDER SECTIONS
10. AERIAL BOOM SUPPORT RAISED 9.50"

REV	DATE	BY	CH	ENFORCER
▽	22OCT20	LWE	JGO	MAKE
▽	15SEP20	LWE	JGO	PIERCE
▽	09JUL20	LWE	CR1	MODEL

		JOB NO.	35210
		SCALE	DATE
TITLE	107' HDL TILLER AND BODY ASSY		
FOR	300 GALLON WATER TANK BOILING SPRINGS (GREENVILLE COUNTY) BOILING SPRINGS, SC		
DWG NO.	35210AD-SH1		
DRAWN BY	LWE	CHECKED BY	CR1
SHEET SIZE	D	SHEET NO.	1 OF 2