



ALUMINUM BODY MAXIMUM O.A.H. 144.00" SIDE ROLL AND FRONTAL IMPACT PROTECTION

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. AIR INLET WITH KUSSMAUL AIR EJECT AT DRIVER'S SIDE STEP WELL
2. ONE 120V DUPLEX RECEPTACLE LOCATED IN CAB PER SHOP ORDER
3. ANCHOR PLATE FOR NEDERMAN EXHAUST SYSTEM HOSE LOCATED PER SHOP ORDER
4. L.E.D. DUAL LIGHT STRIPS LOCATED IN HOSE BED PER SHOP ORDER
5. EBERHARD FOLDING STEPS MOUNTED ON AERIAL DEVICE
6. 24.00" AERIAL LIMITED RETRACTION
7. TURNABLE SHORTENED RIGHT SIDE
8. REMOTE LADDER CONTROLS AT AERIAL TIP
9. L.E.D. LIGHTING ON AERIAL LADDER SECTIONS
10. 3-WAY INTERCOM SYSTEM BETWEEN AERIAL TIP, TURNABLE AND PUMP PANEL
11. LIFTING EYE RESCUE ATTACHMENT AT AERIAL TIP
12. COLLISION AVOIDANCE CONTROL SYSTEM ON AERIAL DEVICE
13. WIRELESS MONITOR REMOTE CONTROL NEAR THE PUMP PANEL

REV	DATE	BY	CH	DASH	CF
19MAR21	JGA	JJR			
12FEB21	JGA	JJR			
12NOV20	JGA	JJR			

		JOB NO.	35508
		SCALE	DATE
TITLE	FOR	DRAWN BY	
CHASSIS DATA	RICHMOND FIRE DEPARTMENT	CHECKED BY	
MAKE	RICHMOND, BC, CANADA	SHEET SIZE	
PIERCE		SHEET NO.	
MODEL			
DWG NO.	35508AD-SH1		
			1 OF 1