



ALUMINUM BODY

O.A.H. MAX 140" (11'-8")

SIDE ROLL & FRONTAL IMPACT PROTECTION

NOTE
 DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- | | | |
|--|---|---|
| <ol style="list-style-type: none"> 1. AIR INLET/OUTLET WITH DISCONNECT FITTING LOCATED ON THE LEFT SIDE PUMP PANEL 2. BATTERY CHARGER LOCATED IN COMPARTMENT PER SHOP ORDER 3. BATTERY CHARGE INDICATOR LOCATED NEAR DRIVER'S SEAT RISER WITH BRACKET 4. KUSSMAUL AIR COMPRESSOR LOCATED BEHIND DRIVER'S SEAT 5. EIGHT ELASTIC PULL STRAPS FOR DOOR ON COMPARTMENTS PER SHOP ORDER 6. FOUR ADJUSTABLE FULL WIDTH/FULL DEPTH SHELVES IN COMPARTMENTS PER SHOP ORDER 7. TWO FLOOR MOUNTED SLIDE-OUT TRAYS IN COMPARTMENTS PER SHOP ORDER 8. TWO ADJUSTABLE TOOL BOARDS MOUNTED TO SLIDE-OUT TRAY IN COMPARTMENTS PER SHOP ORDER 9. ONE SWING-OUT TOOL BOARD WITH PEGBOARD PATTERN IN COMPARTMENT PER SHOP ORDER | <ol style="list-style-type: none"> 10. THREE SLIDE-OUT TRAYS LOCATED IN COMPARTMENTS PER SHOP ORDER 11. THREE ADJUSTABLE TILTING SLIDE-OUT TRAYS IN COMPARTMENTS PER SHOP ORDER 12. ACCESS PANEL TO ACCESS PUMP AREA IN COMPARTMENT PER SHOP ORDER 13. CIRCUIT BREAKER PANEL IN COMPARTMENT PER SHOP ORDER 14. L.E.D. HOSE BED LIGHTS IN HOSE BED PER SHOP ORDER 15. TRIDENT FOLDING STEPS ON AERIAL DEVICE 16. L.E.D. LIGHTING ON AERIAL LAUNDER SECTIONS 17. 2-WAY INTERCOM SYSTEM BETWEEN AERIAL TIP AND TURNTABLE 18. DC POWER TO AERIAL TIP | <ol style="list-style-type: none"> 19. AERIAL PEDESTAL RAISED 3.00" 20. LIFTING EYE ROPE RESCUE ATTACHMENT AT AERIAL TIP 21. 1500 GPM HIGH FLOW WATERWAY 22. 21.00" AERIAL LIMITED RETRACTION |
|--|---|---|

		JOB NO.	35740
		SCALE	1:24
Pierce MANUFACTURING INC.		TITLE	107' ASCENDANT AERIAL LADDER AND BODY ASSEMBLY
		FOR	FORT WORTH FIRE FORT WORTH, TEXAS
35740AD		DRAWN BY	TKA
		CHECKED BY	KBO
35740AD		SHEET SIZE	D
		SHEET NO.	1 OF 1

CHASSIS DATA	TITLE	107' ASCENDANT AERIAL LADDER AND BODY ASSEMBLY
MAKE	FOR	FORT WORTH FIRE FORT WORTH, TEXAS
PIERCE	DWG NO.	35740AD
MODEL		
VELOCITY		