



SIDE ROLL AND FRONTAL IMPACT PROTECTION

ALUMINUM BODY MAX O.A.L. = 534" MAX O.A.H. = 130" MAX O.A.W. CAB = 96" MAX O.A.W. BODY = 100"

NOTE
 DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- BATTERY CHARGER LOCATED BEHIND DRIVER'S SEAT
- L.E.D. LIGHT STRIPS WITH STAINLESS STEEL PROTECTIVE COVER LOCATED IN HOSE BED
- AERIAL WIRELESS REMOTE CONTROL
- TECNIQ L.E.D. RUNG STYLE LIGHTING ON AERIAL LADDER SECTIONS PER SHOP ORDER
- DC POWER TO AERIAL BASKET
- FIRE RESEARCH 3-WAY INTERCOM SYSTEM BETWEEN AERIAL TIP, PUMP PANEL AND TURNABLE
- 3-1/4" LIFE BRACKETS ON BASKET
- THREE 120V DUPLEX RECEPTACLES LOCATED IN THE CAB PER SHOP ORDER
- NON-RAISED AERIAL PEDESTAL
- AIR INLET/OUTLET WITH DISCONNECT FITTING LOCATED ON DRIVER'S SIDE PUMP PANEL
- KUSSMAUL AIR COMPRESSOR LOCATED BEHIND DRIVER'S SEAT

17JUN21	SHU	JJR			
30APR21	SHU	ZCH			
REV	DATE	BY	CH	ARROW	XT

		JOB NO.	36205
		SCALE	DATE
TITLE	100' ASCENDANT AERIAL PLATFORM AND BODY ASSEMBLY		
FOR	300 GALLON WATER TANK BROOKHAVEN FIRE DEPARTMENT BROOKHAVEN, NY		
DWG NO.	36205AD-SH1		
	DRAWN BY	SHU	26APR21
	CHECKED BY	ZCH	29APR21
	SHEET SIZE	D	SHEET NO. 1 OF 2