

**Mobile
Fencing &
Security**



Product Brochure

Export



Temporary outdoor security

Heras Mobile Fencing & Security

Heras Mobile is the reliable specialist for the production, sale and rental of solutions for temporary security. It was Heras who invented the construction fence in 1966. Founded in 1952, Heras Mobile is currently operational in 24 countries.

Heras Mobile is a stable entity. We understand the problems of lessors and end-users.



All Heras Mobile construction fence installations have a CE certificate and therefore comply with safety regulations laid down within the European Economic Area. We gave our products important added values, such as excellent logistics and detailed assembly instructions. High-quality accessories provide additional security for your workers, end-users and the environment.

Europe's largest in temporary security

Heras Mobile is European market leader in temporary security solutions. This we achieved by keeping in touch with the market. The possibilities are unlimited, our staff is competent and flexible and production is ecologically responsible.

Reliable solutions

Heras Mobile offers reliable solutions for protecting temporary limits. Our ambition is an optimal price/quality balance. Being customer-oriented is in our blood. You and your customers will get a good and safe feeling with our way of working and the solutions we offer.



Heras Mobile values Safety, Health and Environment

We contribute to sustainability within the temporary fencing industry

Heras Mobile Fencing & Security's three European production units are designed to produce as efficiently as possible. Energy and CO2 reduction are achieved by applying innovative techniques and clever planning. Our aim is to continuously invest in future-proof, more energy-efficient plants.

Market leader Heras Mobile invests in sustainable and secure production, process innovation and enterprising. We do this by implementing our ESG policy and safety in our day-to-day tasks, but also by looking at better solutions with partners and suppliers.

Safety, Health and Environment

Heras Mobile endorses strict policies on Safety, Health and Environment. Together with our staff, suppliers and customers we sustain the chain. Our standard policies are:

Safety

Zero accidents and fatalities in production, transport and assembly. Safety is our priority and therefore we have a certified system for security management.


Health

A safe environment, a good working atmosphere and good working conditions play a key role. Together we avoid incidents and reduce sick leave. We also encourage the personal development of our employees.

Environment

We want to reduce our impact on the environment. To achieve this, we focus on our own activities and our impact in the value chain. Together with our partners, we are working to reduce emissions and achieve a circular economy.






Mobile fence M550 (2,45m*3,5m)

Specifications


Article Code	C1200000
Dimensions (mm)	2450 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.5
Tube-V thickness (mm)	1.5
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.5
Wire thickness (mm)	4 x 3
Mesh opening (mm)	150 x 35
Package quantity	64
Weight (kg)	41



Mobile Fence M500 + Corner Brackets

Specifications


Article code	C0102000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	160 x 40
Package quantity	80 (68+12)
Weight (kg)	23



Mobile fence M450 + Corner Brackets + 3xV

Specifications

Article code	C2104000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	80 (68+12)
Weight (kg)	19.5




Mobile Fence M450 + Corner Brackets

Specifications

Article code	C2102000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	80 (68+12)
Weight (kg)	18


Mobile Fence M400 + Corner Brackets



Specifications

Article code	C0221000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	17


Mobile Fence M400 + Tube-H



Specifications

Article code	C0209000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	20

Mobile Fence M400



Specifications

Article code	C0207000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	17


Fitting Panel M400 (2m*2,2m)



Specifications

Article code	C0226000
Dimensions (mm)	2000 x 2252
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	12.5


Mobile Fence M300



Specifications

Article code	C5107000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 38
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	86 (72+14)
Weight (kg)	13.36


Mobile Fence M300 + Corner Brackets



Specifications

Article code	C5121000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 38
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	86 (72+14)
Weight (kg)	13.36

Mobile Fence M350




Specifications

Article code	C0300000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	22 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 100
Package quantity	105 (84+21)
Weight (kg)	9.95




Mobile Fence Round Top Anti-Climb Tube-V



Specifications

Article Code	C4710000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	70 (60+10)
Weight (kg)	18


Mobile Fence Round Top Anti-Climb



Specifications

Article Code	C4700000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	350 x 40
Package quantity	70 (60+10)
Weight (kg)	16.5

Mobile Fence Round Top




Specifications

Article code	C4600000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	70 (60+10)
Weight (kg)	13.5



Pedestrian Gate Round Top



Specifications

Article code	P1502
Dimensions (mm)	2000 x 1150
Package quantity	1
Weight (kg)	14.4

Vehicle Gate Round Top



Specifications


Article code	P1504
Dimensions (mm)	2000 x 4261
Package quantity	1
Weight (kg)	35.6

Accessoires



42/60 High Security
coupler + Hinge ring


Mobile Fence M100 (1.2m*3.5m) + Hook & Eye



Specifications

Article code	C1303000
Dimensions (mm)	1200 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	11.5


Crush Barrier M135 - 16 bars



Specifications

Article code	C3600001
Dimensions (mm)	1100 X 2300
Bar distance (mm)	113
Vertical Bar number	16
Frame Tube diameter (mm)	38
Vertical Bar diameter (mm)	12
Frame Tube thickness (mm)	1
Vertical Bar thickness (mm)	1
Package quantity	25
Weight (Kg)	11

Crush Barrier M125 - 19 bars



Specifications

Article code	C1400000
Dimensions (mm)	1100 X 2500
Bar distance (mm)	100
Vertical Bar number	19
Frame Tube diameter (mm)	38
Vertical Bar diameter (mm)	15
Frame Tube thickness (mm)	1.5
Vertical Bar thickness (mm)	2
Package quantity	55
Weight (kg)	16



Noise Control Barrier 2.0



Specifications

Article code:	E0807
Dimensions (mm)	2 x 2000 x 1205
Package quantity	1
Weight (kg)	8

Cityfence M800 (RAL 9010)



Specifications

Article code	C1700000
Dimensions (mm)	2000 x 2160
Profile dimensions (mm)	1825 x 2090
Tube-V diameter (mm)	42
Tube-V thickness (mm)	1.25
Package quantity	28
Weight (kg)	29

Combifence M825 (RAL 5010)




Specifications

Article code	C2600000
Dimensions (mm)	2000 x 2160
Profile dimensions (mm)	1094 x 2076
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	150 x 35
Package quantity	28
Weight (kg)	25




Sliding fence construction set



Specifications

Article code	P0800
Dimensions (mm)	2135 x 3593
Clear width (m)	3,5
Required installation space (m)	7
Dimensions depth (mm)	150
Weight (kg)	19.36


Pedestrian Gate M90 (1,2m)



Specifications

Article code	P0600
Dimensions (mm)	2000 x 1180
Clear width (m)	1,2
Mesh opening (mm)	300 x 75
Package quantity	25
Weight (kg)	13

Pedestrian Gate M500 (1,2m)



Specifications

Article Code	P0500
Dimensions (mm)	2000 x 1180
Clear width (m)	1,2
Mesh opening (mm)	150 x 35
Package quantity	25
Weight (kg)	14.5

Accessoires



Wheel



Hingeset for pedestrian gate



42/60 High Security coupler + Hinge ring




Mobile Fence Bracket





Steel footing flat

Accessoires


Safety





Stability



Temporary access and blinding



Storage and transport



Mobile Fencing & Security



Added values for you

Over Heras Mobile Fencing & Security

Heras Mobile Fencing & Security is a company specialised in securing temporary locations. Heras Mobile is a stable European partner. We want to remain the most reliable supplier and expert in temporary outdoor security. On the basis of our professional, friendly and problem-solving mentality.

Heras Mobile is the specialist in temporary security. You will find our 'A'-ranked qualities on three of the six continents. Europe is our solid home market. In the Benelux we have our own rental section with a true know-how of outdoor security. Large projects can easily be scheduled with a 100% stable company with various production units. We are glad to help you on a basis of service, mutual respect and trust. Reliability for us means respecting agreements.

Heras Mobile in short

As European market leader, Heras Mobile has more than 70 years' experience in temporary security and is the inventor of the security fence. Our friendly, involved and reliable workers also know that a better service can make all the difference. Heras Mobile' production is state-of-the-art in Belgium, France and the Czech Republic. We have a wide range on offer, from simple and functional security fences to the safest and strongest protection of temporary locations.

Heras Mobile Fencing & Security

PO Box 145, 5680 AC
Best
The Netherlands
T +31 (0)499 551 508
E info@heras-mobile.com

Disclaimer. There are no rights to be derived from the technical specification. You should always consider up to 10% tolerance deviations. Heras herewith complies with NEN-EN 10305-3 © Heras. Versie 1.0 2023 | AF PELT