

PRODUCT SPECIFICATIONS FOR ELYSEÉ

En kompakt tuftad matta med en lätt mellering och lite högre lugg på 8,3 mm. Mattan finns i 23 färger och passar utmärkt för ytor där man vill ha lite högre komfortvärde eller att konfektionera den till en avpassad matta.

SPECIFICATIONS

Product type: Tufted wall-to-wall carpet in cut pile

Pile material: Aquafil Econyl SD-100% recycled polyamid

Backing: Textile backing Pile height: approx. 5,9 mm Pile weight: approx. 760 g/m² Total height: approx. 8,3 mm Total weight: approx. 2050 g/m² Roll width: approx. 400 cm Roll length: approx. 25 m























ENVIRONMENT AND SUSTAINABILITY

Emmission tested: GUT tested (Prodis reg.nr 3B4B08E7)

Environmental product declaration: EPD-ANK-20170222-CCA1-EN (Annex LC4)

Building product declaration: BVD HF10047

Building assessment program: Byggvarubedömingen (ID 100591) Accepted

In compliance with: LEED v.4: Third Party Certification GUT, BREEAM Schemes for emission for building products: approved scheme GUT

CARE ADVICE WALL-TO-WALL CARPETS

All carpets retain their appearance for a longer time if you remove dirt and stains regularly. If you have a light, single-colour carpet you will naturally need to clean it more often than a darker, patterned one. Almost all dirt comes from outside. If you want to prevent it from coming all the way in you can place a good-quality scraper mat outside the door and an entrance mat inside. Effective vacuuming is the easiest and most environmentally friendly cleaning method. It is also the most economical. When you vacuum regularly you remove all the loose dirt and dust.

CLEANING ADVICE

We recommend that cleaning is carried out by a professional cleaning company. At www.kasthall.com you can read more about our materials, how to look after your carpet and find our stain guide.

OTHER INFORMATION

Important information when ordering wall-to-wall carpets and runners:

- · We recommend that our carpets are installed by professional carpet-fitters. Some carpets should be laid on underfelt with gripper strips, while others can be glued direct to the floor. Contact us for more information and laying instructions.
- Depending on the materials used and the different processes in production, dimensions of the carpet may vary by up to 3%.
- Note that variations in colour and texture can arise between batches of yarn and dye baths.
- Please note that certain restrictions apply to stitching of concave shapes/lines. For rugs with concave shapes/lines, please submit drawing to Kasthall prior to placing the order.
- · All runners should be laid on an underlay that prevents them from moving on all types of flooring. This extends the life of the carpet and reduces the risk of slipping.
- In longer corridors the runner should be laid on underfelt with gripper strips.

ENVIRONMENT AND SOCIAL RESPONSIBILITY

At Kasthall environmental work is a very natural part of what we do and what we stand for - today and for generations to come. Naturally we are certified according to the environmental standard ISO 14001, and many of our products are compliant with known environmental standards. These certificates confirm our continuous efforts. Our working environment reflects the creativity and quality that we strive for - in design, materials and manufacture. Read more about our environmental work and philosophy at kasthall.com.

KASTHALL

ELYSEÉ Tufted wall-to-wall carpet in cut pile Aquafil Econyl SD-100% recycled polyamid



KASTHALL

ELYSEÉ Tufted wall-to-wall carpet in cut pile Aquafil Econyl SD-100% recycled polyamid













Е_000010-806

Е_000010-807

Е_000010-901

