



NITROUS OXIDE

2 COMPONENT MIXTURES

| NITROUS OXIDE BALANCE AIR | | | | | |
|------------------------------|---------------|----------------------------------------------|-----|--------------------------|-----------------------|
| Concentration* | Cylinder Size | Volume (ft ³) | CGA | Mixture Grades Available | Equipment Recommended |
| 1 ppm – 50% | DA | 146 | 590 | Primary Standard | 400 Series regulator |
| | QA | 84 | | Certified Standard | |
| | GA | 32 | | Uncertified | |
| | K | 200 | | | |
| | Q | 67 | | | |
| | G | 34 | | | |
| D.O.T. Proper Shipping Name: | | Compressed gas, n.o.s., (Air, Nitrous Oxide) | | | |
| I.D. Number: | | UN1956 | | | |
| Hazard Class: | | 2.2 | | | |
| Shipping Labels: | | Nonflammable Gas | | | |

| NITROUS OXIDE BALANCE ARGON | | | | | |
|------------------------------|---------------|------------------------------------------------|-----|--------------------------|-----------------------|
| Concentration* | Cylinder Size | Volume (ft ³) | CGA | Mixture Grades Available | Equipment Recommended |
| 1 ppm – 50% | DA | 146 | 590 | Primary Standard | 400 Series regulator |
| | QA | 84 | | Certified Standard | |
| | GA | 32 | | Uncertified | |
| | K | 200 | | | |
| | Q | 67 | | | |
| | G | 34 | | | |
| D.O.T. Proper Shipping Name: | | Compressed gas, n.o.s., (Argon, Nitrous Oxide) | | | |
| I.D. Number: | | UN1956 | | | |
| Hazard Class: | | 2.2 | | | |
| Shipping Labels: | | Nonflammable Gas | | | |

| NITROUS OXIDE BALANCE HELIUM | | | | | |
|------------------------------|---------------|-------------------------------------------------|-----|--------------------------|-----------------------|
| Concentration | Cylinder Size | Volume (ft ³) | CGA | Mixture Grades Available | Equipment Recommended |
| 1 ppm – 50% | DA | 146 | 590 | Primary Standard | 400 Series regulator |
| | QA | 84 | | Certified Standard | |
| | GA | 32 | | Uncertified | |
| | K | 200 | | | |
| | Q | 67 | | | |
| | G | 34 | | | |
| D.O.T. Proper Shipping Name: | | Compressed gas, n.o.s., (Helium, Nitrous Oxide) | | | |
| I.D. Number: | | UN1956 | | | |
| Hazard Class: | | 2.2 | | | |
| Shipping Labels: | | Nonflammable Gas | | | |



NITROUS OXIDE

2 COMPONENT MIXTURES

| NITROUS OXIDE BALANCE NITROGEN | | | | | |
|--------------------------------|---------------|---------------------------------------------------|-----|--------------------------|-----------------------|
| Concentration | Cylinder Size | Volume (ft ³) | CGA | Mixture Grades Available | Equipment Recommended |
| 1 ppm – 50% | DA | 146 | 590 | Primary Standard | 400 Series regulator |
| | QA | 84 | | Certified Standard | |
| | GA | 32 | | Uncertified | |
| | K | 200 | | | |
| | Q | 67 | | | |
| | G | 34 | | | |
| D.O.T. Proper Shipping Name: | | Compressed gas, n.o.s., (Nitrogen, Nitrous Oxide) | | | |
| I.D. Number: | | UN1956 | | | |
| Hazard Class: | | 2.2 | | | |
| Shipping Labels: | | Nonflammable Gas | | | |

*Cylinder pressure and volume varies proportionately at higher concentrations.

A certification will be provided upon request for a nominal fee, except for uncertified mixtures.

| TECHNICAL INFORMATION | |
|-------------------------|----------------------------|
| High Pressure Cylinder: | 2000 psig @ 70° Fahrenheit |

BUILD MIXTURE PART NUMBER:

To build your part number, select the code that corresponds to each section. Start with the Balance Gas, next enter the Minor Component followed by the Minor Component Concentration. Then select the Mixture Grade and finally the Cylinder Size. Add a dash “-” before the size code to complete the part number. Let’s create a part number. For example, take a Primary Standard grade of 5 ppm NITROUS OXIDE balance NITROGEN in a size DA cylinder. From the table below we can follow the tables to come up with NI NX5MP-DA.

| Balance Gas (A B) | | Minor Comp Code (C D E) | | Minor Component Concentration ([E] F G H I) | | Mixture Grade (J) | | Cylinder Size (K L) |
|----------------------------|------|----------------------------|------|------------------------------------------------|-------------|----------------------|------|---------------------------|
| Balance Gas | Code | Minor Gas | Code | Concentration | Code | Grade | Code | Code |
| Air | AI | Nitrous Oxide | NX | 5 PPM to 99 PPM | 5M – 99M | Primary Standard | P | DA |
| Argon | AR | | | 100 PPM to 999 PPM | 100 – 999 | Certified Standard | C | QA |
| Helium | HE | | | 1,000 PPM to 9,999 PPM | 1000 – 9999 | Uncertified | U | GA |
| Nitrogen | NI | | | 1% to 50% | 1 – 50 | | | K Q G |
| Example Only: NI | | NX | | 5M | | P | | DA |