

## NITROUS OXIDE

44.013

8.79 ft<sup>3</sup>/lb.

10024-97-2

## N<sub>2</sub>O

Colorless, odorless, nontoxic, liquefied nonflammable gas with a slightly sweet taste and odor.

SHIPPING INFORMATION		<b>TECHNICAL INFORMATION</b>
D.O.T. Proper Shipping Name:	Nitrous Oxide	Molecular Weight:
I.D. Number:	UN1070	Specific Volume:
Hazard Class:	2.2 (5.1)	CAS Registry
Shipping Labels:	Nonflammable Gas, Oxidizer	Safety Data Sheet Reference:

Shipping Labels:		Nonflammable Gas, Oxidizer S			Safety Da	afety Data Sheet Reference: Nitrous Oxide								
PRODUCT GRADE SPECIFICATIONS														
Grade Name	Grade	Minimum Purity	Grade Code	Catalog Number <sup>1</sup>		Maximum Impurity Specifications in PPM by volume (unless otherwise specified) <sup>2</sup>						!		
					H₂O	THC (as CH <sub>4</sub> )	CO + CO <sub>2</sub>	CO2	CO	Nz	NO2	NOx	NH₃	
Electronic	5.5	99.9995%	EL	SG NXEL-	1	0.1		0.2	0.3	0.3	0.3	0.1	0.1	
Ultra Plus	5.0	99.999%	UP	SG NXUP-	2	0.2		0.5	2	2	0.2	0.3	0.5	
Lab & Spec	4.5	99.995%	LSG	SG NXLSG-	5	5	5			20	1	1		
Ultra High Purity	4.0	99.99%	UHP	SG NXUHP-	5	1		100	5		1	1	5	
Atomic Absorption	2.6	99.6%	AA	SG NXAA-	5	20		300					25	

Notes:

<sup>1</sup> Complete the catalog number by selecting cylinder size code using chart below.

<sup>2</sup> Liquid Phase Analysis. Specifications are typical results and are subject to change without notice. Product sold on the basis of total impurities. Individual impurities may vary slightly.

Cylinder	Cylinder Size	Volume <sup>₄</sup>	Pressure (PSIG)	Valve Connection CGA	Gross Weight (lbs.)		
Size <sup>3</sup>	Code	Lbs.	@ 70° F.				
Carbon Steel Cy	linders		-	·			
200	K	56	745	326	207		
80	Q	20	745	326	85		
Aluminum Cylin	ders			·			
150A	DA	40	745	326	44		
30A	GA	6	745	326	10		
sizes and grades. Ad <sup>4</sup> This product is sol	available upon request fo dd "S" after cylinder size o d by the cylinder. Fill volu ling on cylinder manufact	code Imes are approxime	l for select represent	lable in medical and food grades. Cont tative for details.	act your WestAir		

Contact your WestAir representative about equipment recommendations for this product.