

COMPRESSION FITTINGS

COMPRESSION FITTINGS FOR METAL TUBING

Compression fittings are commonly used with metal tubing in constructing gas handling systems using tubing. They are particularly suited to high purity, high pressure, or high vacuum applications. They need no special tools, welding, or soldering and can be made and remade repeatedly.

Please note that the tubing size designation in the ordering information below refers to the outside diameter of the tubing. Also, only the most common fittings are listed here; many other connections are available on request.

Order Information					
Brass	SS	Description			
Part Number	Part Number				
Male Connect					
2MSC2N-B	2MSC2N-316	1/8" compression x 1/8" NPT male			
2MSC4N-B	2MSC4N-316	1/8" compression x 1/4" NPT male			
4MSC2N-B	4MSC2N-316	1/4" compression x 1/8" NPT male			
4MSC4N-B	4MSC4N-316	1/4" compression x 1/4" NPT male			
4MSC8N-B	4MSC8N-316	1/4" compression x 1/2" NPT male			
8MSC4N-B	8MSC4N-316	1/2" compression x 1/4" NPT male			
8MSC8N-B	8MSC8N-316	1/2" compression x 1/2" NPT male			
Brass	SS	Description			
Part Number	Part Number				
Female Conne					
2FSC2N-B	2FSC2N-316	1/8" compression x 1/8" NPT female	1		
2FSC4N-B	2FSC4N-316	1/8" compression x 1/4" NPT female			
4FSC2N-B	4FSC2N-316	1/4" compression x 1/8" NPT female			
4FSC4N-B	4FSC4N-316	1/4" compression x 1/4" NPT female			
4FSC8N-B	4FSC8N-316	1/4" compression x 1/2" NPT female	The same of the sa		
8FSC4N-B	8FSC4N-316	1/2" compression x 1/4" NPT female			
8FSC8N-B	8FSC8N-316	1/2" compression x 1/2" NPT female			
Brass	SS	Description			
Part Number	Part Number				
Male Elbow (for connecting female pipe threads to tubing at right angles)					
2FSEL2N-B	2MSEL2N-316	1/8" compression x 1/8" NPT male			
2FSEL4N-B	2MSEL4N-316	1/8" compression x 1/4" NPT male			
4FSEL2N-B	4MSEL2N-316	1/4" compression x 1/8" NPT male			
4FSEL4N-B	4MSEL4N-316	1/4" compression x 1/4" NPT male			

Order Info	ormation - c	ontinued			
Brass Part Number	SS Part Number	Description			
Female Elbow	(for connecting ma	le pipe threads to tubing at right angles)			
2FSEL2N-B	2FSEL2N-316	1/8" compression x 1/8" NPT female			
2FSEL4N-B	2FSEL4N-316	1/8" compression x 1/4" NPT female			
4FSEL2N-B	4FSEL2N-316	1/4" compression x 1/8" NPT female			
4FSEL4N-B	4FSEL4N-316	1/4" compression x 1/4" NPT female			
Brass Part Number	SS Part Number	Description			
Union (for join					
2SC2-B	2SC2-316	1/9" compression v 1/9" compression			
4SC4-B	4SC4-316	1/8" compression x 1/8" compression 1/4" compression x 1/4" compression			
10012	1001010	The compression x in a compression			
Brass Part Number	SS Part Number	Description			
Reducing Union (for joining tube of diff	ferent sizes)			
4RU2-B	4RU2-316	1/4" compression x 1/8" compression			
8RU4-B	8RU4-316	1/2" compression x 1/4" compression			
Brass Part Number	SS Part Number	Description			
Bulkhead Unio	n (for connecting	tubing through a panel or			
2BC2-B	2BC2-316	1/8" compression x 1/8" compression	BANK BANK-1 AN		
4BC4-B	4BC4-316	1/4" compression x 1/4" compression			
8BC8-B	8BC8-316	1/2" compression x 1/2" compression			
Brass Part Number	SS Part Number	Description			
Union Elbow (1	for joining tubing	at right angles)			
2EE2-B	2EE2-316	1/8" compression x 1/8" compression			
4EE4-B	4EE4-316	1/4" compression x 1/4" compression			
8EE8-B	8EE8-316	1/2" compression x 1/2" compression			

Order Information - continued						
Brass Part Number	SS Part Number	Description				
Union Tee (for j						
2ET2-B	2ET2-316	1/8" compression all ends				
4ET4-B	4ET4-316	1/4" compression all ends				
8ET8-B	8ET8-316	1/2" compression all ends				