



ENGLISH

FINNISH SAUNA PERFECTION



The Finnish sauna is a vital part of every day, a chance for families and friends to gather and unwind. Helo was founded already 1919 so with over 100 years of expertise the brand brings health and well-being to people all over the world through innovative technique and design.


Helo was the first manufacturer of electric sauna heaters – a revolution in the market by making it possible to install saunas in any home.

A Helo sauna product elevates the daily sauna experience by adding beautiful design and expert functionality.

With reservation for changes in our assortment. For the latest version visit tylohelo.com/helo

Contents

ADOULTIELO	•
Health and wellness	6-
ELECTRIC SAUNA HEATERS	
Classic heaters	1:
Tower heaters	1
Heat-retaining heaters	2
COMMERCIAL HEATERS	2
Sauna stones	2
CONTROL PANELS	3
TAIKA PANELS	2
SAUNA ACCESSORIES	3:
STEAM BATH	3
Steam generators	30
INFRARED ROOMS	3
Infrared cabins	4
Infrared panels	4:
Infrared kit	4:



A FINNISH PHENOMENON

Sauna is the only Finnish word that has been internationally adopted. Helo has brought health and wellbeing to people all over the world for more than 100 years, since the start in 1919. With innovative technology, smart functionality and beautiful design, the Helo sauna product elevates the everyday sauna experience. As a vital everyday part of Finnish wellbeing, sauna bathing brings families and friends together to unwind. Records show that Finnish people are the happiest in the world, and maybe this tradition is the explanation?

HANDMADE FOR RELAXATION

Löyly, the word for throwing water on the hot stones in a sauna, enhances the sauna bath with steam. With Helo handmade heaters you are embraced by a soft and gentle touch of steam. Should you want an even more intense steam experience, Helo-WT steam technology also comes with a water tank to release more enveloping steam. By adding fragrances, salt rocks or fresh birch leaves to it, you will fill the sauna with a soft fragrance to increase the relaxing feeling.

Helo heaters are high-quality handicraft, produced in Hanko, Finland for more than 100 years. True to their Finnish origin they are truly creating opportunity for everyone to have their own home sauna.





WHY NOORALOTTA NEZIRI CHOOSED HELO FOR HER NEW SAUNA

Finnish 100-meter hurdler Nooralotta Neziri, has reached the semifinals in the World Championships and the Olympics, as well as the finals in the European Indoor Championships. In cooperation with Helo, she has recently built a unique combination of infrared and traditional sauna in her new apartment.

Why do you have a sauna in your home?

I couldn't even think about living without a sauna! I use it every week. For me, it's about relaxing, but it's also an effective way of recovering after training. It may be old, but still one of the best recovery methods.

When do you go into the sauna?

I always go to sauna in the evening. It's relaxing and helps me to sleep better. If I'm at home, I like to use the sauna the evening before a competition.

What is important in the sauna?

The atmosphere, that's why I love beautiful saunas. For a

long time, I've wanted to have IR-panels. When planning the new sauna, it was very important for me to have the infrared possibility as well.

What do you do in the sauna?

The sauna is one of those places where I don't have to do anything. I'm very bad at relaxing, so it's nice to have a place where I can just exist. The only things you can do is to talk and throw some water on the sauna stones.

How did you find out that sauna bathing is good for you?

Already when I was a kid, I used sauna before competitions to make my body feel better. At that time, I wasn't reading

"THE SAUNA IS ONE OF THE BEST RECOVERY METHODS"







BENEFITS OF SAUNA



MUSCLES AND JOINTS

Quicker recovery from exercise by easing joint and muscle pain and eliminating lactic acid build-up.



CLEANSES THE SKIN

Deep sweating cleanses the skin, and rinses off dirt, dead skin cells and bacteria.



LUNG DISEASES

It can have a good effect on asthma and



STATE OF MIND

Can be used in treatment for anxiety and mild depression.



BRAIN HEALTH

Regular sauna bathing can lower the risk for both Stroke and dementia.



HEART

It lowers the blood pressure and fights against heart diseases.



ENEDC/

It can help you sleep better and therefore help against chronical fatigue.



SOCIAL BENEFITS

Relaxing environment for socialising with family and friends.



LAST BUT NOT LEAST: JUST FEELS GOOD

A sauna not only feels good, it's good for you.

Hägglund, H. (2020). Bastuboken: Heta fakta om bastu och hälsa. Ekerlids Förlag.

6 HELO HELO 7

HELO ELECTRIC SAUNA HEATERS



All Helo heaters are high-quality electric heaters – and that is basically their only common feature.

Thanks to Finnish design, technological skills and craftsmanship, the product range has something for everyone.

Take a moment to consider: what type of saunas do you like, how do you want to decorate your sauna, how do you want to use and time your heater, and what design styles do you like? Once you know what you're looking for, all you need to do is to find "the one".



helo-WT

HELO IS SYNONYMOUS TO SAUNA VARIETY

We take your sauna pleasure seriously. Therefore we have developed Helo-WT, Helo Water Tech, a revolutionary solution to suit different sauna tastes and preferences. One single sauna heater provides several varieties of soothing sauna styles. Indulge in a multi-layered sauna experience, alone or with friends and family.





Gentle Sauna: 50-60°C temperature

Add water to Helo-WT container, set to $50-60^{\circ}$ C

- Gentle sauna
- Enveloping steam
- Longer sessions
- Can be used as bio-aroma or salt sauna.



Flexi-Sauna: 60-80°C temperature

Fill Helo-WT water container and set to 60–80°C

- More humidity
- Lower temperature
- A gentle sauna experience
- Can be used as bio-aroma or salt sauna.




Hot: 80-100°C temperature

Use Helo-WT without water and set to 80-100°C

- High temperature
- Low humidity
- Intense sauna sensation.

8 | HELO | 9 | HELO | 9



CHOOSING THE RIGHT HELO HEATER TO SUIT YOUR SAUNA

Reach the perfect sauna experience and the greatest energy efficiency combined by considering the physical properties of your sauna room. Use the chart on the opposite page to give you an indication of heater choices and ideal power output for your sauna. To determine the heater your sauna requires, calculate the room size in cubic metres; Room Width (metres) x Room Length (metres) x Room Height (metres). If the walls or ceiling of your sauna contain non-insulated glass or heat-storing surfaces such as brick, concrete or massive logs, the heater will require more power. For each non-insulated square meter, 1,5 m³ are added to the volume of the sauna.

The sauna room efficiency chart

These guides help you choose the appropriate heater for maximum efficiency and usability.

HOME

Size of sauna room 2 - 18 m³, with corresponding heater output effect in kilowatts (kW)*

Model	2 m³	3 m³	4 m³	5 m³	6 m³	7 m³	8 m³	9 m³	10 m³	11 m³	12 m³	13 m³	14 m³	15 m³	16 m³	17 m³	18 m³
Piccolo	3.0	3.0	3.0														
Cup		4.5	4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0 9.0	8.0 9.0	8.0 9.0	8.0 9.0	8.0 9.0	9.0				
Vienna		4.5	4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0	8.0	8.0	8.0						
Havanna		4.5	4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0 9.0	8.0 9.0	8.0 9.0	8.0 9.0	9.0					
Roxx				6.0	6.0	6.0	6.0	6.0 9.0	6.0 9.0	9.0	9.0	9.0					
Ringo Black				6.0	6.0	6.0	6.0 8.0	6.0 8.0	8.0	8.0	8.0	8.0					
Rocher				6.8	6.8	6.8	6.8	6.8 10.5	10.5	10.5	10.5	10.5	10.5	10.5			
Himalaya				6.8	6.8	6.8	6.8	6.8 10.5	10.5	10.5	10.5	10.5	10.5	10.5			
Rondo				4.5	4.5	4.5 6.5	4.5 6.5	6.5	6.5 9.6	6.5 9.6	6.5 9.6	6.5 9.6	9.6	9.6	9.6	9.6	9.6
Saunatonttu			3.5	3.5 4.8	3.5 4.8	3.5 4.8 6.4	3.5 4.8 6.4	4.8 6.4 8.0	4.8 6.4 8.0	4.8 6.4 8.0	6.4 8.0	6.4 8.0	6.4 8.0	8.0	8.0	8.0	
Octa							9.0	9.0 10.5	9.0 10.5 12.0	9.0 10.5 12.0	9.0 10.5 12.0	9.0 10.5 12.0	10.5 12.0 15.0	10.5 12.0 15.0	12.0 15.0	12.0 15.0	12.0 15.0

^{*} Note: if your sauna room's walls have tiles and/or stones or glass surface add 1.5 m³ to your sauna room's volume for every square meter of these materials.

COMMERCIAL

Size of sauna room for professional use with corresponding heater output effect in kilowatts (kW)*

Heater model	8-13 m³	9-15 m³	10-18 m³	14-24 m³	16- 30m³	18- 30m³	24- 36m³	20- 40m³	30- 46m³	24- 50m³	50- 100m³
Laava/SKLE	9.0	10.5	12.0	15.0							
Octa	9.0	10.5	12.0	15.0							
Magma/SKLA						18.0	21.0		26.0		2*1826

^{*} Note: if your sauna room's walls have tiles, stones or glass add 1,5 m³ to your sauna room's volume for every m² of 'heavy material'.

10 HELO Electric **HELO HEATERS** Electric **HELO HEATERS** HELO 11



CUP

Versatile, handsome, compact and easy to use, Cup sauna heater is a perfect solution for small sauna rooms like in a house or apartment. It offers a very enjoyable and traditional sauna experience. It is wall mounted for compact spaces.



VIENNA

The Vienna heater is easy to install, a joy to use and doesn't require much space as it can be wall mounted. Match this heater to the rest of your sauna, with three colours available: chrome, light grey or black.

AVAILABLE IN COLOURS









Classic heaters

	Safety distance											
Product	Item no.	Colour choice. Item no.	Output (kW)	Sauna volume (m ³) Weight rocks (kg)	Size (WxHxD)	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
Cup 45 STJ graphite	004706		4.5	3-6	15	410x580x280	50	80	1200	120	Built-in, mech. Timer & Thermo	Wall mounted
Cup 60 STJ graphite	004707	chrome 003822	6.0	5-9	23	410x580x280	70	100	1250	120	Built-in, mech. Timer & Thermo	Wall mounted
Cup 80 STJ graphite	004708		8.0	8-13	23	410x580x300	100	150	1250	120	Built-in, mech. Timer & Thermo	Wall mounted
Cup 90 STJ graphite	004709	chrome 003824	9.0	9-14	23	410x580x300	100	200	1250	120	Built-in, mech. Timer & Thermo	Wall mounted
Cup 45 D graphite	004701		4.5	3-6	15	410x580x280	50	80	1200	120	WE-40 + Pure / Elite Free	Wall mounted
Cup 60 D graphite	004702		6.0	5-9	23	410x580x280	70	100	1250	120	WE-40 + Pure / Elite Free	Wall mounted
Cup 80 D graphite	004703		8.0	8-13	23	410x580x300	100	150	1250	120	WE-40 + Pure / Elite Free	Wall mounted
Cup 90 D graphite	004704		9.0	9-14	23	410x580x300	100	200	1250	120	WE-40 + Pure / Elite Free	Wall mounted
Vienna 45 STS, chrome	000545	black 000508	4.5	3-6	12	420x615x270	40	60	1200	110	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 60 STS, chrome	000546	black 000509, grey 000506	6.0	5-9	20	420x615x270	60	80	1200	110	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 80 STS, chrome	000547	black 000510, grey 000507	8.0	8-12	20	420x615x270	80	100	1200	110	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 60 STS Helo-WT Chrome	000557	black 000533	6.0	5-9	20	420x615x270	60	80	1200	110	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 80 STS Helo-WT Chrome	000558	black 000534	8.0	8-12	20	420x615x270	80	100	1200	110	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 450 D, chrome	000550	black 000520	4.5	3-6	12	400x615x270	40	60	1200	110	WE-40 + Pure / Elite Free	Wall mounted
Vienna 600 D, chrome	000551	black 000521	6.0	5-9	20	400x615x270	60	80	1200	110	WE-40 + Pure / Elite Free	Wall mounted
Vienna 800 D, chrome	000552	black 000522	8.0	8-12	20	400x615x270	80	100	1200	110	WE-40 + Pure / Elite Free	Wall mounted
Vienna 900 D. chrome	000553		9.0	8-13	20	400x615x270	100	120	1200	110	WE-40 + Pure / Elite Free	Wall mounted

12 | HELO Classic **HELO HEATERS** Classic **HELO HEATERS**



HAVANNA

The special features of the Havanna include a stone space that can be adjusted to hold 20, 28 or 35 kg of stones. A smaller amount of stones heats faster and creates stronger steam, whereas a larger amount of stones creates enjoyable and rich steam. The Havanna is wall-mountable for space-saving reasons, but floor mounting is also possible using the floor mounting kit.



Black feet set for Havanna heater. Item no. 004330






ROXX

The Roxx combines modern industrial design with natural stones. Roxx guarantees perfect sauna experience with its natural stones retaining heat efficiently, and the Helo-WT water container producing rich smooth humidity to the entire sauna. Roxx can be wall mounted, floor stading or integrated into the sauna bench. It comes with stylish control panels, Pure and Elite Free (included).



Classic heaters						Safety distance					
Product	Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)	Size (WxHxD)	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
Havanna 60 STS Helo-WT black	005844	6.0	5-9	20-35	495x580x300	45	100	1100	120	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 60 STS Helo-WT black	005824	8.0	8-12	20-35	495x580x300	75	130	1100	150	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 90 STS Helo-WT black	005846	9.0	9-13	20-35	495x580x300	80	150	1100	150	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 90 STS black	005826	9.0	9-13	20-35	495x580x300	80	150	1100	150	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 600 D Helo-WT black	005847	6.0	5-9	20-35	475x580x300	45	100	1100	120	WE-40 + Pure / Elite Free	Wall mounted + Floor standing
Havanna 600 D Helo-WT black	005831	8.0	8-12	20-35	475x580x300	75	130	1100	150	WE-40 + Pure / Elite Free	Wall mounted + Floor standing
Havanna 900 D Helo-WT black	005849	9.0	9-13	20-35	475x580x300	80	150	1100	150	WE-40 + Pure / Elite Free	Wall mounted + Floor standing
Havanna 900 D black	005833	9.0	9-13	20-35	475x580x300	80	150	1100	150	WE-40 + Pure / Elite Free	Wall mounted + Floor standing
Roxx 60 Pure Helo-WT graphite	002935	6.0	5-10	38	490x830x280	100	300	1070	0	Pure included	Wall mounted + floor standing
Roxx 90 Pure Helo-WT graphite	002936	9.0	9-13	38	490x830x280	100	350	1070	0	Pure included	Wall mounted + floor standing
Roxx 60 Elite Helo-WT graphite	002875	6.0	5-10	38	490x830x280	100	300	1070	0	Elite Free included	Wall mounted + floor standing
Roxx 90 Elite Helo-WT graphite	002876	9.0	9-13	38	490x830x280	100	350	1070	0	Elite Free included	Wall mounted + floor standing

14 | HELO Classic **HELO HEATERS** Classic **HELO HEATERS**



SMALLEST HEATER

PICCOLO

The Piccolo has a large rock compartment for a mini heater. It conceals a water container that produces rich smooth humidity to the entire sauna.

The heater can be mounted both in a corner or on a straight wall offering different options for sauna layout.



The Ringo have been designed for Finnish family saunas. 70 kg of sauna stones and pillar-like design provides heat efficiently, and the Helo-WT water container produces rich smooth humidity to the entire sauna. Ringo is clear and easy to use due to its built-in control unit with thermostat and a 12-hour timer including a 9-hour pre-selection and a heating time of 0-3 hours.

Ringo is floor standing heater with adjustable feet and can be attached to the wall to ensure stability. It can also be mounted to the sauna bench.



Electric sauna heaters													
Product	Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)	Size (WxHxD)		Side (mm)	Front (mm)	Back (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
Piccolo 30 Pure Helo-WT black	008615	3.0	2-4	20	Ø 231x790x277		60	60	45mm	1050	60	Pure included	Wall-mounted
Ringo Black 60 STJ Helo-WT black	005862	6.0	5-9	70	367x750x367		100	100	100mm	1150	0	Built-in, mech. Timer & Thermo	Floor standing
Ringo Black 80 STJ Helo-WT black	005863	8.0	8-13	70	367x750x367		100	100	100mm	1150	0	Built-in, mech. Timer & Thermo	Floor standing



ROCHER

The Rocher holds a massive 100 kg of sauna stones in a robust brushed steel brazier. Heat radiates smoothly in every direction. The secret of the soft and relaxing heat is the full-length heating elements. Every stone is heated, top to bottom, and the greater stone surface area turns a ladle of water into gentle invigorating steam. The artfully designed steel frame completes the impressive tower of natural stone as a centerpiece of any sauna. The Rocher heater is ideal for creative interior design. It can be installed floor standing in a corner or against a wall or mounted to the sauna benches using a steel or glass collar. This also enables lighting from underneath.

HELO COLLAR

Collar for heater integration.

Glass Ø 610 mm x 8 mm, suitable for Rocher and Himalaya. Item no. 0038437

Chrome steel Ø 600mm, suitable for Rocher and Himalaya. Item no. 0038430

Black, Ø 600 mm, suitable for Rocher and Himalaya. Item no. 0038431

Black glass, 600 x 600 x 8 mm, suitable for Himalaya. Item no. 0038438



HIMALAYA

The Himalaya conceals a water container featuring ingenious Helo-WT technology, which humidifies the sauna room while the heater is warming the room. With Himalaya, even milder sauna temperatures of just 65-70 degrees Celsius are highly enjoyable and relaxing. Impressive 100 kilograms of rocks and attractive 103 cm high Himalaya -heater comes in matte black or chrome. The Himalaya can be installed floor standing in a corner or against a wall or mounted to the sauna benches using a steel or glass collar. The steel collar is available in chrome or matte black to match the color of the heater.





HIMALAYA RAILS

Railing 2-sided Himalaya Item no. 7860018

•


Railing 3-side Himalaya Item no. 7860019 Handrail full protection Himalaya Item no. 7860020

Electric sauna heaters

Electric sauna heaters	sauna heaters)			
Product	Item no.	Colour choice. Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)		Size (WxHxD)	Side (mm)	Front (mm)	Back (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
ROCHER 70 Pure brushed steel	002735		6.8	5-9	100		425x1130x425	60	60	60	770	0	Pure included	Floor standing
ROCHER 105 Pure brushed steel	002736		10,5	9-15	100		425x1130x425	60	60	60	770	0	Pure included	Floor standing
ROCHER 70 Elite brushed steel	002730		6.8	5-9	100		425x1130x425	60	60	60	770	0	Elite Free included	Floor standing
ROCHER 105 Elite brushed steel	002731		10.5	9-15	100		425x1130x425	60	60	60	770	0	Elite Free included	Floor standing
HIMALAYA 70 Pure Helo-WT black	001930	chrome 001932	6.8	5-9	100		330x1030x330	60	60	60	870	0	Pure included	Floor standing
HIMALAYA 105 Pure Helo-WT black	001931	chrome 001933	10,5	9-15	100		330x1030x330	60	60	60	870	0	Pure included	Floor standing
HIMALAYA 70 Elite Helo-WT black	001900	chrome 001905	6.8	5-9	100		330x1030x330	60	60	60	870	0	Elite Free included	Floor standing
HIMALAYA 105 Elite Helo-WT black	001902	chrome 001907	10,5	9-15	100		330x1030x330	60	60	60	870	0	Elite Free included	Floor standing

18 | HELO Tower **HELO HEATERS** Tower **HELO HEATERS** HELO | 19

HEAT-RETAINING HEATERS





SAUNATONTTU

Helo teamed up with world-renowned designer Ristomatti Ratia to develop the perfect sauna heater, and the sleek black ever-ready heater was then called Saunatonttu or "Sauna elf". This multi-patented innovation with a great European design is hailed by many as unquestionably the world's best sauna heater. The secret of the Saunatonttu lies in the continuous heat generated by 100 kg of stones. The small safety distances required bring flexibility to sauna interior design, and this corner model heater can also be easily mounted to the sauna benches. Saunatonttu has a small handy controller for all heater parameters.



EVERREADY

Helo played an important part in developing the market. With ingenious solutions and aided by implicit passion for sauna amongst the general public, fine-tuning the sauna experience as a whole lay close to heart for Helo. A new era for Helo occured in the early 1980's, when a super insulated and heat retaining stone compartment was introduced to the market. The technology was named EverReady.

Before the introduction of Helo's ingenious EverReady sauna technology, having a sauna meant switching on the heater and wait for the sauna room to reach sufficient temperature, a wait that could prove unbearable on a cold winter's day! The upscale version meant programming a rudimentary timer to get the sauna going at a certain time, which in turn, meant adjusting your daily schedule around the sauna.

The new generation electric sauna heater technology, with its super insulated stone compartment core, was also a Helo patent and meant that the heater would stay heated continuously, ready to go at any time, through maintaining heat at a very low level of energy consumption. The new heater was built on simplistic technology; lift the lid of the heated stone compartment

and you get instant radiating heat and a sauna room that is ready to use in no time. The Saunatonttu, which was and is the name of the revolutionary heater, still remains a popular choice, and its iconic rounded shape feels as modern today as when it was first introduced almost 40 years ago.



Standby heaters

							Salety u	istalice			
Product	Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)	Size (WxHxD)	Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
Saunatonttu 6 black	002701	6.4	7–14	100	500x1090x500	30	30	800	0	Control panel Olea 63 included	Floor standing
Saunatonttu 8 black	002706	8.0	9–17	100	500x1090x500	30	30	800	0	Control panel Olea 63 included	Floor standing

20 | HELO Heat-retaining HELO HEATERS Heat-retaining HELO HEATERS Heat-retaining HELO HEATERS HELO | 21






RONDO

The Rondo is one of Helo's super-insulated storage heaters. Rondo has a round shape and patented 360 degrees rotating hatch. The hatch can be choosed to install at any angle during the installation phase. Thanks to the well-insulated shell of the heater, the 90 kg of stones retain heat extremely well, so you can enjoy a relaxing spur-of-the-moment sauna break. It is designed to be floor mounted, but it can also be integrated into the sauna benches.

Standby heaters

•							5	arety distance				
Product	Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)	Size (WxHxD)	Side (mm)	Front (mm)	Back (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
Rondo 65 graphite	002907	6.5	7–13	90	500x860x500	50	50	50	1040	0	Control panel RA19 included	Floor standing
Rondo 96 graphite	002908	9.6	10-18	90	500x860x500	50	50	50	1040	0	Control panel RA19 included	Floor standing



OCTA

The Octa heater has a nice graphite colour and is based on traditional technologies. With its eight sides, it is suitable for saunas of all shapes, and can even be placed in the middle of the room. Octa started its life as the Fantasy, which in turn was modified into a special version, the President – a one-off octagonal shape sauna heater, specially commissioned by President Mauno Koivisto for his official sauna.



LAAVA/SKLE

Our stylish, graphite Laava heater and the stainless steel finish SKLE are robust, safe and easy to maintain. The free-standing heaters are designed for public saunas. With 60 kg of stones, they gives enjoyably soft heat even for larger saunas.



nercial heaters							;	Safety distance	!			
Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)	Size (WxHxD)		Side (mm)	Front (mm)	Back(mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
000615	9.0	8-13	60	560x760x560		25	25	25	1150	0	WE-40 + Pure / Elite Free	Floor standing
000616	10.5	9-15	60	560x760x560		25	25	25	1150	0	WE-40 + Pure / Elite Free	Floor standing
000617	12.0	10-18	60	560x760x560		65	65	65	1350	0	WE-40 + Pure / Elite Free	Floor standing
000618	15.0	14-24	60	560x760x560		65	65	65	1350	0	WE-40 + Pure / Elite Free	Floor standing
000915	9.0	8-13	60	540x730x500		80	50	110	1200	0	WE-40 + Pure / Elite Free	Floor standing
000916	10.5	9-15	60	540x730x500		80	50	110	1200	0	WE-40 + Pure / Elite Free	Floor standing
000917	12.0	10-18	60	540x730x500		65	65	65	1350	0	WE-40 + Pure / Elite Free	Floor standing
000918	15.0	14-24	60	540x730x500		65	65	65	1350	0	WE-40 + Pure / Elite Free	Floor standing
000901	9.0	8-13	60	510x700x475		80	80	110	1200	0	WE-40 + Pure / Elite Free	Floor standing
000902	10.5	9-15	60	510x700x475		80	80	110	1200	0	WE-40 + Pure / Elite Free	Floor standing
000903	12.0	10-18	60	510x700x475		120	120	120	1400	0	WE-40 + Pure / Elite Free	Floor standing
000904	15.0	14-24	60	510x700x475		120	120	120	1400	0	WE-40 + Pure / Elite Free	Floor standing
	000615 000616 000617 000618 000915 000916 000917 000918 000901 000902	000615 9.0 000616 10.5 000617 12.0 000618 15.0 000915 9.0 000916 10.5 000917 12.0 000918 15.0 000901 9.0 000902 10.5 000903 12.0	000615 9.0 8-13 000616 10.5 9-15 000617 12.0 10-18 000618 15.0 14-24 000915 9.0 8-13 000916 10.5 9-15 000917 12.0 10-18 000918 15.0 14-24 000901 9.0 8-13 000902 10.5 9-15 000903 12.0 10-18	000615 9.0 8-13 60 000616 10.5 9-15 60 000617 12.0 10-18 60 000618 15.0 14-24 60 000915 9.0 8-13 60 000916 10.5 9-15 60 000917 12.0 10-18 60 000918 15.0 14-24 60 000901 9.0 8-13 60 000902 10.5 9-15 60 000903 12.0 10-18 60	000615 9.0 8-13 60 560x760x560 000616 10.5 9-15 60 560x760x560 000617 12.0 10-18 60 560x760x560 000618 15.0 14-24 60 560x760x560 000915 9.0 8-13 60 540x730x500 000916 10.5 9-15 60 540x730x500 000917 12.0 10-18 60 540x730x500 000918 15.0 14-24 60 540x730x500 000901 9.0 8-13 60 510x700x475 000902 10.5 9-15 60 510x700x475 000903 12.0 10-18 60 510x700x475	000615 9.0 8-13 60 560x760x560 000616 10.5 9-15 60 560x760x560 000617 12.0 10-18 60 560x760x560 000618 15.0 14-24 60 560x760x560 000915 9.0 8-13 60 540x730x500 000916 10.5 9-15 60 540x730x500 000917 12.0 10-18 60 540x730x500 000918 15.0 14-24 60 540x730x500 000901 9.0 8-13 60 510x700x475 000902 10.5 9-15 60 510x700x475 000903 12.0 10-18 60 510x700x475	000615 9.0 8-13 60 560x760x560 25 000616 10.5 9-15 60 560x760x560 25 000617 12.0 10-18 60 560x760x560 65 000618 15.0 14-24 60 560x760x560 65 000915 9.0 8-13 60 540x730x500 80 000916 10.5 9-15 60 540x730x500 80 000917 12.0 10-18 60 540x730x500 65 000918 15.0 14-24 60 540x730x500 65 000901 9.0 8-13 60 510x700x475 80 000902 10.5 9-15 60 510x700x475 80 000903 12.0 10-18 60 510x700x475 120	Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) 000615 9.0 8-13 60 560x760x560 25 25 000616 10.5 9-15 60 560x760x560 25 25 000617 12.0 10-18 60 560x760x560 65 65 000618 15.0 14-24 60 560x760x560 65 65 000915 9.0 8-13 60 540x730x500 80 50 000916 10.5 9-15 60 540x730x500 80 50 000917 12.0 10-18 60 540x730x500 65 65 000918 15.0 14-24 60 540x730x500 65 65 000918 15.0 14-24 60 540x730x500 65 65 000901 9.0 8-13 60 510x700x475 80 80 000902 10.5 <td>Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) 000615 9.0 8-13 60 560x760x560 25 25 25 000616 10.5 9-15 60 560x760x560 25 25 25 25 000617 12.0 10-18 60 560x760x560 65 65 65 65 000618 15.0 14-24 60 560x760x560 65 65 65 65 000915 9.0 8-13 60 540x730x500 80 50 110 000916 10.5 9-15 60 540x730x500 80 50 110 000917 12.0 10-18 60 540x730x500 65 65 65 000918 15.0 14-24 60 540x730x500 65 65 65 000901 9.0 8-13 60 510x700x475 80</td> <td>000615 9.0 8-13 60 560x760x560 25 25 25 1150 000616 10.5 9-15 60 560x760x560 25 25 25 25 1150 000617 12.0 10-18 60 560x760x560 65 65 65 65 1350 000618 15.0 14-24 60 560x760x560 65 65 65 65 1350 000915 9.0 8-13 60 540x730x500 80 50 110 1200 000916 10.5 9-15 60 540x730x500 80 50 110 1200 000917 12.0 10-18 60 540x730x500 65 65 65 1350 000918 15.0 14-24 60 540x730x500 65 65 65 1350 000901 9.0 8-13 60 510x700x475 80 80 80 110 1200 <td> Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) Ceiling (mm) Floor (mm) </td><td> Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) Ceiling (mm) Floor (mm) Suitable control panel </td></td>	Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) 000615 9.0 8-13 60 560x760x560 25 25 25 000616 10.5 9-15 60 560x760x560 25 25 25 25 000617 12.0 10-18 60 560x760x560 65 65 65 65 000618 15.0 14-24 60 560x760x560 65 65 65 65 000915 9.0 8-13 60 540x730x500 80 50 110 000916 10.5 9-15 60 540x730x500 80 50 110 000917 12.0 10-18 60 540x730x500 65 65 65 000918 15.0 14-24 60 540x730x500 65 65 65 000901 9.0 8-13 60 510x700x475 80	000615 9.0 8-13 60 560x760x560 25 25 25 1150 000616 10.5 9-15 60 560x760x560 25 25 25 25 1150 000617 12.0 10-18 60 560x760x560 65 65 65 65 1350 000618 15.0 14-24 60 560x760x560 65 65 65 65 1350 000915 9.0 8-13 60 540x730x500 80 50 110 1200 000916 10.5 9-15 60 540x730x500 80 50 110 1200 000917 12.0 10-18 60 540x730x500 65 65 65 1350 000918 15.0 14-24 60 540x730x500 65 65 65 1350 000901 9.0 8-13 60 510x700x475 80 80 80 110 1200 <td> Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) Ceiling (mm) Floor (mm) </td> <td> Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) Ceiling (mm) Floor (mm) Suitable control panel </td>	Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) Ceiling (mm) Floor (mm)	Item no. Output (kW) Sauna volume (m³) Weight rocks (kg) Size (WxHxD) Side (mm) Front (mm) Back(mm) Ceiling (mm) Floor (mm) Suitable control panel



A proper sauna is a strong selling point for hotels, gyms, spas and sports centres. Our large-scale heaters are not only well-made but also energy-efficient and user-friendly.

MAGMA/SKLA

The Magma heater in graphite and the SKLA in stainless steel are meant for large public saunas which require a reliable, powerful and cost-effective heater. They give rich heat and steam that engulf the entire sauna room in a pleasant atmosphere.



Don't forget your stones!











SAUNA STONES

"Olivine dolerite" is a hard stone material which is formed uneven so air pockets can be created between the stones.

Sauna stones 20 kg. Under 100 mm. Wall mounted. Item no. 0043020

Sauna stones 20 kg. Larger than 100 mm. For floor mounted and commercial heaters. Item no. 0043022

HELO CASSETTES & CERAMIC SAUNA STONES

Ceramic stones for commercial use are made of clay that can be heated up to 1300 $^{\circ}\text{C}.$

Helo Sauna rock cassette for Laava 7 pcs Item no. 000993

Helo Sauna rock cassette for Magma 13 pcs Item no. 000996

Helo Ceramic Kerkes rocks for rock cassettes, Laava Item no. 4301526

Helo Ceramic Kerkes rocks for rock cassettes, Magma Item no. 4301528




Commercial heaters	nmercial heaters								Safety distance	!]	
Product	Item no.	Output (kW)	Sauna volume (m³)	Weight rocks (kg)	Size (WxHxD)		Side (mm)	Front (mm)	Back (mm)	Ceiling (mm)	Floor (mm)	Suitable control panel	Installation
Magma 181 graphite	000911	18.0	18-30	80	900x715x520		140	160	160	1400	0	WE-50 + Pure / Elite Free	Floor standing
Magma 210 graphite	000912	21.0	24-36	80	900x715x520		140	160	160	1400	0	WE-50 + Pure / Elite Free	Floor standing
Magma 260 graphite	000913	26.0	30-46	80	900x715x520		140	160	160	1500	0	WE-50 + Pure / Elite Free	Floor standing
Magma 262 graphite	000914	26.0	30-46	80	900x715x520		140	160	160	1500	0	WE-50 + Pure / Elite Free	Floor standing
SKLA 181 chrome	000905	18.0	18-30	80	880x700x510		140	160	160	1400	0	WE-50 + Pure / Elite Free	Floor standing
SKLA 210 chrome	000906	21.0	24-36	80	880x700x510		140	160	160	1400	0	WE-50 + Pure / Elite Free	Floor standing
SKLA 260 chrome	000907	26.0	30-45	80	880x700x510		140	160	160	1500	0	WE-50 + Pure / Elite Free	Floor standing
SKLA 262 chrome	000910	26.0	30-46	80	880x700x510		140	160	160	1500	0	WE-50 + Pure / Elite Free	Floor standing

26 | HELO Commercial **HELO HEATER** Stones **HELO HEATERS**

CONTROL PANELS





Control your sauna with a smart control panel. The Pure stands for simplicity and functionality. The Elite Free is cloud based and can have multiple user profiles so the perfect option for the commercial spa facility.

Pure

INTUITIVE DESIGN AND FEATURES

The elegant, compact design of the Pure control panel makes it the go-to choice for those who value functionality and simplicity.

The thin black control lets you set the lighting, temperature and sauna time easily with only a few touches. Of course, choosing the start time up to ten hours in advance means you can step into a wonderfully hot sauna or steam as soon as you get home. (Door switch is included with Pure control panel.).



PLACEMENT OF THE CONTROL PANEL

We recommend placing the control panels outside sauna room, due to lower temperatures. If control panels are placed inside sauna room, make sure the temperature is always below 80 degrees.



Elite Free

EFFORTLESS BATHING

The new control panel Elite Free has been updated with cloud based functionality so you can control your sauna from anywhere! Why not have it ready when you come in from the ski slope or an exhausting car ride on the way home from work.

It is packed with advanced features, thanks to its internal processor and operating system. In addition to highly personalized settings, the Elite Free can be individually programmed according to your own schedule.

Add features such as auxiliary fans, fragrance pumps or lights – the Elite Free control panel handles it all with clear and concise precision. The 4.5-inch touch screen delivers real-time status on every aspect of your sauna and steam bath. Door switch is encluded with Eite Free control panel to ensure the cloud functionality.

DOWNLOAD
THE HELO
CONTROL APP
AND GET IN
CONTROL!

28 | HELO Sauna CONTROL PANELS Sauna CONTROL PANELS HELO | 29

WALL PANELS









WHITE



NATURAL



GREY



Taika panels are available in two different forms; horizontal and square and comes in a number of wood finishes.

TAIKA PANEL, CERTIFIED BIRCH PLYWOOD

	Size in mm (H x D x W)	Item no.
Black	12 x 196 x 3030	0038608
White	12 x 196 x 3030	0038623
Natural	12 x 196 x 3030	0038633
Grey	12 x 196 x 3030	0038663
Brown	12 x 196 x 3030	0038672
Black	12 x 196 x 1500	0038668
White	12 x 196 x 1500	0038669
Natural	12 x 196 x 1500	0038670
Grey	12 x 196 x 1500	0038671
Brown	12 x 196 x 1500	0038674
Black	12 x 376 x 376	0038609
White	12 x 376 x 376	0038627
Natural	12 x 376 x 376	0038637
Grey	12 x 376 x 376	0038667
Brown	12 x 376 x 376	0038673

Sauna WALL PANELS HELO | 31

SAUNA ACCESSORIES



BRILLIANT ACCESSORIES

This new series has been developed in collaboration with Italian designer, Paola Garatto. The beautiful diagonal shape is inspired by the water waves. It includes bucket, ladle, thermometer, hygrometer and hourglass and is offered in beautiful matt Black or glamorous Silver grey.

It features aluminium which is anodised and sand-blasted for a real quality finish and longevity. The handle on the bucket is light birch, reinforced with aspen for strength.

In addition to the stylish design, the bucket has a clever functional spout to enable more accurate pouring of water - ideal for filling the water tank on Helo heaters.










MEET THE DESIGNER PAOLA GARATTO

Paola Garatto designed the Brilliant sauna accessory series in collaboration with TylöHelo. Sometimes, sauna related products do not fit well with the modern home sauna or luxurious spa. In response, Garatto created elegant sauna accessories which suit well with a wide variety of sauna interiors. The concept reflects TylöHelo's company principles, combined with modern Nordic aesthetic features. The materials chosen combine practicality with pleasant appearance - a great complement to the environment and enhancement to the sauna experience.

Paola Garatto is a Venice-born Freelance Designer based in Helsinki (FI) and Venice (IT), working in multidisciplinary design projects. Her designs are reflecting the principles and values of industrial design channelled into fashion statements. She takes inspiration from high-quality Italian craftsmanship, blended with the progressive Nordic design aesthetics and values.

www.paolagaratto.com



Salt from Himalaya functions as an air cleaner in your sauna. Just place some salt rocks on the grill or lid of your Helo-WT heater, or put the smaller salt granules in the tank. It gives you a fresh and healthy atmosphere that is especially good for your skin and your airways.

Himalayan Pink Salt Granules 1 kg Item no. 3817478 Himalayan Pink Salt Rocks 1 kg Item no. 3817479


ADD A FRAGRANCE **TO YOUR SAUNA** TO STIMULATE YOUR SENSES.

You can place rock salt, birch leaves, herbs or sauna essences on top of the water tank. Find more at tylohelo.com/helo

32 | HELO Sauna ACCESSORIES Sauna ACCESSORIES HELO 33

STEAM BATH














The concept of steam bathing dates back to the Roman times. Compared to the traditional Finnish sauna, the temperature of a steam sauna is considerably lower and the humidity up to 100%. A steam bath deep cleanses and moisturises the skin, rejuvenates tired muscles and relaxes the mind.



1 Make sure your generator is powerful enough for the size of your steam room: Room volume (m³) x K1 x K2 = required power (kW)

Constants:

- •Ventilated room K1 = 0.75
- •Acrylic room K2 = 1
- •Tiles on insulating concrete K2 = 1,50

- •Non ventilated K1 = 0.52
- •Tiles on board or hard foam K2 = 1,25
- •Heavy wall of concrete or tiles K2 = 2
- **Plan your steam room with proper drainage as a top priority.** The steam generator will be emptied of water and flushed frequently so make sure it is placed in the immediate vicinity of a drain. For generators installed for commercial use, the optional automatic drain function is required.
- **3** Test the hardness of your mains water to predetermine the frequency of maintenance.
- 4 Most of the limescale build-up in the steam generator is removed during the automatic flush sequence, but some deposits always remain. In commercial use, it is therefore usually necessary to manually descale and clean tank walls and heating elements from time to time. In commercial settings, the generator must be flushed at least daily.

34 HELO STEAM BATH STEAM BATH HELO | 35

STEAM GENERATORS

Our durable steam generators work reliably even when used continuously, with minimal maintenance and service costs. They are equipped with several convenient features for the best experience.



HELO STEAM PRO

An advanced steam generator for commercial use with a lot of smart features included like; standby function, automatic flush, safety flush, two aux outputs for fragrance/salt, ganging with RJ connectors (1+2units), resettable high limit switch, new drain valve. Push button for activation from standby is available as add-on.



HELO STEAM


Engineered for minimal use of electicity and water but provide maximum enjoyment. A steam generator that suits residential use that comes with two aux outputs for fragrance or salt and resettable high limit switch.

Available add-ons are new drain valve and automatic flush.

HELO Steam generators

	Item no.	Output (kW)	Steam room's min./max. volume (m³)						
			Thin wall of glass or plastic		Heavy wall of tile, concreat or stone				
Product			with ventilation	without ventilation	with ventilation	without ventilation	Steam production (kg/h)	Size in mm (WxHxD)	Suitable control panel
Helo Steam	002100	3.4	2-6 m ³	2-7 m ³	2-4 m ³	2-5 m ³	5	636 x 380 x 164	
Helo Steam	002101	4.7	3-7 m ³	3-8 m³	2-5 m ³	2-6 m ³	6	636 x 380 x 164	
Helo Steam	002102	6	4-9 m³	4–13 m³	3-6 m ³	3-7 m ³	8	636 x 380 x 164	
Helo Steam	002103	7.7	6-11 m ³	6-15 m ³	4-8 m³	5-9 m³	10	636 x 380 x 164	Pure or
Helo Steam Pro	002104	9.5	9-13 m ³	9–17 m³	6-9 m ³	7–11 m³	13	636 x 380 x 164	Elite Free
Helo Steam Pro	002105	12	11–18 m³	12-24 m ³	8–12 m³	9-16 m ³	16	636 x 380 x 164	
Helo Steam Pro	002106	14	14-22 m ³	18-30 m ³	10-14 m ³	11–17 m³	19	636 x 380 x 164	
Helo Steam Pro	002107	16	17-25 m ³	23-35 m ³	12-16 m ³	12-18 m ³	21	636 x 380 x 164	

To be installed away from steam in a dry and vented space.



CHOOSE YOUR CONTROL PANEL FOR YOUR GENERATOR



ELITE FREE

Gives a quicker heat up time and lets you set the exact percentage of humidity for full control. Cloud connectivity for maximum advantage and comfort is included.



DIIDE

Comes with the standard digital touch control panel for ease of use and convenience. Let's you set temperature and time.



FRAGRANCE PUMP

Available as an option for your steam generator and connects simply to the outlet pipe. Add any 5-litre concentrated fragrance. Item no. 0038130

CONTAINER FOR ESSENCE PUMP 20L Item no. 0038132

ADAPTER FOR CONTAINER

Item no. 0038131

36 | HELO Generators STEAM BATH Generators STEAM BATH HELO | 37

INFRARED








Why limit your sauna enjoyment? Enjoy the infrared heat in a traditional Helo sauna! The health benefits of infrared panels will complement your traditional sauna and give you more options. We have glass infrared panels in grey and black. You can have them combined in your sauna or use them to build a customised infrared room.

The glass panels comes with alder frame and we recommend to also buy a matching backrests, since the glass gets hot.

Glass Infra panels

Product	Item no.	Size in mm	Power/ Voltage	
Glass Infra panel, black*	0038961	910 X 310 mm	900W, 230V	
Glass Infra panel, grey*	0038962	910 X 310 mm	900W, 230V	
Backrest, alder	0038963	390 x 710 x 60 mm		
Control panel 60 minutes	001560			

*You need to buy the backrest art. 0038963 in order to have a complete set.



IR-KIT

You can now use IR-panels and heater with same Elite Free control panel. Here are the options to buy a set:

DOMESTIC USE:

WE 54 IR KIT (Item no. 001355) + IR-PANELS + HEATER; ROCHER ELITE / HIMALAYA ELITE OR ROXX ELITE

COMMERCIAL USE:

WE 53 IR KIT (Item no. 001354) + IR-PANELS + HEATER; SKLE/ LAAVA OR OCTA + ELITE FREE CONTROL PANEL

38 | HELO Panels INFRARED Kit INFRARED HELO | 39





TYLÖHELO OY

Linnoitustie 6 B, FI-02600 Espoo www.tylohelo.com

ORDERS AND CUSTOMER SERVICE

Tel: +358 207 560 300 Email: export.fi@tylohelo.com **TECHNICAL SUPPORT AND AFTER SALES**

Tel: +358 207 560 332 Email: aftersales.fi@tylohelo.com