


Data Sheet 60564




Rev 006

General Information	
Trade Name	Sterile Polyester Spun Swab
Common Name	3" Polyester Nasal Swab
Product Code	KXG
Classification	Class 1 (exempt)
Manufacturer	SteriPack USA Ltd LLC 4255 South Pipkin Road, Lakeland, Florida, 33811, USA T: +1 863-648-2333 http://steripackgroup.com/
Contact email	info@steripackgroup.com
Registration #	3009656988
ISO	13485:2016
Cleanroom	ISO Class 8
Product Reference	60564
IFU	An electronic IFU (eIFU) is used for this finished good. See https://steripackgroup.com/ifu/ for instructions for use.
GS1	860004112716
Quantity per box	2,000
Sterilization	Gamma sterilized Validated at VDmax20 using ANSI/AAMI/ISO TIR13004:2013/(R) 2016, i.e. > 20kGy

Package	
Shelf Life	2 year, from DOM


This document is property of SteriPack USA. All rights reserved

Data Sheet 60564		Rev 006
------------------	---	---------

Swab Information		
		
Technical Specification		
STICKS		
MATERIAL	POLYPROPYLENE 9003-07-0	WHITE, HOLLOW
LENGTH	2.7555 ± .0275 in.	69.3 – 70.7 mm
OUTER DIAMETER	Ø.1014 ± .0069 in.	Ø2.40 – 2.75 mm
INNER DIAMETER	Ø.0630 ± .0118 in.	Ø1.30 – 1.90 mm
FIBER		
MATERIAL	PET, POLYETHYLENE TEREPHTHALATE	POLYESTER

SWABS		
LENGTH	2.8740 ± .1180 in.	70.0 – 76.0 mm
FIBER HEAD (BUD) DIAMETER	Ø.185 ± .035 in.	Ø3.80 ± 5.60 mm
FIBER HEAD (BUD) WIDTH	.630 ± .150/- .132 in.	12.65 – 19.81 mm

Package Information	
Top Substrate	3.1mil DSR 400 Heat Seal Coated/Ethypel® Performance CP 63gsm
Bottom Substrate	4mil PE Coex Forming Web
Dimension - Width	0.88in / 22.28mm
Dimension - Length	4.33in / 110mm



4.33in / 110mm