# Xerox<sup>®</sup> AltaLink<sup>®</sup> Color Multifunction Printer

Smart, secure and connected Workplace Assistant.



C8030/C8035/C8045/C8055/C8070





# Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

Xerox<sup>®</sup> AltaLink devices provide new levels of capability and connectivity for mid-size and large workgroups and busy offices. With AltaLink, your extended workforce has instant and secure access to the documents, data and workflows it needs to work faster and more efficiently — from every location and with any device.

## SMART AND PRODUCTIVE

From its tablet-like user interface to its right-out-of-the-box mobile-friendly connectivity options, the Xerox® AltaLink C8000 Series is the color multifunction device today's workers have been waiting for.

Easy to manage as a standalone device or as part of an entire fleet, it's designed to enable fast multitasking and collaboration. Create customized 1-Touch Apps to automate multi-step workflows. Simply tap your new app to quickly perform the job you configured. And save time by scanning to multiple destinations, including a USB drive, network location and SMB share location, all in one operation.

With the touch of a button, you can go to our Xerox App Gallery and download simple, yet powerful, serverless apps to your AltaLink® device to increase user productivity and shorten everyday tasks.

Built-in mobile connectivity, including Xerox® @printbyXerox App, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Airprint®, Mopria® and optional Wi-Fi Direct® provides the time-saving convenience your workforce wants and needs.

# POWERFUL AND SCALABLE

Provide interactive training and support right from your desktop with our remote control panel. Enable serverless fleet management with Fleet Orchestrator. Configure a single device once, then let the Fleet Orchestrator deploy and manage configurations automatically and share automated workflows across devices. Fewer maintenance hassles, less IT support, high-capacity paper trays and the ability to print on varying paper sizes add up to increased uptime and greater productivity. Scanning, printing and faxing can be done simultaneously, allowing for multitasking during peak periods — and your choice of finishing options means you can configure your AltaLink device for any work environment and any document type, including booklets, brochures and pamphlets.

## BUILT-IN SECURITY

Enjoy comprehensive security through our strategic approach to preventing intrusions and keeping documents and data safe. Our partnerships with McAfee® and Cisco® proactively address risks at the individual device, fleet and network level.

By interacting with the market-leading McAfee® DXL and Cisco® pxGrid platforms, Xerox® AltaLink devices employ an orchestrated response that neutralizes threats at their source the moment they occur.

Multiple layers of security include data encryption, disk overwrite and industry certifications. The innovative Configuration Watchdog ensures your AltaLink devices remain configured in accordance with your security policies.

# COLOR WHERE IT COUNTS

With high resolution output of 1200 x 2400 dpi, photo-quality color images and crisp text will give your documents clarity and impact. You can also upgrade your AltaLink C8000 Series with the Xerox® EX-c C8000 Print Server Powered by Fiery<sup>®</sup>, enabling office users to quickly, efficiently and cost effectively print professionallooking documents.

# XEROX<sup>®</sup> CONNECTKEY<sup>®</sup> TECHNOLOGY

#### Intuitive User Experience

A familiar way to interact that includes a tablet-like experience with gesturebased touchscreen controls and easy customization.

#### Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

#### **Benchmark Security**

Comprehensive security that includes a powerful mix of built-in features and services to prevent unauthorized access, detect suspect or malicious behavior, and protect data and documents.

#### **Enables Next Generation Services**

Easy integration of Xerox® Intelligent Workplace Services. Enables remote monitoring of service delivery and consumables.

## Gateway to New Possibilities

Instantly extend your capabilities with real-world apps from the Xerox App Gallery, or talk with one of our partners to design and develop a solution specific to your business needs.

Find out more about how you'll work smarter at **www.ConnectKey.com**.

## FINISHING APPLICATIONS





# CHOOSE THE CONFIGURATION THAT MEETS YOUR NEEDS

- 1 Single-Pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of two-sided documents at up to 139 impressions per minute.
- **2 Convenience Stapler** (optional) staples up to 50 sheets of 20 lb/80 gsm media.
- **3** Bypass Tray handles up to 100 sheets of 20 lb/80 gsm, also feeds up to 110 lb Cover/300 gsm media.
- **4 Two 520-sheet adjustable trays** (standard with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.
- **5** Envelope Kit (optional replaces Tray 1) provides trouble-free feeding of up to 60 envelopes.
- 6 High-Capacity Tandem Tray Module (optional) brings the total paper capacity up to 3,140 sheets.
- **7 Four Tray Module** (optional with C8030/C8035) holds a total of 2,180 sheets.
- 8 High-Capacity Feeder (optional) holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.
- **9** Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value.





- 10 BR Booklet Maker Finisher (optional) provides advanced finishing with the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).
- 11 C-Fold/Z-Fold Unit (optional) adds three folds: C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.
- 12 Offset Catch Tray (OCT) (standard on all configurations and included with all finishers).
- **13** Integrated Office Finisher (optional with C8030/C8035) provides 500-sheet stacking and 50-sheet, single-position stapling.
- 14 Office Finisher LX (optional with C8030/C8035/ C8045/C8055) gives you advanced finishing functions at a great value, and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).
- 15 Xerox<sup>®</sup> Integrated RFID Card Reader E1.0 (optional) adds card-based authentication with support for over 90 access cards.
- 16 Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to the AltaLink® C8000 user panel and instantly connect with the MFP.





# INTRODUCING MOBILE DEVICE-LIKE TOUCHSCREEN SUPERIORITY

Meet our all-new, 10.1-inch color touchscreen — the user interface that sets a higher standard for customization, ease of use and versatility.

By presenting a familiar "mobile" experience — with support for gestural input and task-focused apps that share a common look and feel — fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing commonly used functions front and center. Don't like where a function or app is located? Want faster access to app settings? Easily customize the touchscreen's layout to make it yours.

This unmatched balance of hardware technology and software smarts helps everyone who interacts with the AltaLink<sup>®</sup> C8000 Series get more work done, faster. Try our new UI at www.xerox.com/AltaLinkUI.

# Xerox<sup>®</sup> AltaLink C8030/C8035/C8045/C8055/C8070 Color Multifunction Printer

ConnectKey®

Technology

DEVICE SPECIFICATIONS	AltaLink <sup>®</sup> C8030	AltaLink <sup>®</sup> C8035	AltaLink <sup>®</sup> C8045	AltaLink <sup>®</sup> C8055	AltaLink <sup>®</sup> C8070
Speed (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 50/55 ppm	Up to 70/70 ppm
Monthly Duty Cycle*	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages
lard Drive/Processor/Memory	Minimum 250 GB HDD/Intel <sup>®</sup> Atom <sup>™</sup> Quad Core 1.91 GHz/2 MB Cache/8 GB system memory				
Connectivity	10/100/100Base-T Ethernet, High-Speed USB 2.0 direct print, Wi-Fi Direct® with optional Xerox® USB Wireless Adapter, NFC Tap-to-Pair				
ptional Controller	Xerox® EX-c C8000 Print Server Powered by Fiery®				
opy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi				
irst-Copy-Out Time (as fast as)	8.1 seconds color/6.7 seconds		7.8 seconds color/6.4	7.2 seconds color/5.7	5.2 seconds color/4.9
from platen/warmed-up state)	0.1 Seconds color/0.7 Secon	ius black-and-white	seconds black-and-white	seconds black-and-white	seconds black-and-white
irst-Print-Out Time (as fast as)	6.5 seconds color/5.3	6.4 seconds color/5.2	6.5 seconds color/5.3	6.0 seconds color/4.7	4.7 seconds color/4.0
iist-Piint-Out Time (as fast as)				seconds black-and-white	
	seconds black-and-white	seconds black-and-white	seconds black-and-white		seconds black-and-white
age Description Languages	Adobe® PostScript® 3™, Adobe PDF version 1.7, PCL® 5c/PCL 6, Optional XML Paper Specification (XPS)				
aper Input Standard	Single-Pass Duplex Automatic Document Feeder: 130 sheets; Speed: up to 139 ipm (duplex); Sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 r Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 19 in./89 x 98 mm to 320 x 483 mm (SEF) Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF) Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)				
Choose One	Four Tray Module (Trays 3 and 4 — available with C8030/C8035): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 to 12 x 18 in./				
Optional	140 x 182 mm to SRA3 (SEF)				
	High Capacity Tandem Tray Module: 2,000 sheets; One 867-sheet paper tray and one 1,133-sheet paper tray; Sizes: 8.5 x 11 in./A4				
optional	Envelope Tray (replaces Tray 1): Up to 60 envelopes: #10 Commercial, Monarch, DL, C5				
aper Output/ Standard				e-up Tray: 100 sheets	
intelation of	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets Integrated Office Finisher (Available with C8030/C8035): 500-sheet stacker, 50 sheets stapled, sinale-position stapling				
Philsning Optional	Integrated Office Finisher (Available with C8030/C8035): 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX (Available with C8030/C8035/C8045/C8055): 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch,				
	optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages))				
	<b>BR Finisher:</b> 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching <b>BP Booklet Maker Finisher:</b> 1,500-sheet stacker and 500, sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle stitch				
	BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch				
	booklet making (2 to 16 sheets, 64 pages) and V-folding C Fold/7 Fold Units Adda 7 folding Latter 7 folding and Latter C folding to the PP Einisher and PP Pooklet Maker Einisher				
	C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling (based on 80 gsm), includes Work Surface				
		sneet stapling (based on 80 g	sm), Includes Work Surface		
NTUITIVE USER EXPI	RIENCE				
ustomize	Site, Function or Workflow	Customization with Xerox® Ap	p Gallery Apps		
rint Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®, Application Defaults, Xerox® Pull Print Driv				
erox <sup>®</sup> Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog				
emote Console/Preview	Remote Control Panel				
rint Features	Print from USB, Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control,				
i inter cutures	Two-sided Printing, Draft Mode				
Scan and Fax	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/				
	Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, I				
	Multi-page PDF/XPS/T1FF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, I Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR)				
		ing, United Address Book, Opt	lical Character Recognition (OCR)	)	
OBILE AND CLOUD R					
Iobile Connectivity	Apple® AirPrint®, Google Cloud Print™ Ready, Xerox® Print Service Plug-in for Android™, Mopria® Print Service Plug-in for Android, NFC, Wi-Fi Direct Printing, Xerox® Print Service Plug-in for Android™				
Nobile Printing	Xerox <sup>®</sup> @printbyXerox App, See more at <b>xerox.com/MobileSolutions</b> ; <b>Optional:</b> Xerox <sup>®</sup> Workplace Cloud/Suite Mobile Print Solution.				
Nobile Printing	Learn more at <b>xerox.com/MobilePrintApp</b> .				
Cloud Connectivity					
Lioud Connectivity	Xerox App Gallery; <b>Optional</b> : Connect for Salesforce, Connect for Google Drive <sup>™</sup> , Connect for OneDrive <sup>®</sup> , Connect for DropBox <sup>™</sup> , Connect for Office 365 <sup>™</sup> , Connect for Box <sup>®</sup> and more at <b>xerox.com/CloudConnectorApps</b> .				
	365™, Connect for Box® an	id more at xerox.com/CloudCo	onnectorApps.		
BENCHMARK SECURIT	Y				
Network Security	IPsec, HTTPS, SFTP and Er	ncrypted Email, McAfee® ePoli	cy Orchestrator®, Network Auther	ntication, SNMPv3, SHA-256 Ho	ash Message Authentication,
	SSL, TLS, Security Certificates, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through				
	McAfee DXL/Cisco pxGrid integration				
Device Access			ng, Audit Log, Access Controls, Us	ser Permissions, Configuration \	Natchdoa:
Data Protection			erox® Integrated RFID Card Read		
	optional Xerox® Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions.)				
		2	and Image Overwrite, McAfee E		
	21		5	5	5 ,
locument Security	(optional), Firmware Verification, Job Level Encryption via HTTPS and Drivers, Xerox <sup>®</sup> Workplace Cloud/Suite Content Security Common Criteria Certification (ISO 15408), Encrypted Secure Print, FIPS Encrypted Print Drivers				
ocument Security			ecure Fillit, FIFS Encrypted Print L		
NABLES NEXT GENER	ATION SERVICES				
rint Management	Xerox® Standard Accounting; Optional: Xerox® Workplace Cloud/Suite, Nuance Equitrac, Ysoft SafeQ, PaperCut and more at xerox.com/PrintManagement				
leet / Device Management	Xerox® Device Manager, Xerox® CentreWare® Web, Xerox® Support Assistance, Automated Meter Read, Managed Print Services Tools,				
agement	Configuration Cloning, Fleet Orchestrator				
		Jser ID on Margins, Earth Smar	t Print Settings		
uctainability	LA INCO EDELOVIVISES PRIDELS	CELLU OLUVIOLOIDS FOLLD SMOL	LETHIC SELLINGS		
		ser 18 er margins, zaren sinar			
GATEWAY TO NEW PO	SSIBILITIES				
Sustainability SATEWAY TO NEW PO Kerox App Gallery	S S I B I L I T I E S Go to <b>xerox.com/AppGall</b> e	ery to learn how you can expar	nd the capabilities of your MFP ar	5	
ATEWAY TO NEW PO	S S I B I L I T I E S Go to <b>xerox.com/AppGall</b> e	<b>ery</b> to learn how you can expar ealthcare and more. Available c	nd the capabilities of your MFP ar apps include Xerox®Easy Translat	5	

\* Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

# For more detailed specifications, including the latest certifications, go to **www.xerox.com/AltalinkC8000Specs**.

©2019 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver® and Mobile Express Driver® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 8/19 PN03658 BR26992 AC8BR-01UH

