

Surface Materials

Contents

Chair Fabric

Grade 1

APX Apex

AI Attire

CU Centurion

COMP Compass

UR Contourett

DAPR Dapper

ENSB Ensemble

HAML Hamilton

NR Inertia

VA Lota

OP Optic

PBLE Pebble

Grade 2

PNS Appoint Seating

BLME Blume

CLYD Clyde

DOT Dotty

RUSH Rush

SED Seed

SPNN Spin Seating

WP Whisper Vinyl

Grade 3

ISN In Season

PURL Purl

QUL Quill

SX Silvertex[™] Vinyl

Grade L

SS Denver Leather

Maharam Fabric

Apt

Bluff

Collection 1

Lariat

Manner, Messenger,

Metric, Mode, Murmur,

Muse

Meld

Stinson Fabric

Edge

Flow II

Reliance IV

Square One

Ultrafabrics

Brisa

Ultraleather® Pro

Camira Fabrics

Blazer

Acoustics

Dox

Ecoustic® Felt

Fraster Felt

Salsa

Ecoustic® Solid Core

Finishes

Education Finishes

IC 4-Way Stretch Mesh

Laminate and Paint

Laminates

Paints

Seating Finishes

Workstation Fabric

Grade AA

FACT Factor

Grade A

APN Appoint

CU Centurion

ECH Etch

EXG Exchange

LN Landscape

LC Lucy

REF Reflections

RFG Refuge

SRT Sarto

TP Tempest

Grade B

ANLG Analog

COA Coast

DISP Disperse

MCA Mica


SPIN Spin

TRRN Terrain

Chair FabricGrade 1

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Grade 1 Apex



APX06 Kiwi





APX09 Papaya




APX11 Tomato



APX12 Beet



APX03 Iris



APX19 Rain



APX05 Chive



APX29 Tiki



APX25 Basalt



APX23 Pumice



APX15 Resort



APX14 Royal



APX13 Navy



APX20 Blackberry

Apex

Application	Seating
Content	77% Polyester, 23% Post-Consumer Recycled Polyester
Width	54"
Repeat	11.7" V x 12" H
Weight	11.9 ounces per linear yard
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent

ACT Registered Certification ### ** A @ facts

Grade 1 Attire



Al82 Ivy



Al19 Lithium



Al42 Blaze



Al96 Turquoise



Al26 Taupe



AI62 Crimson



Al90 Blue Lagoon



AI76 Fatigue



AI49 Sable



Al10 Onyx



Attire

Application	Chair
Content	62% Polyester, 38% Recycled Polyester
Width	54"
Repeat	2½" V x 5" H
Weight	16.6 ounces per linear yard
Backing	Acrylic
Abrasion	30,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Notes	Gathers and creases may be more visible due to the inherent design and construction of the fabric.
Sustainability	REPREVE*
Manufacturer	HON

ACT Registered Certification ###







CU09 Sapphire






CU83 Jade










CU63 Marsala

CU97 Peacock







Centurion Seating

Application	Chair
Content	100% Polyester
Width	54"
Weight	13 ounces per linear yard
Finish	Nanotex
Backing	Acrylic
Abrasion	750,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Manufacturer	HON
Additional Colors	For additional Centurion colors available, please visit the Surface Materials Library at hon.com.


ACT Registered Certification 🥻 🏉 🏶 🛣 🗛

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.






Grade 1 Compass




COMP82 Meadow*




COMP46 Bittersweet*



COMP90 Midnight*



COMP10 Ink*




COMP96 Tide



COMP19 Sterling*



COMP49 Chocolate




COMP16 Beach



COMP22 Putty*



COMP62 Ruby



COMP26 Taupe



Compass

Application	Chair
Content	100% Polyester
Width	54"
Weight	12.9 ounces per linear yard
Backing	Synthetic Latex Blend
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Manufacturer	ном

ACT Registered Certification

*The following Compass colors are available on Solve fabric backs

COMF46 Bittersweet
COMF10 Ink
COMF82 Meadow
COMF90 Midnight
COMF22 Putty
COMF19 Sterling

Grade 1 Contourett



UR18 Cloud





Contourett

Application	Chair
Content	100% Polyurethane
Width	54"
Weight	16.2 ounces per linear yard
Finish	Silver based ion technology
Backing	70% Polyester, 30% Cotton
Abrasion	200,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	 For wet spills gently blot with dry cloth to remove spill. For dried spills gently work the spill in a non-aggressive circular motion using a damp cloth making sure to not over saturate the fabric. For dried stains use a mixture of Tide® or Oxiclean® and warm water (1 teaspoon of soap for every 16 ounces water) – follow instructions for dried spills above. Make sure to wipe away any excess soap left behind and remove any moisture with a dry cloth. For non-liquid spills always remove excess contaminant from surface before cleaning. The use of a soft brush or soft abrasive can be used to remove dried contaminants before performing liquid cleaning. For Healthcare related stains a water to bleach solution of 5:1 is recommended. Rinse cleaned area with water. For stains requiring the use of a solvent, spray the solvent directly onto the stain and allow it to sit for 2-3 minutes, avoid over saturating the fabric – follow directions for dried stains above. Always allow fabric to air dry.
Manufacturer	HON

ACT Registered Certification 🦸 🍪 🌞 🛣

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.



Grade 1 Dapper



DAPR35 Fawn





Dapper

Application	Chair
Content	100% Polyester
Width	54"
Weight	11.3 ounces per linear yard
Abrasion	68,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON

ACT Registered Certification ###

Grade 1 Ensemble



ENSB34 Harbor



ENSB30 Aquamarine



ENSB35 Navy





ENSB33 Pear




ENSB38 Sand



ENSB36 Greige



ENSB37 Oat



ENSB39 Ash



ENSB40 Stone



ENSB31 Slate



Ensemble


Application	Chair
Content	100% Polyester
Width	54"
Repeat	6" V x 4.75" H
Weight	11.5 ounces per linear yard
Backing	Synthetic Latex Blend
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner

ACT Registered Certification # ● * ★ 🗛

Grade 1 Hamilton



HAML14 Lilac





Hamilton


Application	Chair
Content	100% Polyester
Width	54"
Weight	20.5 ounces per linear yard
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Manufacturer	HON







Grade 1 Inertia



NR27 Glow



NR61 Amethyst

NR19 Fog



NR63 Fuchsia

NR66 Cherry

NR10 Onyx

Inertia

Application	Chair
Content	100% Polyester
Width	54"
Weight	11.7 ounces per linear yard
Finish	Nanotex
Backing	Acrylic
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON

ACT Registered Certification ## # **







VA10 Black





VA19 Charcoal

VA90 Navy



Lota Spec for: Seating

Fabric Specifications

Flammability

CAL 117

Fabric Content

100% Polyester

Abrasion

30000 double rubs

Lighfastness

40 hours (Class 4.0)

Pattern Repeat

ΝΑ

Additional Data

Crocking: 4.0 wet, 5.0 dry

Resistance to yarn slippage: Warp - 17.5 ;Filling - 22 Breaking strength: Warp - 32 ; Filling - 25

Cleaning Code


 SW



Grade 1 Optic



OP19 Slate





Optic

Application	Chair
Content	58% Polyester, 42% Recycled Polyester
Width	54"
Repeat	11.1" V x 14.3" H
Weight	9.7 ounces per linear yard
Finish	Stain Resistant
Backing	Acrylic
Abrasion	70,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Notes	Gathers and creases may be more visible due to the inherent design and construction of the fabric.
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification # # ★ A

For additional Optic colors, please visit the Surface Materials Library at hon.com.

Pebble Grade 1




PBLE08 Talc




PBLE06 Magma



PBLE01 Amber







PBLE05 Moss



PBLE09 Topaz




PBLE10 Zircon



PBLE02 Chalk



PBLE04 Gravel



PBLE03 Coal



Pebble


Application	Chair
Content	55% Polyester, 45% Olefin
Width	54"
Weight	16 ounces per linear yard
Backing	Acrylic
Abrasion	57,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON

ACT Registered Certification ###

Chair Fabric

Grade 2

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES




PNS006 Turquoise



PNS005 Lawn



PNS007 Jet



PNS004 Platinum



PNS001 Morel



PNS009 Mandarin



PNS010 Cherry



PNS011 Framboise



PNS002 Bronze



PNS003 Espresso



PNS008 Carbon



PNS012 Blackberry



Appoint Seating

Application	Chair
Content	100% Recycled Polyester
Width	54"
Weight	16.5 ounces per linear yard
Finish	Stain Resistant
Abrasion	200,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification # # ★ A

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

Grade 2 Blume



BLME07 Emerald City






BLME04 Harvest




BLME11 Scarlet











BLME05 Driftwood









 $\textbf{BLME03} \ \text{Chalk}$

BLME02 Coin

BLME01 Moonstone

BLME00 Char

BLME14 Hyacinth

BLME13 Jasper





BLME09 Fir

BLME12 Slate



Blume

Application	Seating
Content	52% Polyester, 38% Post-Consumer Recycled Polyester, 10% Pre-Consumer Recycled Polyester
Width	54"
Weight	15.8 ounces per linear yard
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent

ACT Registered Certification ### * * A @ facts

Grade 2 Clyde



CLYD03 Seasoned



CLYD05 Heirloom



CLYD14 Linen



CLYD12 Crate




CLYD04 Antique



CLYD13 Claret



CLYD07 Trestle



CLYD06 Relic



CLYD01 Artifact



CLYD09 Weathered



CLYD08 Craftsman



CLYD02 Fossil



CLYD11 Iron



CLYD10 Blacksmith




Clyde

Application	Chair
Content	61% Polyester, 39% Olefin
Width	54"
Weight	17.7 ounces per linear yard
Backing	Acrylic
Abrasion	69,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent

ACT Registered Certification # # ★ A

Grade 2 Dotty




DOT34 Gelato





Dotty

Application	Chair
Content	61% Polyester, 39% Repreve* Recycled Polyester
Width	54"
Repeat	11" V × 8" H
Weight	15.4 ounces per linear yard
Backing	Acrylic
Abrasion	40,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Sustainability	REPREVE
Manufacturer	HON






The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com



Grade 2 Rush



RUSH09 Mint





Rush

Application	Chair
Content	100% Polyester
Width	56.5"
Weight	22.5 ounces per linear yard
Backing	Acrylic
Abrasion	51,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON

ACT Registered Certification ###

Grade 2 Seed



SED17 Cinder



SED12 Cream



SED13 Driftwood



SED15 Ash




SED14 Truffle




SED16 Smoke



SED10 Harbor



SED11 Apple



SED09 Cardinal



SED18 Onyx



Seed

Application	Chair
Content	65% Post-Consumer Recycled Polyester, 35% Pre-Consumer Recycled Polyester
Width	54"
Repeat	.207" V x .33" H
Weight	9.7 ounces per linear yard
Finish	GreenShield*
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification ###





SPNN04 Cobblestone





SPNN02 Alabaster







SPNN05 Willow



SPNN13 Heron



SPNN08 Tropic







SPNN07 Flame



SPNN14 Rhubarb



SPNN12 Ocean



SPNN11 Pool



SPNN15 Plum



SPNN03 Cavern



SPNN10 Raven



Spin Seating

Application	Seating
Content	51% Polyester, 32% Pre-Consumer Recycled Polyester, 17% Post-Consumer Recycled Polyester
Width	54"
Repeat	.063" V x .063" H
Weight	13.2 ounces per linear yard
Backing	Acrylic
Abrasion	63,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification 🧳 🗸 🛣





WP83 Pewter





Whisper Vinyl

Application	Chair
Content	100% Vinyl
Width	54"
Weight	30 ounces per linear yard
Backing	Hi-Loft ^{2™} 100% Polyester
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	Step 1: For light soiling, a solution of 10% household liquid dish soap in warm water, applied with a soft, damp cloth. Step 2: For heavy soiling, dampen a soft, white cloth with a one-to-one (1:1) solution of Fantastik spray cleaner/water or Formula 409 all-purpose spray/water. Step 3: For more difficult stains, dampen a soft, white cloth with a solution of household bleach (10% bleach/90% water). Rub gently. Rinse with a water-dampened cloth to remove bleach concentration. Do not use alcohol-based cleaning agents!
Notes	Certain dyes (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. The HON Company LLC does not assume responsibility for dye transfer caused by external contaminants.
Manufacturer	HON

ACT Registered Certification # # ★ ★



Additional Colorways are not represented on the card.

To see a digital representation of these colors please visit http://www.hon.com/Fabrics-Finishes.

Bone Bordeaux Cinnamon Cognac Fog Forest Gravel Ochre WP34 Patina WP42 Salsa WP89 Sassafras WP27 Merlot WP23 Luggage

Chair Fabric


Grade 3

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Grade 3 In Season



ISN003 Silver





ISN006 Lake



ISNO01 Black



In Season

Application	Chair
Content	50% Pre-Consumer Recycled Solution-Dyed Nylon, 50% Solution-Dyed Nylon
Width	54"
Weight	16.7 ounces per linear yard
Finish	Stain Resistant
Backing	Acrylic
Abrasion	140,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant.
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON




Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.



Grade 3 Purl



PURL10 Braid



PURLO6 Loom



PURL11 Thistle

PURL04 Ranch

Purl

Application	Chair
Content	80% Polyester, 20% Acrylic
Width	54"
Weight	21.6 ounces per linear yard
Finish	i-Clean*
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Manufacturer	HON

ACT Registered Certification ###

Grade 3 Quill



QUL06 Fountain



Quill

Application	Chair
Content	100% Polyester
Width	54"
Repeat	0.25" V x 1.38" H
Weight	22.11 ounces per linear yard
Abrasion	30,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON





SX01 Marine Blue





Silvertex™ Vinyl

Application	Chair
Content	100% Vinyl
Width	54"
Weight	30 ounces per linear yard
Finish	PERMABLOCK3*, SILVERGUARD*
Backing	Hi-Loft²™ 100% Polyester
Abrasion	100,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	Care and Cleaning Guide Sten 1: eye shadow mascara grease black felt tip nen crayon chocolate and suntan lotion

Maintenance

Care and Cleaning Guide Step 1: eye shadow, mascara, grease, black felt tip pen, crayon, chocolate, and suntan lotion Step 2: red lipstick Step 3: blood, urine, feces, oil base paint, tar and asphalt Steps 4 & 5: all other tough stains Step 1: Remove excess spill with a damp cloth. Clean witha 1:1 mix of Ivoryš liquid and water. Next, rinse with clean water and dry. Step 2: Use a straight application of concentrated cleaners such as Formula 409* or Fantastik* spray cleaner. Wipe with a clean cloth, rinse with clean water, and dry. Step 3: Use a 1:1 mix of ammonia and water, or a 1:4 mix of bleach and water. Rinse with clean water and dry. Step 4: Use a straight application of naphtha (lighter fluid). Rinse thoroughly with clean water and pat surface dry. Step 5: Use a 1:1 mix of isopropyl alcohol and water. If the stain persists, use straight alcohol. Rinse thoroughly with clean water and pat dry. Note: For cleaning that requires step 4 or 5, use a soft cotton cloth saturated with the cleaning material and rub the stain in circles 10 times. Pat dry with another soft cotton cloth and check the results.

Manufacturer HON

ACT Registered Certification



Additional Colorways are not represented on the card. To see a digital representation of these colors please visit http://www.hon.com/Fabrics-Finishes.

Neutra SX30 SX31 Marsh Bronze SX32 Crème de Menthe SX33 SX34 Acid Peat SX35 SX37 Bazaar SX38 **Imperial** SX39 Plata Sterling SX40 SX41 Zest Limoncello SX42





Silvertex is treated with



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com SILVERGUARD Silver Ion Technology, which provides a natural bacteria-fighting defense that inhibits odor- and stain-causing bacteria. When combined with PERMABLOK³, Spradling's patented stainfighting and abrasion-resistant treatment, also featured in Silvertex, SILVERGUARD delivers the ultimate performance solution.

Chair Fabric

Grade L

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Grade L Denver Leather



SS11 Black



Denver Leather

Application	Chair
Content	Domestic Top Grain, Aniline Dyed
Weight	2.5 - 2.75 ounces per square foot
Abrasion	30,000 double rubs (W)
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Manufacturer	HON

Partnership Fabric Maharam

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Apt 466392

Nonwoven Upholstery

100% Silicone Face with Polyurethane/Silicone Mid-Layer

500,000 double rubs

Bleach Cleanable

Impermeable



maharam

maharam

Apt 466392

Grade

Design

Maharam Design Studio

Application

Seating

Characteristics

Content: 100% Silicone Face with Polyurethane/Silicone Mid-Layer

Backing: Polyester Width: 54" (137cm)

Maintenance: W/B - Clean with water-based cleanser or diluted household bleach.

Country of Origin: Korea

Performance

Abrasion: 500,000 double rubs

Abrasion results above 100,000 have not been shown to be a reliable indicator of increased lifespan.

Flammability: This textile meets all appropriate flammability requirements

for contract use.

Environmental

This textile offers reduced environmental impact.

To order samples, call 800.645.3943 or visit maharam.com.

Complete product information at maharam.com

© 2018 Maharam













© 2010 The HON Company. HON is a registered trademark of HNI Technologies, under license to The HON Company.

200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com



Bluff

maharam

Bluff 466489

Nonwoven Upholstery

100% Polyurethane 100,000 double rubs Bleach Cleanable Ink Resistant

Impermeable



SMHMBLF04 Folklore



SMHMBLF03 Cruller



SMHMBLF01 Loom

SMHMBLF09 Lorimer











SMHMBLF19 Scene

SMHMBLF20 Petrichor





SMHMBLF24 Fuscous





SMHMBLF29 Pilot



SMHMBLF27 Allspice



SMHMBLF33 Flamenco



SMHMBLF21 Exotic

SMHMBLF15 Academy

SMHMBLF14 Pirate

SMHMBLF13 Supernova

SMHMBLF23 Calabash



SMHMBLF12 Coach





SMHMBLF16 Disco

SMHMBLF28 Lumos





SMHMBLF32 Claret

maharam

maharam

Bluff 466489

Grade

5

Design

Maharam Design Studio

Application

Seating

Characteristics

Content: 100% Polyurethane

Finish: Ink-Resistant Protective Topcoat

Backing: Polyester Width: 54" (137cm)

Maintenance: W/B – Clean with water-based cleanser or diluted household bleach.

Country of Origin: China

Performance

Abrasion: 100,000 double rubs

Flammability: This textile meets all appropriate flammability requirements for contract use.

Environmental

This textile offers reduced environmental impact.

Samples

To order samples, call 800.645.3943 or visit maharam.com.

Complete product information at maharam.com

© 2019 Maharam











© 2018 The HON Company. HON is a registered trademark of HNI Technologies, under license to The HON Company.

200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com



Collection 1

maharam





SMHMCAP07 Caper Silverback



SMHMSPY07 Spry Trance



SMHMCAP06 Note




SMHMCAP05 Paprika




SMHMSPY03 Fizz



SMHMSPY06 Jam



SMHMCAP09 Bliss



SMHMCAP12 Sidekick





SMHMSPY08 Seaweed




SMHMSPY09 Tuxedo











Caper



Trundle

Spry

Caper (SMHMCAP) 466384

Content: 100% Post-Consumer

Recycled Polyester

Finish/Backing: PFOA-Free Stain Resistant, Acrylic

Width: 54"

Repeat: 15" V, 14 1/4" H, Suitable for non-match

application

Abrasion: 90,000 double rubs



Merit (SMHMMER) 466444

Content: 76% Post-Consumer Recycled Polyester, 24%

Polyester

Finish: PFOA-Free Stain Resistant

Width: 54"

Abrasion: 100,000 double rubs

Multiply (SMHMMLT) 466341

Content: 57% Post-Consumer Recycled Polyester, 43% Post-Industrial Recycled Polyester

Finish/Backing: PFOA-Free Stain Resistant, Acrylic

Width: 58"

Repeat: 14" V, 7 1/4" H Railroaded Repeat: 7 1/4" V, 14" H

Abrasion: 60.000 double rubs Note: Partial pattern and color

representation



Spry (SMHMSPY) 466414

Content: 100% Polyester

Finish/Backing: PFOA-Free Stain Resistant, Acrylic

Width: 54"

Repeat: 6 1/4" V, 7 1/2" H, Suitable for non-match

application

Abrasion: 80,000 double rubs

Trundle (SMHMTRN) 466434

Content: 59% Post-Industrial Recycled Polyester, 41% Post-Consumer Recycled Polyester

Finish/Backing: PFOA-Free Stain Resistant, Acrylic

Width: 54"

Repeat: 2 ¼" V, 2 ½" H. Suitable for non-match

application

Abrasion: 95,000 double rubs



Grade

Design

Maharam Design Studio

Flammability

These textiles meet all appropriate flammability requirements for contract use.

Maintenance

Consult Maharam at 800.645.3943 or visit maharam.com

Samples

To order samples, call 800.645.3943 or visit maharam.com

Environmental

These textiles offer reduced environmental impact.

Complete product information at maharam.com

© 2018 Maharam









HON is a registered trademark of HNI Technologies, under license to The HON Company.

200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com

Lariat 440401 Upholstery

100% Vinyl

140,000+ double rubs

 ${\bf Impermeable}$

Bleach Cleanable





Pattern	Lariat 440401	
Grade	M5	
Content	100% Vinyl	
Backing	Polyester	
Width	54"	
Abrasion	140,000+ double rubs	
Flammability	This textile meets all appropriate flammability requirements, including California Bulletin #117 and NFPA 260.	
Maintenance	W/B-Clean with water-based cleanser or diluted household bleach.	
Samples	To order samples, call 800.645.3943 or visit maharam.com.	
	© 1996 Maharam	
	□ # • ×	04/14

Color may vary due to screen quality. To ensure complete color accuracy, please order a memo sample.



© 2016 The HON Company. HON is a registered trademark of HNI Technologies, under license to The HON Company.

200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com






M Series

maharam







maharam

Manner (SMHMMAN) 466177

Content: 65% Post-Industrial Recycled Polyester, 35% Post-Consumer Recycled Polyester

Finish: PFOA-Free Stain Resistant

Width: 54"

Abrasion: 300,000 double rubs

Note: Abrasion results above 100.000 have not been shown to be a reliable indicator of increased fabric lifespan.

Acoustic Rating: Upholstered

Walls: .90NRC

ASTM E 84 Unadhered: Class A

Messenger (SMHMGRM) 458640

Content: 78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon

Finish: PFOA-Free Stain Resistant

Width: 54"

Abrasion: 100,000 double rubs

Acoustic Rating: Upholstered

Walls: .80NRC

ASTM E 84 Unadhered: Class A

Metric (SMHMMET) 466014

Content: 51% Post-Industrial Recycled Polyester, 49% Polyester

Finish: PFOA-Free Stain Resistant

Width: 54"

Abrasion: 100,000 double rubs

Acoustic Rating: Upholstered

Walls: .90NRC

ASTM E 84 Unadhered: Class A

Mode (SMHMMOD) 466337

Content: 80% Post-Consumer Recycled Polyester, 20% Polyester

Finish: PFOA-Free Stain Resistant

Width: 54"

Abrasion: 100,000 double rubs

Acoustic Rating: Upholstered

Walls: .85NRC

ASTM E 84 Unadhered: Class A

Murmur (SMHMMUR) 466446

Content: 100% Polyester

Finish: PFOA-Free Stain Resistant

Width: 55"

Abrasion: 75,000 double rubs Acoustic Rating: Upholstered

Walls: .85NRC

ASTM E 84 Unadhered: Class A

Muse (SMHMMUS) 466487

Content: 100% Post-Consumer

Recycled Polyester

Width: 54"

Abrasion: 100,000 double rubs

Acoustic Rating: Upholstered

Walls: .85NRC

ASTM E 84 Unadhered: Class A

Grade

Design Maharam Design Studio

Flammability

These textiles meet all appropriate flammability requirements for contract use.

Maintenance

and Samples

Call 800.645.3943 or visit maharam.com

Environmental

These textiles offer reduced environmental impact.

Complete product information at maharam.com

© 2019 Maharam







HON is a registered trademark of HNI Technologies, under license to The HON Company

200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com



Meld

maharam



maharam



maharam

Meld 466387

Grade

Design

Maharam Design Studio

Application

Seating, Systems & Upholstered Walls

Characteristics

Content: 68% PC Recycled Polyester, 32% Polyester

Finish: PFOA-Free Stain Resistant

Width: 54" (137cm)

Maintenance: W/S - Clean with water-based cleanser or mild, water-free dry

cleaning solvent.

Country of Origin: USA

Performance

Abrasion: 100,000 double rubs

Flammability: This textile meets all appropriate flammability requirements

for contract use.

Environmental

This textile offers reduced environmental impact.

To order samples, call 800.645.3943 or visit maharam.com.

Complete product information at maharam.com

© 2018 Maharam













HON is a registered trademark of HNI Technologies, under license to The HON Company.

200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com

Partnership Fabric

Stinson Fabric

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES



Edge

Stinson°



Pinball Sunshine SCFSPIN54



Tangram Grotto SCFSTAN86



Lipstick SCFSPIN51



Zest SCFSPIN55



Guava SCFSTAN82



Fuchsia SCFSTAN85



Slate SCFSTAN88




Parchment SCFSTAN80



Surf SCFSPIN52



Midnight SCFSPIN58



Sunflower SCFSTAN83




Key Lime SCFSTAN81



Denim SCFSTAN89



Blackboard SCFSTAN90













Full Circle





Mulberry SCFSNIM68



Sunset SCFSNIM72



Tomatillo SCFSNIM69



Lemon Drop SCFSNIM65



Sphere SCFSCNC45



Halo SCFSCNC46



Nimble Palladium SCFSNIM64




Concentric Diameter SCFSCNC41

Concentric	
Corona	SCFSCNC47
Curve	SCFSCNC40
Outline	SCFSCNC50
Radius	SCFSCNC44
Ring	SCFSCNC43
Roundabout	SCFSCNC42


Perimeter	
Estuary	SCFSPER77
Kumquat	SCFSPER71
Shitake	SCFSPER75

Pinball	
Canyon	SCFSPIN56
1oonbeam	SCFSPIN57
Nickel	SCFSPIN53

CFSTAN84
SCFSTAN87



Concentric




Kinetic



Nimble



Perimeter



Pinball



Tangram

	Grade	Content		Finish/Backing	Repeat	Abrasion
Concentric	10	44% Polyester, 3 18% Solution Dy	8% Solution Dyed Nylon, ed Polyester	Non-PFOA Stain Resistant	10.75" V x 7.25" H Directional	100,000 dr A
Kinetic	8	100% Polyester		Crypton® Non-PFOA Stain Resistant	5" V x 5" H Directional, non-match	50,000 dr A
Nimble	8		8% Post-Industrial Recycled ost-Consumer Recycled Polyester	Crypton® Non-PFOA Stain Resistant	7.375" V x 15" H Directional	100,000 dr A
Perimeter	5		mer Recycled Polyester, rial Recycled Polyester	Non-PFOA Stain Resistant	12.75" V x 14.625" H Directional	100,000 dr A
Pinball	8		5% Post-Industrial Recycled ost-Consumer Recycled Polyester	Non-PFOA Stain Resistant	14.25" V x 14.875" H Directional	100,000 dr A
Tangram	7		7% Post-Industrial Recycled ost-Consumer Recycled Polyester	Non-PFOA Stain Resistant	5.125" V x 7.125" H	100,000 dr A
					iras for Unnoistery' 🚄 🔎	
Other Perform	nance Cn	^	These patterns meet or exceed to Multiple factors affect fabric dura proper maintenance. Wyzenbeek indicator of increased lifespan.	ability and appearance retention	on, including end-user ap	pplication and own to be an
Width	nance Cn	^	Multiple factors affect fabric dura proper maintenance. Wyzenbeek	ability and appearance retention	on, including end-user ap	pplication and wun to be an
		^	Multiple factors affect fabric dura proper maintenance. Wyzenbeek indicator of increased lifespan.	ability and appearance retentic results above 100,000 double pec sample room at hon.com. Your memo samples directly from t	on, including end-user and e rubs have not been sho	wn to be an
Width	es.	\(\rightarrow\)	Multiple factors affect fabric dura proper maintenance. Wyzenbeek indicator of increased lifespan. 54" (137cm) Visit the Stinson See/Sample/Sp respective HON grades and order	ability and appearance retention results above 100,000 doublesses above 100,000 doublesses ample room at hon.com. You memo samples directly from the 6279.	on, including end-user and e rubs have not been sho	wn to be an



C.F. Stinson, Inc. 2849 Product Drive Rochester Hills, MI 48309

 \mathbf{w} cfstinson.com

P 800 841 6279


F 248 299 3884

The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964



Flow II

Stinson°





Outlander Fog SCFSOUT14



Outlander Charcoal SCFSOUT09




Charlotte Silver SCFSCHT73




Artisan Marlin SCFSART73



Moby Surf SCFSMBY52



Outlander Flannel SCFSOUT19



Outlander Aquamarine SCFSOUT15




Charlotte Lagoon SCFSCHT74



Artisan London SCFSART69



Moby Atlantic SCFSMBY55



Outlander Electric SCFSOUT20



Outlander Dark Blue SCFSOUT25



Charlotte Ink SCFSCHT76



Artisan Nectar SCFSART76



Moby Poppy SCFSMBY50



Outlander Blaze SCFSOUT17



Outlander Lemur **SCFSOUTOB**



Charlotte Sunset SCFSCHT67







Hive Water SCFSHVE74



Sequence Silver Lining **SCFSSEQ75**



Sequence Carbon SCFSSEQ73



Riddle Chalkboard SCFSRID25



Artisan Anjou SCFSART68



Hive Bumble SCFSHVE73



Sequence Crisp SCFSSEQ76



Sequence Cadet SCFSSEQ81



Riddle Surf SCFSRID24



Artisan Seaport SCFSART74



Hive Aegean SCFSHVE77



Sequence Sky SCFSSEQ77



Sequence Navy SCFSSEQ80



Riddle Iris SCFSRID20



Artisan Barberry SCFSART80



Hive Hornet SCFSHVE72



Sequence Crimson SCFSSEQ78





Sequence Burgundy **SCFSSEQ82**




Riddle Siren SCFSRID18

◆Additional colorways are not represented on the card. To see digital representation of these patterns go to http://www.hon.com/SurfaceMaterials **Artisan** Hive Outlander Retrograde Brook SCFSART77 Brick SCFSHVE81 Acorn SCFSOUT22 Coastal SCFRSET74 Chiffon SCFSART67 Chili SCFSHVE75 Amber SCFSOUT12 Eclipse SCFRSET79 Ice Blue SCFSART65 Honeycomb SCFSHVE80 Cabernet SCFSOUT23 Lava SCFRSET75 Quill SCFSART71 SCFSHVE71 Camel SCFSOUT10 SCFRSET76 Slate Mercury Valley SCFSART72 Violet SCFSHVE79 Cashmere SCFSOUT07 Riverside SCFRSET78 Violet SCFSART81 Cloud SCFSOUT05 <u>Lateral</u> Emerald SCFSOUT26 Riddle SCFSLAT46 SCFSRID26 Charlotte Fairway SCFSOUT21 Black Coffee Peppercorn SCFSCHT69 SCFSRID22 Cherrywood Fern SCFSOUT16 Citron SCFSCHT71 French Roast SCFSOUT27 SCFSRID21 Clear Moby Frost SCFSMBY54 Graphite SCFSCHT75 Black Limestone SCFSOUT06 Malt SCFSRID19 Lapis SCFSCHT72 Cardinal SCFSMBY53 Majesty SCFSOUT28 Peppercorn SCFSRID23 Marzipan SCFSCHT68 Cloud SCFSMBY45 Mars SCFSOUT18 Peridot SCFSCHT66 Kona SCFSMBY56 Otter SCFSOUT24 Sequence Tungsten SCFSCHT70 Lichen SCFSMBY47 Raven SCFSOUT29 SCFSSEQ84 Abyss Alabaster Stream SCFSMBY49 Saffron SCFSOUT11 SCFSSEQ72 SCFSMBY51 SCFSOUT13 SCFSSEQ79 Vesper Tart Orange Violet SCFSMBY48 Peat SCFSSEQ83 Putty SCFSSEQ74







Pattern	Grade	Content		Finish	Repeat	Abrasion	
Artisan	5	100% Polyester		Enhanced Soil & Stain	None	100,000 dr 🗚 🗘	
Charlotte	5	42% Post-Industrial Recyc 27% Polyester, 26% Post-G Recycled Polyester	• .	Non-PFOA Stain Resistant	17.125" V x 14.875" H Directional	72,000 dr A	
Hive	4	88% Polyester, 8% Post-In Polyester, 4% Post-Consu	_	Non-PFOA Stain Resistant	2.375" V x 1.8" H Shown Railroaded Directional	51,000 dr A	
Lateral	3	65% Post-Consumer Recy 35% Virgin Polyester	cled Polyester,	GreenShield*	4.375" V x 0" H Directional	120,000 dr A \Diamond	
Moby	3	100% Polyester		Non-PFOA Stain Resistant	None	100,000 dr 🗚 🗘	
Outlander	5	100% Polyester		Enhanced Soil & Stain	None	100,000 dr 🗚 🗘	
Retrograde	4	97% Polyester, 2% Post-In Polyester, 1% Post-Consur	=	Non-PFOA Stain Resistant	10.75" V x 7.375" H Shown Railroaded Directional	54,000 dr A	
Riddle	5	100% Polyester		Non-PFOA Stain Resistant	10.25" V x 5.0" H Directional	63,000 dr 🗛	
Sequence	5	78% Polyester, 22% Post-0 Recycled Polyester	Consumer	Non-PFOA Stain Resistant	None	100,000 dr A \Diamond	
Other Performa	nce Charac	teristics These patterns	rs affect fabric durability	ACT Performance standards of and appearance retention, lts above 100,000 double ru	including end-user app		
			creased lifespan.				
Hon grades, and or				ample room at hon.com. Viev s directly from the site. You n		•	
			Consult cfstinson.com or call 800.841.6279.				
Care and Mainte	enance	Consult cfstin	son.com or call 800.841	.6279.			



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com

Stinson® C.F. Stinson, LLC

2849 Product Drive Rochester Hills, MI 48309


- \mathbf{w} cfstinson.com
- **P** 800 841 6279
- **F** 248 299 3884




Reliance IV

Performance Options






Perspective Tidepool SCFSPSV06



Effervescence Incense SCFSEFV20



Level Slate SCFSLVL56



Dune SCFSPSV04



Bayou SCFSPSV01



Seltzer SCFSEFV16



Spa SCFSEFV12



Bavaria SCFSLVL52



Shadow SCFSLVL57



Pastoral SCFSPSV08



Sequoia SCFSPSV05



Nautical SCFSEFV19



Appletini SCFSEFV13



Tea SCFSLVL55




Mojito SCFSLVL50



Calibration Pistachio SCFSCLB55



Marquetry Peacock SCFSMQT85




Frequency Sapphire SCFSFRQ26



Buttercup SCFSCLB54



Tango SCFSCLB50



Zest SCFSMQT83



Caribbean SCFSMQT80



Seashore SCFSFRQ23



Nautical SCFSFRQ29



Cobbler SCFSCLB53



Marine SCFSCLB56



Tandoori SCFSMQT79



Soba SCFSMQT78



Gingersnap SCFSFRQ25




Ionic SCFSFRQ20



Attributes of Reliance IV Performance Options

Pattern	Category	Enhanced Soil + Stain Protection	Fluid-Barrier Protection	Extreme Durability ≥ 100,000 dr	Bleach-Solution Cleanable*	Greenguard Certified
Adagio	Crypton®	-	-	-		
Amplify	Vinyl					
Calibration	Crypton*					
Effervescence	Polyurethane					
Frequency	Vinyl					
Level	Vinyl					
Marquetry	Crypton*					
Perspective	Vinyl					
Strand	Vinyl					

*See individual pattern Care Guide on cfstinson.com for complete cleaning instructions.






Frequency




Marquetry



Effervesence



Level



Perspective

Pattern	Grade	Content			Finish/Backing	Repeat	Abrasion	
Adagio	6	100% Polyester			Crypton® Non-PFOA Soil & Stain Protection		100,000 dr A	
Amplify	3	Vinyl Surfa	ace		Advanced Soil and Stain Resistant Top Coat		100,000 dr 🗛	
Calibration	10	94% Polye 6% Post-C	ester, onsumer Recycle	d Polyester	Crypton® Non-PFOA Soil & Stain Protection	15.75" V x 14.875" H Directional	65,000 dr A	
Effervescence	9	Polyuretha	ane made with Pol	ycarbonate Resins	Advanced Soil and Stain Resistant Top Coat	20.25" V x 20.25" H Directional	100,000 dr 🗛	
Frequency	7	Vinyl Surfa	ace		Advanced Soil and Stain Resistant Top Coat + Ink Resistance	17.625" V x 8.875" H Directional	100,000 dr A	
Level	6	Vinyl Surfa	ace		Advanced Soil and Stain Resistant Top Coat	8.625" V x 4.625" H	1,000,000 dr A	
Marquetry	9	100% Poly	ester		Crypton® Non-PFOA Soil & Stain Protection	10.125" V x 15" H	60,000 dr A	
Perspective	9	Vinyl Face			Zeron® Protective Finish	18" V x 18" H Shown Railroaded Directional	100,000 dr A	
Strand	5	Vinyl Surfa	ace		Advanced Soil and Stain Resistant Top Coat		250,000 dr A	
Flammability			Section 1. Patte for comprehens	rns have been teste sive test results. The	ammability requirements of C ed for other flammability spec ese patterns may contribute t ion with other suitable compo	cifications. Please visit of to compliance with Calife	fstinson.com	
Other Performan	ce Charac	teristics	These patterns	These patterns meet or exceed these ACT Performance standards for Upholstery: 🧳 🏉 🌋 🛣				
Width			54" (137cm)					
Memo Samples Visit the Stinson See/Sample/Sprespective HON grades and order at cfstinson.com or call 800.841.			I grades and order n	nemo samples directly from th				
Care and Maintenance Consult cfstinson.com for sp			on.com for specific	Care Guides or call 800.841.6	6279.			
Reduced Environ	nmental In	npact	GREENGUARD GREENGUARD BRODUCT CESTIFIED SOS	Certification applies UL GREENGUARD	applies to Adagio, Calibration, a to Amplify, Frequency, Level, P	and Marquetry. Perspective and Strand.		
			PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS ULCOM/GG UL 2818	PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS ULCOM/GG UL 2818				

Note

ullet Additional colorways are not represented on the card. To see digital representation of these patterns go to http://www.hon.com/SurfaceMaterials.

Adagio		Scarlet	SCFSAMP38	Pomegranate	SCFSEFV14	Marguetry	
Camelia	SCFSADG06	Tan	SCFSAMP39	Root Beer	SCFSEFV21	Grullo	SCFSMQT81
Goji	SCFSADG18	Tangelo	SCFSAMP33	Suede	SCFSEFV17	Sequoia	SCFSMQT82
Oasis	SCFSADG11	Truffle	SCFSAMP37			Vivianite	SCFSMQT84
Pier	SCFSADG16			Frequency			
Seaside	SCFSADG16	Calibration		Celadon	SCFSFRQ22	Perspective	
Starfruit	SCFSADG09	Onyx	SCFSCLB51	Copper	SCFSFRQ24	Aquarius	SCFSPSV09
Viola	SCFSADG17	Safari	SCFSCLB58	Partridge	SCFSFRQ28	Cypress	SCFSPSV03
		Seafoam	SCFSCLB59	Sangria	SCFSFRQ27	Ghost	SCFSPSV07
Amplify		Tungsten	SCFSCLB52	Topaz	SCFSFRQ21	Winter Skv	SCFSPSV02
Angora	SCFSAMP26	Turmeric	SCFSCLB57				
Concord	SCFSAMP32			Level		Strand	
Frosty	SCFSAMP25	Effervescence		Aegean	SCFSLVL51	Cedar	SCFSSTD15
Lapis	SCFSAMP36	Blue Fizz	SCFSEFV15	Earth	SCFSLVL58	Rush	SCFSSTD16
Marigold	SCFSAMP28	Champagne	SCFSEFV11	Lapis	SCFSLVL53	Seguoia	SCFSSTD18
Oslo	SCFSAMP31	Fuschia	SCFSEFV18	Praline	SCFSLVL54	1	
Rose Gold	SCFSAMP34	New Wave	SCFSEFV10				




The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com **Stinson**[®]

C.F. Stinson, LLC 2849 Product Drive Rochester Hills, MI 48309

- w cfstinson.com
- P 800 841 6279
- **F** 248 299 3884

Square One

Grade 4



SCFSSQU51

SCFSSQU54

Stinson®

SCFSSQU57

SCFSSQU59

Pattern	Grade	Content	Finish	Repeat	Abrasion
•		63% Polyester, 37% Olefin	Non-PFOA Stain Resistan Soil & Stain Protection	t, .25" V x .125" H	87,000 dr 🗛
Flammability		Section 1. It has been teste comprehensive test results	eeds the flammability requirements of Califo ed for other flammability specifications. Plea s. This pattern may contribute to complianc conjunction with other suitable components	ase visit cfstinson.com for e with California Technical	•
Other Performance Characteristics This pattern meets or exceeds these ACT			eeds these ACT Performance standards for	Upholstery: 🥠 🕜 🌞	* * A
Width 54" (137cm)					
			ple/Spec sample room at hon.com. View St d order memo samples directly from the site 10.841.6279.	•	no samples
Care and Mainten	ance	Consult cfstinson.com or c	call 800.841.6279.		
Reduced Environmental Impact		GREENGUARD GOLD Cert GREENGUARD PRODUCT CERTIFIED FOR UNIT COMMISSION DESCRIPTION OF THE PROPULT CAN BE COMMISSION OF T	tification applies to this pattern.		

Stinson

C.F. Stinson, LLC 2849 Product Drive Rochester Hills, MI 48309

w cfstinson.com

p 800 841 6279

f 248 299 3884

The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com

Partnership Fabric Ultrafabrics

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES



RS05 Ash







Fabric Specifications

Flammability

Tech. Bulletin 117-2013

This textile is compatible with California Technical Bulletin #133 (CAL 133) when treated and/or used with other compatible furniture components

Fabric Content

100% Polyurethane Surface

Backing

65% Polyester, 35% Rayon

Abrasion

300,000 D.R. (Wyzenbeek/cotton duck)

Additional Colorways are not represented on the card. To see a digital representation of these colors please visit http://www.hon.com/Fabrics-Finishes

*Cleaning & Care Instructions
The cleaning process should be started as soon as the problem occurs or is noticed.
Delays in starting the cleaning process can result in permanent staining or damage to the leather alternative. Care instructions are as follows:

- Wipe up spills as soon as they occur
 Clean with soap and water or alcohol based cleaners
 Sanitize using (1:5) bleach/water solution or other approved disinfectants
- For stubborn stains, wipe off with isopropyl alcohol as soon as possible
 Thoroughly rinse all solution residue with clean water
 Air dry

Air Permeability

ASTM D737

Lightfastness

AATCC 16.3, 200 Hours, Grade 4-5

Weight

14 oz./linear yd.

Additional Data

Crocking: AATCC, Class 5 Wet & Dry Tensile strength: ASTM D5034

Hydrolysis: 14+ Weeks

ASTM D3690-02 Sect. 6.11 ISO 1419 Method C

Cleaning Code

*See below



Ultrafabrics Performance Fabrics are ideal for all interior applications because of the environmental benefits they provide. Ultrafabrics Performance Fabrics meet the criteria established by GREENGUARD. All have rigorous requirements for products meeting low emission standards.







Fabric Specifications

Flammability

Tech. Bulletin 117-2013

This textile is compatible with California Technical Bulletin #133 (CAL 133) when treated and/or used with other compatible furniture components

Fabric Content

100% Polycarbonate Polyurethane

Backing

100% Reinforced Rayon

Abrasion

500,000 D.R. (Wyzenbeek/cotton duck)

Additional Colorways are not represented on the card. To see a digital representation of these colors please visit http://www.hon.com/Fabrics-Finishes

Chestnut	SUF554214
Butterfly	SUF554216
Butternut	SUF554241
Cranberry	SUF554357
Violet	SUF554395
Persian Green	SUF554453
Sea Mist	SUF554478
Capri	SUF554522

*Cleaning & Care Instructions
The cleaning process should be started as soon as the problem occurs or is noticed. Delays
in starting the cleaning process can result in permanent staining or damage to the leather in starting the cleaning process can result in permanent staining or damage alternative. Care instructions are as follows:

• Wipe up spills as soon as they occur
• Clean with soap and water or alcohol based cleaners
• Sanitize using (1:5) bleach/water solution or other approved disinfectants
• For ink (Ultraleather* | Pro) or other stubborn stains, wipe off with isopropyl alcohol as soon as possible
• Thoroughly rinse all solution residue with clean water

- · Air dry

Antimicrobial

ASTM E2180

Lightfastness

AATCC 16.3, 200 Hours, Grade 4-5

Weight

14.6 oz./linear yd.

Additional Data

Crocking: AATCC, Class 5 Wet & Dry Tensile strength: ASTM D5034

Hydrolysis: 14+ Weeks

ASTM D3690-02 Sect. 6.11 ISO 1419 Method C

Cleaning Code

*See below

Ultraleather* | Pro resists:







Blood







Ballpoint ink Betadine

Denim[†]

Mustard/ketchup

†Removal of denim dye may vary depending on the period of time the stain sets in. While Pro offers excellent protection, full removal is not guaranteed.



Ultrafabrics Performance Fabrics are ideal for all interior applications because of the environmental benefits they provide. Ultrafabrics Performance Fabrics meet the criteria established by GREENGUARD. All have rigorous requirements for products meeting low emission standards.



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964

Partnership Fabric Camira Fabrics

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Blazer





Stanford SCAMBLZ25



Barnard SCAMBLZ27



Fairfield SCAMBLZ47



Dartmouth SCAMBLZZ24



St. Andrews SCAMBLZ86



Silverdale SCAMBLZ28



Aston SCAMBLZ02



Manchester SCAMBLZ21



Plymouth SCAMBLZ20



Bryanston SCAMBLZ53



Vassar SCAMBLZ34



Newcastle SCAMBLZ22




Goldsmith SCAMBLZ39



Camphill SCAMBLZ16



Abertay SCAMBLZ36



Surrey SCAMBLZ10



Trevelyan SCAMBLZ31



Wellington SCAMBLZ13



Glenalmond SCAMBLZ62



Silcoates SCAMBLZ30



Napier SCAMBLZ08

Blazer - Product Information

Blazer is a classic pure new wool upholstery fabric with a billiard cloth felted finish. The fabric is made from premium New Zealand lambswool and benefits from complete integrity right from individual sheep farms to the finished fabric.

Made by Camira.

Information



Grade

5

Composition

100% Pure New Wool. Non metallic dyestuffs

Environmental

Rapidly renewable and compostable

Width

54 inches minimum

Abrasion Reslatance*

Wyzenbeek method; 75,000 double rubs

Covered by a full and comprehensive 10 year guarantee

Flammability

California Technical Bulletin 117 - 2013

NFPA 260 + UFAC Class 1

ASTM E84 Class 1 or A (Adhered)

ABTM F84 Class 1 or A (Un-adhered)

Note: Flammability performance is dependant on foam used.

Cleaning code

W/S

Water-based cleaning agent or solvent: Depending on the stain, you can use a dry-cleaning solvent, the foam of a mild detergent, or upholstery shampoo.

Why go round in circles with numbers? Camira recognizes that the number of Wyzenbeek double rubs do not reflect the actual wear performance of fabrics. We're so confident in the durability of our products that we provide a robust 10 year guarantee (full details available). This product is externally certified, details of which are on our website and available from our customer services team.

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of Camira Fabric Limited.



The HON Company 200 Oak Street Muscatine Iowa 52761 USA

Phone: 563.272.7400



For additional information or sample requests visit: www.camirafabrics.com Samples can also be requested by email at: memos@camirafabrics.com

www.hon.com



DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES



DOX50 Black







DOX51 Dark Grey

DOX52 Middle Grey

DOX53 Light Grey

Dox

Application	For Screens
Content	100% Polyester
Width	67"
Weight	5.9 ounces per linear yard
Backing	none
Abrasion	(Martindale cycles or Wyzenbeek). Martindale is a measurement for wear resistance and it's not really appropriate for screens. It's a test made for sofas and stools and the Dox fabric is only used for screens.
Flame Resistance	Dox is not tested.
Maintenance	To preserve color and appearance the Dox fabric should be vacuumed regularly with a soft nozzle. Stain Removal: Use uncolored paper towel or cloth to soak up as much as possible of the stain. Dried stains should be vacuumed. Moisten the stain lightly with a clean white cotton cloth, lukewarm water and possibly a small amount of pH-neutral detergent. Press a dry cloth or uncolored paper towel against the fabric so that moisture and dirt are absorbed. Repeat moisten and soaking until the stain is gone. Use clean water without detergent at the last moistening. Finish with soaking.
Manufacturer	Abstracta

Ecoustic® Felt






Ecoustic® Felt

Application	Vertical Surfaces, Screen
Content	100% pet (>50% recycled PET)
Width	53"
Weight	10.32 ounces per linear yard
Backing	none
Abrasion	N/A
Flame Resistance	ASTM E84 Adhered + Unadhered (Class 1), NFPA 701, AS/ISO 9705, AS/NZS 1530.3
Maintenance	Protect from direct heat and sunlight. To prevent dust build up, lightly dust with a soft cloth or vacuum with a soft brush attachment.
Manufacturer	Instyle

Fraster Felt






Fraster Felt

Application	Vertical Surfaces, Screen, Floor
Content	100% Merino Wool Felt
Width	70"
Weight	44 ounces per linear yard
Backing	none
Abrasion	N/A
Flame Resistance	ASTM E84 Adhered + Unadhered (both class 2), EN 13501-1
Maintenance	We recommend vacuuming your felt occasionally to remove and dust and dirt that may have accumulated, If stains occur, spot clean with a mild soap and warm water. Do not rub as this can damage the felt and change the surface appearance. Dab the felt gently and repeat as needed to remove the stain.
Manufacturer	Fraster

Salsa





SL56 Brown



SL55 Green

SL54 Light Pink

SL57 Beige

Salsa

Application	Screens, sofas and chairs
Content	100% Polyester
Width	67"
Weight	10.18 ounces per linear yard
Backing	none
Abrasion	> 100,000 Martindale Cycles
Flame Resistance	BS 5852:Part1:1979
Maintenance	To preserve color and appearance the Salsa fabric should be vacuumed regularly with a soft nozzle. Stain Removal: Use uncolored paper towel or cloth to soak up as much as possible of the stain. Dried stains should be vacuumed. Moisten the stain lightly with a clean white cotton cloth, lukewarm water and possibly a small amount of pH-neutral detergent. Press a dry cloth or uncolored paper towel against the fabric so that moisture and dirt are absorbed. Repeat moisten and soaking until the stain is gone. Use clean water without detergent at the last moistening. Finish with soaking.
Manufacturer	Audejas UAB

Ecoustic® Solid Core



DAL1 Almond





DBB1 Bluebell



DRS1 Iris



DLC1 Cool







DSW1 Snowdrop



DTG1 Tungsten



DVN1 Venus

DLF1 Leaf



DXD1 Oxide



Ecoustic® Solid Core

Application	Screen, Partition, Wall Panel, Ceiling
Content	100% PET
Width	48"
Weight	7.9 ounces per square foot
Backing	none
Abrasion	N/A
Flame Resistance	ASTM E84 (class 1), AS/ISO 9705, AS/NZS 1530.3
Maintenance	Protect from direct heat and sunlight. To prevent dust build up, lightly dust with a soft cloth or vacuum with a soft brush attachment.
Manufacturer	Instyle



DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES



EDUCATION

Finishes


SmartLink® Motivate® Flock® Build


Teacher Desks, Student Desks, & Mobile Storage


L1 Laminates



L2 Laminates













Teacher Desks & Student Desks

P1



S Charcoal



T1 Platinum Metallic

Value Teacher Desks, Student Desks, & Mobile Storage

P1



P/P71 Black*



S Charcoal



P7D Brownstone*



P8T Titanium*



P28 Fossil*



SHDW Shadow*
* Deemphasized
1/1/2020



T5 Greige*



LOFT Loft*



T3 Muslin*



PJW Designer White

P2



T4 Champagne Metallic*



PR6 Silver



T1 Platinum Metallic

^{*}Available on SmartLink Value Mobile Storage only.



Value Teacher Desks, Student Desks, & Mobile Storage

Р3





Р4



Y Chrome



Seating

Shells





BUILD SERIES TABLES

L1 Laminates





BUILD SERIES TABLES



LBA1 Blue Agave Discontinued 12/31/2020



LBG1 Pomegranate Discontinued 12/31/2020



LKW1 Kiwi Discontinued 12/31/2020



LTG1 Tangerine Discontinued 12/31/2020



LMN1 Moroccan



LBT1 Battleship



LMH1 Mushroom



LNC1 Neon Carrot



LTB1 Tennis Ball



FMQ1 White Markerboard (L5)

L2 Laminates



LLA1 Lowell Ash



LSW1 Skyline Walnut



LPT1 Portico Teak



LNR1 Natural Recon



LPE1 Phantom Ecru



T-Mold



PE Phantom Ecru

Solid

NR Natural Recon

KI Kingswood Walnut




D Nautral Maple




MOTIVATE® AND FLOCK®

Shells



Frame Paint




[■] Available for **Motivate** series + Available for **Flock** series *Available one on Motivate Sled Base only.




Frame and Shell Finishes


While HON maintains strict color standards for paints and laminates from its suppliers, differing processes may result in slight color variations between materials. These variations are carefully monitored to assure color is within specifications.

4-Way Stretch Mesh





IC Charcoal





IF Fog





IY Navy

IM Black



4-Way Stretch Mesh

Application	Chair
Content	63% Polyester, 37% Elastomeric Yarn
Flame Resistance	NFPA 260 (UFAC Class 1), California TB 117-2013, Section 1 compliant, Compatible with California TB 133 (CAL 133) when ordered as an FC option.
Maintenance	Avoid cleaning with strong detergents, solvents and hot steam.
Notes	Models, upholstery, finishes are subject to change without notice.
Manufacturer	HON

ACT Registered Certification ###





DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES




LAMINATES

Finishes

Casegoods Workstations Tables

LAMINATES

Grade L1 Patterned



Solid Color



Woodgrain



MOCH Mocha



N Mahogany



LFW1 Florence Walnut



F Shaker Cherry



COGN Congnac



LSA1 Sterling Ash



H Bourbon Cherry



PINC Pinnacle



C Harvest



LKI1 Kingswood Walnut



D Natural Maple

Grade L2



LPE1 Phantom Ecru



LNR1 Natural Recon



LPT1 Portico Teak




LSW1 Skyline Walnut



LLA1 Lowell Ash

Build



LBA1 Blue Agave *Discontinued 12/31/2020



LBG1 Pomegranate *Discontinued 12/31/2020



LKW1 Kiwi *Discontinued 12/31/2020



LTG1 Tangerine *Discontinued 12/31/2020



LBT1 Battleship



LMH1 Mushroom



LMN1 Moroccan



LNC1 Neon Carrot



LTB1 Tennis Ball



FMQ1 White Markerboard (L5)

Casegoods, Workstations, and Tables

Solid Color and Patterned Laminates

All patterned and solid laminate surfaces have been carefully engineered to provide complementary tones of HON paint finishes. These surfaces reflect user needs for strength, durability and gloss. HON desktops meet performance standards of NEMA Publication LD-2005.

All Laminates

All laminate surfaces have been engineered to provide authentic color and gloss, as well as strength and durability. HON desktops meet performance standards of NEMA Publication LD3-2005.

NOTE: HON laminate colors are not available on all products. Please refer to current HON List Pricer for availability.


NOTE: The photographic reproduction of finishes is a high speed printing process. Actual samples should be obtained before making finish selections. Please refer to current HON List Pricer for availability.

Color may vary due to screen quality. To ensure complete color accuracy, please order a memo sample.



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964

P1



P2

PK7 Textured Designer White





P3



Trend*



NOTE: HON paint colors are not available on all products. Please refer to current HON List Pricer for availability.

NOTE: The photographic reproduction of finishes is a high speed printing process. Actual samples should be obtained before making finish selections. Please refer to current HON List Pricer for availability.

* Intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workspace trends.



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com




Seating Finishes

Finishes Frames Shells

FINISHES


Wood



N Mahogany

FRAMES

COGN Cognac



F Shaker Cherry



MOCH Mocha

SHELLS

Olson Series, Motivate and GuestStacker (*as noted)





Seating Finishes

Finishes, Frames and Shells

Finishes

Wood owes its inherent beauty to variations in color, grain and texture. In our finishing process, we attempt to accent the natural beauty of wood. As a result there may be minor variations from one piece of wood to the next, even though they are finished by the same process. Samples may vary from the finished product due to these natural differences, as well as exposure to light and aging.

Frames and Shells

The colors on this card reflect actual production colors as closely as possible. While HON maintains strict color standards for paints and molded plastic parts from its suppliers, differing processes may result in slight color variations between materials. These variations are carefully monitored to assure color is within specifications.

NOTE: HON laminate colors are not available on all products. Please refer to current HON List Pricer for availability.

NOTE: Lead time may vary by shell color.

Color may vary due to screen quality. To ensure complete color accuracy, please order a memo sample.



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964

Workstation Fabric

Grade AA

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Factor Grade AA



FACT30 Feather







FACT15 Barley



FACT20 Bark



Factor

Application	Workstations
Content	100% Polyester
Width	66"
Repeat	2.31" V x 1.36" H
Weight	12.4 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	X: Vacuum or brush only
Manufacturer	HON


ACT Registered Certification # ● ****

Workstation FabricGrade A

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES



APN17 Dark Pewter










APN11 Artichoke



APN24 Platinum



APN26 Turquoise



APN25 Lawn













APN28 Carbon



Appoint

Application	Workstations
Content	100% Polyester
Width	66"
Weight	13.6 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test), Class A or 1
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Additional Colors	For additional Appoint colors available, please visit the Surface Materials Library at hon.com.
Manufacturer	HON



Grade A Centurion



CU03 Fog





CU49 Espresso

CU10 Black

Centurion

Application	Workstations
Content	100% Polyester
Width	66"
Weight	13 ounces per linear yard
Finish	Nanotex
Backing	Acrylic
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	W: Clean with water based shampoo or foam upholstery cleaner
Manufacturer	HON
Additional Colors	For additional Centurion colors available, please visit the Surface Materials Library at hon.com.


ACT Registered Certification 🧳 🍪 🎇 📩



Grade A Etch



ECH10 Highlight



Etch

Application	Workstations
Content	58% Polyester, 42% Pre-Consumer Recycled Polyester
Width	66"
Weight	11.7 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON



Exchange Grade A



EXG915 Silver



EXG917 Sisal

EXG910 Pistachio



EXG914 Nickel





EXG911 Shadow



EXG903 Rupee



EXG913 Root



EXG912 Stone



EXG916 Iron



Exchange

Application	Workstations
Content	57% Polyester, 43% Pre-Consumer Recycled Polyester
Width	77"
Weight	11.9 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Note	Fabric will be applied pattern cut.
Sustainability	Recycled Content
Manufacturer	HON
	the state of the s

ACT Registered Certification



Landscape Grade A



LN10 Sheen





LN30 Urban





LN05 Drift



LN25 Umber



LN15 Cornsilk



LN35 Slate




LN20 Khaki

Landscape

Application	Workstations
Content	100% Polyester
Width	66"
Weight	12 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON

Grade A Lucy



LC32 Aspen







LC24 Neutra




LC30 Cornsilk



LC33 Fawn



LC20 Mist



LC35 Pewter



LC22 Dusk



LC34 Graphite

Lucy

Application	Workstations
Content	100% Polyester
Width	66"
Weight	10.7 ounces per linear yard
Abrasion	NA
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON



Grade A Reflections



REF28 Mistral



REF20 Ice



REF25 Vanilla



REF27 Winter



REF21 Loggia




REF24 Stainless



REF23 Moonstone



REF29 Galvanized



REF22 Pewter



Reflections


Application	Workstations
Content	56% Pre-Consumer Recycled Polyester, 44% Post-Consumer Recycled Polyester
Width	66"
Repeat	.30" V
Weight	10.75 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification # ● ** *





Grade A Refuge



RFG91 Glacier







RFG94 Tidal



RFG92 Dune



RFG98 Mineral



RFG96 Artesian



RFG90 Eclipse




Refuge

Application	Workstations
Content	47% Polyester, 53% Recycled Polyester
Width	66"
Weight	9.4 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	S: Clean with water free dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON
Additional Colors	For additional colors, please visit the Surface Materials Library at hon.com.

ACT Registered Certification # ● ****

Grade A **Sarto**



SRT45 Mist





SRT49 Lemongrass



SRT18 Oyster



SRT14 Fog



SRT76 Mushroom



SRT88 Ash



SRT64 Reef



SRT52 Shale

Sarto

Application	Workstations
Content	55% Polyester, 45% Recycled Polyester
Width	66"
Weight	9.9 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Notes	This fabric has a linear pattern which is not intended to register from tile to tile or panel to panel. HON's manufacturing process will hold the linearity to within a 1/8" per foot tolerance across the width or length of the tile or panel.
Sustainability	Recycled Content
Manufacturer	HON
Additional Colors	For additional Sarto colors available, please visit the Surface Materials Library at hon.com.

ACT Registered Certification $\begin{picture}(60,0) \put(0,0){\line(0,0){100}} \put(0,0){\line(0,0)$

Grade A Tempest



TP35 Zebra



TP15 Frost



TP40 Wind Chill



TP10 Gold Rush



TP70 Tumbleweed



TP30 Dragonfly



TP80 Full Stream



TP45 Slate



Tempest

Application	Workstations
Content	100% Recycled Polyester
Width	66"
Weight	11.3 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Terratex*
Manufacturer	HON
Additional Colors	For additional Tempest colors, please visit the Surface Materials Library at hon.com.









Workstation Fabric


Grade B

DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES

Grade B Analog



ANLG09 Cassette



ANLG03 Signal

ANLG02 Dial

ANLG08 Media

ANLG04 Cartridge

Analog

Application	Workstations
Content	55% Pre-Consumer Recycled Polyester, 33% Polypropylene, 12% Post-Consumer Recycled Polyester
Width	66"
Weight	11.2 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON
ACT Registered Certification	

Grade B Coast



COA08 Tide





Coast

Application	Workstations
Content	100% Eco Intelligent Polyester
Width	66"
Repeat	.13" V x .04" H
Weight	11.1 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification # ● ******

Grade B Disperse



DISP15 Oatmeal





Disperse


Application	Workstations
Content	100% Polyester
Width	66"
Repeat	18.9" V x 14.5" H
Weight	16.01 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Manufacturer	HON

ACT Registered Certification *♠ ● ***★

Grade B Mica



MCA18 Breeze





Mica

Application	Workstations
Content	100% Recycled Polyester
Width	66"
Weight	11.2 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	S: Clean with water free dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON



Spin Grade B




SPINO2 Alabaster







SPINO5 Willow



SPIN04 Cobblestone



SPIN13 Heron



SPINO8 Tropic



SPIN06 Ember



SPIN07 Flame



SPIN14 Rhubarb



SPIN12 Ocean



SPIN11 Pool



SPIN15 Plum



SPIN03 Cavern



SPIN10 Raven

Spin

Application	Workstations
Content	54% Polyester, 30% Pre-Consumer Recycled Polyester, 16% Post-Consumer Recycled Polyester
Width	66"
Repeat	.063" V x .063" H
Weight	13.88 ounces per linear yard
Backing	Acrylic
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification ₩₩★



Terrain Grade B



TRRN10 Delta



TRRN25 Crest

TRRN40 Valley








TRRN45 Cliff



TRRN05 Bay



TRRN15 Plateau



TRRN35 Bayou



TRRN20 Ridge



Terrain

Application	Workstations
Content	48% Polyester, 34% Pre-Consumer Recycled Polyester, 18% Post-Consumer Recycled Polyester
Width	66"
Weight	14.5 ounces per linear yard
Flame Resistance	ASTM E-84 (Tunnel Test); Class A or 1
Maintenance	WS: Clean with upholstery shampoo or mild dry cleaning solvent
Sustainability	Recycled Content
Manufacturer	HON

ACT Registered Certification # ● ****



DESKING WORKSTATIONS STORAGE & FILES SEATING TABLES ACCESSORIES



The HON Company 200 Oak Street Muscatine, IA 52761 800.833.3964 hon.com