



## VN1A-1016


### Disk Enclosure

#### Features

- High density
- The innovative enclosure with 18.96" (477.1mm) depth & 3u height that holds up to 16 disks, is space-saving & applicable to the standard rack-mounted scenarios.
- Power protection
- Disk powered on sequentially during system startup, protection from impulse current.
- Multistage fan speed and energy saving
- Fans with multistage speed are configured in the hot-swappable frame in redundancy mode. System power consumption can be balanced intelligently with heat dissipation calculation to ensure low power consumption and stable operation of the system.
- Redundant power supplies

Model	VN1A-1016
Storage	
HDD	16 SATA Interfaces
Disk Capacity	8TB max
External Interface	
Back-end Expansion Interface	1 mini SAS
General	
Power Supply	100 ~ 240V
Consumption ( with HDD )	≤ 100W
Working Environment	14°F~ 131°F (-10 °C~ 55 °C) 5%~95% RH (non-condensing)
Weight(Without HDD)	< 22lb (10kg)
Dimensions (W×D×H)	18.96" × 18.78" × 5.14" (481.6 × 477.1× 130.5mm)
Chassis	Rack Mountable 3u Chassis (With slide tray only. Purchased Separately)
Certification	UL

#### Rear Panel



No.	Item	Description
①	Grounding terminal	Equipment grounding
②	Power interface	AC power, 100 V-240 V AC
③	Power switch	Turn on/off device when connected to power
④	Mini-SAS interface	For connection to the host

#### Ordering Information

**VN1A-1016:** Disk Enclosure