

## **INFUSION ORDERS- INFLECTRA (INFLIXIMAB-dyyb)**

PATIENT INFORMATION			
Name: DOB:			
Allergies: Date of Referral:			
REFERRAL STATUS			
☐ New Referral ☐ Dose or Frequency Change ☐ Order Renewal			
INFUSION OFFICE PREFERENCES (Optional)			
Preferred Location*:			
*List of infusion center locations may be found at: <a href="https://metroinfusioncenter.com/infusion-center-locations/">https://metroinfusioncenter.com/infusion-center-locations/</a>			
Please note: Requests will be accommodated based on infusion center availability and are not guaranteed			
DIACNOSIS AND ICD 10 CODE			
DIAGNOSIS AND ICD 10 CODE  Moderate to Severe Ulcerative Colitis  ICD 10 Code: K51.90			
☐ Moderate to Severe Crohn's Disease ☐ ICD 10 Code: K50.90			
☐ Rheumatoid Arthritis ☐ Rheumatoid ☐ Rheumatoid ☐ Rheumatoid ☐ Rheumatoid ☐ Rheumatoid ☐			
☐ Ankylosing Spondylitis ICD 10 Code: M45.9			
☐ Psoriatic Arthritis		CD 10 Code: M43.9	
☐ Plaque Psoriasis ICD 10 Code: L40.52			
Other:		CD10 Code:	<del></del>
REQUIRED DOCUMENTATION			
· · · · · · · · · · · · · · · · · · ·			☐ Clinical/Progress notes
☐ Patient demographics AND insurance information			☐ Labs and Tests supporting primary diagnosis
☐ Hepatitis B Test Results: HBsAg, Total HepB Core Antibody			☐ TB Test Results
List Tried & Failed Therapies, including duration of treatment:			
1)			
$\begin{pmatrix} -7 \\ 3 \end{pmatrix}$			
MEDICATION ORDERS**			
Initial Dosing	☐ Inflectra 5mg/kg IV at w	eek 0, 2, 6, then every 8	3 weeks thereafter
Maintenance Dosing	☐ Inflectra 5mg/kg IV ever		
Alternative Dosing	☐ Inflectra		
Patient Weight=kg			
<u> </u>			
Refills:			
ratient weight is required for all weight-based orders.			
	Pi	REMEDICATIONS	
☐ Acetaminophen 650mg PO prior to Inflectra infusion			
☐ Diphenhydramine 25mg PO prior to Inflectra infusion			
☐ Methylprednisolone 40mg Slow IV Push PRN infusion reaction			
Other:			
Please note: if an infusion reaction occurs, the on-call physician will order appropriate rescue medications as deemed medically necessary. This			
may also include pausing, reducing the rate of infusion or discontinuing the medication.			
may also include pausing, reducing tr	ie rate or imusion or discontif	iumg the medication.	
PRESCRIBER INFORMATION			
Prescriber Name:			
Office Phone:	Office Fax:		Office Email:
c i ilolic.	Jilice Lux.		Office Email.

Date:

Prescriber Signature: