



Serving you yesterday, today and tomorrow.™

2021  
Price List  
Full Catalog Online at:  
[www.saniserv.com](http://www.saniserv.com)  
and



451 E. County Line Rd.  
P.O. Box 1089  
 Mooresville, Indiana 46158  
Phone: 317-831-7030  
Fax: 317-831-7036



# CONTENTS

# PRICE LIST Eff. 1-1-2021

---

Page 2 ..... Contents

Page 3 ..... Order Information

Page 4–5..... Warranty

Page 6 ..... Soft Serve/Yogurt Freezers

Page 6 ..... Soft Serve/Yogurt Twist Freezers

Page 7 ..... Shake Freezers

Page 7..... Smoothie Freezers

Page 7..... Combination Soft Serve / Shake

Page 7 ..... Batch Freezers

Page 8 ..... Frozen Cocktail Freezers / Frozen Beverage Dispensers

Page 8 ..... Cyclone

Page 9 ..... Remote Units

Page 10 ..... Stainless Steel Equipment Stands

Page 10 ..... Cord Sets / Bucket Hanger Kits

Page 11 ..... Accessories / Tune-Up Kits / Light Boxes



## Order Information

(All Prices are Subject to Change Without Notice)

All orders are subject to acceptance at our office and orders so accepted are not subject to cancellation. Claims for damage and shortage, or other causes must be made within 10 days of receipt of goods. Modifications and/or changes from standard specifications and designs are available, prices upon request. Custom orders cannot be returned or cancelled after start of production. Deposit required on all custom orders.

### 1. ORDER INFORMATION

TERMS: Net 30 days

CREDIT INFORMATION REQUIRED ON FIRST ORDER

### 2. SHIPPING INFORMATION

Prices are F.O.B. Mooresville, IN

Prices for export packaging and crating upon request

### 3. DAMAGED GOODS

DO NOT ACCEPT these goods from the transportation company unless they are in perfect condition.

IF CRATE IS DAMAGED, refuse the shipment or have the carrier make a proper notation on your bill of lading. Make the same notation on the copy of the Bill of Lading that you sign. Call the transportation company at once for inspection.

IF CONCEALED DAMAGE is discovered, call the carrier at once. DO NOT remove or destroy packaging and write a report. UNLESS these precautions are taken, all goods repaired or replaced due to damage will be at YOUR EXPENSE. We cannot be held liable for carelessness or negligence of transporting agency problems—these goods left our possession accepted and signed for by the agent IN PERFECT CONDITION. All goods shipped will be at the risk of loss to the buyer and title thereto will pass to the buyer at time of delivery by common carrier.

### 4. RETURN OF MERCHANDISE

There will be a 25% minimum restock charge on all standard equipment that is new, unused, and in the original crate. Written return authorization must be obtained from the Customer Service Manager. Custom equipment cannot be returned. Equipment cannot be returned after 90 days from ship date.

Due to SaniServ policy of continually improving its products, the models and specifications shown in this catalog are subject to change without notice.

**SaniServ**  
**Manufacturer's Limited Warranty**  
**EQUIPMENT INSTALLED IN THE U.S.A. AND CANADA**

Subject to the terms, conditions and limitations herein, **SaniServ** warrants to the original purchaser that its equipment, as originally supplied, is free from defects in materials and workmanship, and will perform adequately under normal use and service.

**Standard Warranty**

**SaniServ** will replace or repair any part or parts found to be defective in material or workmanship for a period of one (1) year from date of installation, but no more than a maximum of (18) months from the date of manufacture. The compressor and evaporator shall have a five (5) year warranty.

Warranty labor coverage at **SaniServ's** standard rates during normal weekday business hours is provided to repair or replace any component found defective under the terms of the **SaniServ** warranty for a period of (90) days from the date of the original installation. Overtime, weekend, and holiday premiums will be the responsibility of the buyer.

The warranty for models DF200 and 108C is limited to ninety (90) days for parts and thirty (30) days labor with one (1) year on the compressor and evaporator assemblies.

All warranty work must be performed by a **SaniServ** Authorized Service Representative or at **SaniServ's** manufacturing facility. All warranty parts must be OEM and obtained through a **SaniServ** authorized parts distributor.

This warranty applies only to the original purchaser at the original installation location, and is only good if customer: (i) purchases and completes Check, Test and Start (CTS) service (\$275 for single-barrel machines and \$375 for double-barrel machines); (ii) returns the fully completed CTS warranty registration form to SaniServ within thirty (30) days of the date of purchase by the original purchaser-user but not to exceed eighteen (18) months from date of shipment from factory.

Any use of **SaniServ** equipment prior CTS completion will void all warranties. If, upon inspection by **SaniServ** or its Authorized Service Representative, it is determined that this equipment has not been properly installed, the warranty will be void.

If the nameplate or other identifying marks have been removed, defaced or changed or the unit has been repaired or altered by persons other than expressly approved by **SaniServ**, the warranty will be void.

This Limited Warranty does **NOT** cover; (i) rubber and non-metallic synthetic parts including, but not limited to, gaskets, o-rings, scraper blades, faceplates, rear seals, electrical cords, belts, drip trays, machine legs, or hoses; (ii) calibrations, product consistency adjustments, end-user training, or belt realignments once the CTS has been completed; (iii) repairs required because of failure to regularly clean and maintain the equipment in accordance with instructions in the Operator's Manual; (iv) repairs required because the equipment has been; (a) altered or repaired other than by a **SaniServ** Authorized Representative, (b) damaged due to misuse or misapplication, neglect, abuse, accident,

fire, flood, riot or acts of God, (c) used other than in accordance with the procedures and instructions contained in the Operator's Manual, or (d) damaged during transit or delivery; (v) equipment failure caused by inadequate water quality, improper cleaning, harsh chemicals or acids.

When any situation occurs which voids the warranty, the manufacturer shall not be liable for any damage to any person or any property which may result from the use of the equipment thereafter. Warranty is limited to **SaniServ** manufactured products only and does not apply to other equipment which may be connected to or installed within.

### **Enhanced Three Year Warranty**

Includes Total Delivery Service (TDS)

**SaniServ** has enhanced the warranty for all machines **purchased after February 1, 2019**. All such machines will carry a **three (3) year parts warranty**, a five (5) year warranty on the evaporator and compressor, and a one (1) year labor warranty provided customer: (i) pays a one-time fee of \$575.00; (ii) purchases and completes Check Test Start (CTS) service (\$275 for single-barrel machines and \$375 for double-barrel machines); (iii) completes SaniServ's Total Delivery Service (TDS). Total delivery service (TDS) is subject to availability based on location and situation. Model DF200 and model 108C are not eligible for the Enhanced Three Year Warranty.

### **Premium Five Year Warranty**

Includes Total Delivery Service (TDS)

At the time of purchase after February 1, 2019, for a one-time fee of \$1,174, customers may further extend the warranty to become **five (5) year parts warranty** and a one (1) year labor warranty provided customer: (i) completes SaniServ's Total Delivery Service (TDS); (ii) purchases and completes Check, Test and Start (CTS) service (\$275 for single-barrel machines and \$375 for double-barrel machines), (iii) agrees to accept automatic shipment and pre-approved electronic payment for all manufacturer recommended preventative maintenance kits (approximately every 6-months though varies by machine). Failure of timely purchase and installation of preventative maintenance kits will void the two year extension period of the warranty. Model DF200 and model 108C are not eligible for the Premium Five Year Warranty.

THE FOREGOING LIMITED WARRANTY IS EXPRESSLY MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE ORIGINAL PURCHASER'S ONLY REMEDY IS THE REPAIR OR REPLACEMENT OF THE DEFECTIVE EQUIPMENT OR PARTS PROVIDED ABOVE. IN NO EVENT SHALL SANISERV BE LIABLE FOR ANY AMOUNT EXCEEDING THE PURCHASE PRICE. UNDER NO CIRCUMSTANCES SHALL SANISERV BE LIABLE FOR LOSS OF PROFITS, LOSS OF BUSINESS, DAMAGE TO PROPERTY, OR FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Ver. 1, January 1, 2021

**Soft Serve / Yogurt Freezers**

| Model # | Price    | # of Head | CTS   | 5 Yr Comp Warranty | Comp HP | Dasher HP | Voltage Code | Width In/mm. | Depth In/mm. | Height In/mm. | Cooling A/W | Ship Lbs |
|---------|----------|-----------|-------|--------------------|---------|-----------|--------------|--------------|--------------|---------------|-------------|----------|
| 407 †   | \$12,372 | 1         | \$275 | Included           | 1/2     | 1/2       | R/T/V        | 14/356       | 27.1/689     | 25.4/645      | A           | 195      |
| 408 †   | \$18,087 | 1         | \$275 | Included           | 3/4     | 1         | R            | 17/432       | 28.6/726     | 32.5/826      | A/W         | 285      |
| 401 †   | \$18,092 | 1         | \$275 | Included           | 1       | 1         | T/U/V        | 17/432       | 28.6/726     | 32.5/826      | A/W         | 300      |
| 404 †   | \$18,844 | 1         | \$275 | Included           | 2       | 1         | T/U/V        | 17/432       | 25/635       | 35.5/902      | A/W         | 285      |
| 414 £   | \$18,801 | 1         | \$275 | Included           | 2       | 1         | T/U/V/W      | 17/432       | 28.6/726     | 58.1/1476     | A/W         | 415      |
| 424 £   | \$34,777 | 2         | \$375 | Included           | (2)2    | (2)1      | T/U/V/W      | 26/660       | 30.8/781     | 55.9/1420     | A/W         | 650      |
| DF200 † | \$7,512  | 1         | \$275 | 1 YR Only          | 1/2     | 1/2       | R            | 14/356       | 27.1/688     | 25.4/645      | A           | 185      |

**Soft Serve / Yogurt Twist Freezers**

| Model # | Price    | # of Heads | CTS   | 5 Yr Comp Warranty | Comp HP | Dasher HP | Voltage Code | Width In/mm. | Depth In/mm. | Height In/mm. | Cooling A/W | Ship Lbs |
|---------|----------|------------|-------|--------------------|---------|-----------|--------------|--------------|--------------|---------------|-------------|----------|
| 501 †   | \$30,319 | 2          | \$375 | Included           | 2       | (2)1      | T/U/V        | 24/610       | 34.5/876     | 33.1/841      | A/W         | 470      |
| 527 £   | \$31,666 | 2          | \$375 | Included           | 2       | (2)1      | T/U/V        | 24/610       | 25.8/655     | 57.5/1461     | A/W         | 550      |
| 521 £   | \$33,855 | 2          | \$375 | Included           | (2)1    | (2)1      | T/U/V        | 26/660       | 30/762       | 60.8/1543     | A/W         | 675      |
| 522 £   | \$37,213 | 2          | \$375 | Included           | (2)2    | (2)1      | T/U/V        | 26/660       | 30/762       | 59.5/1543     | A/W         | 675      |

ACCESSORIES are optional at extra cost. See accessories and options on pages 10 & 11. See Spec. Sheet

**Voltage Code Key**

There will be an additional net cost of the following optional voltages: (V) \$275 (W) \$275 (X) \$475

Standard Voltages: (R) 115V/60Hz/1 Ph (S) 230V/60 Hz/1 Ph (T) 208-230V/60 Hz/1 Ph (U) 208-230V/60 Hz/3 Ph

Optional Voltages: (V) 220V/50 Hz/1 Ph (W) 240V/50 Hz/1 Ph (X) 380V/50 Hz/3 Ph

SaniServ reserves the right to make changes in designs and specifications and/or make additions or improvements to its products without imposing any obligations upon itself to install them on products previously manufactured. All prices F.O.B. Mooresville, IN. Prices are subject to change without notice.

**Shake Freezers**

| Model #  | Price    | # of Heads | CTS   | 5 Yr Comp Warranty | Comp HP | Dasher HP | Voltage Code | Width In/mm. | Depth In/mm. | Height In/mm. | Cooling A/W | Ship Lbs |
|----------|----------|------------|-------|--------------------|---------|-----------|--------------|--------------|--------------|---------------|-------------|----------|
| 608 †    | \$15,685 | 1          | \$275 | Included           | 3/4     | 1/4       | R            | 17/432       | 28.6/726     | 32.5/826      | A/W         | 265      |
| 601 †    | \$14,934 | 1          | \$275 | Included           | 1       | 1/2       | T/U/V/W      | 17/432       | 28.6/726     | 32.5/826      | A/W         | 275      |
| 614 £    | \$16,688 | 1          | \$275 | Included           | 2       | 1/2       | T/U/V/W      | 17/432       | 25/625       | 56.5/1435     | A/W         | 385      |
| 624 £    | \$34,681 | 2          | \$375 | Included           | (2)2    | (2)1      | T/U/V/W      | 26/660       | 30.8/781     | 55.9/1420     | A/W         | 675      |
| 691 †    | \$21,935 | 2          | \$375 | Included           | 1       | (2) 1/4   | T/U/V        | 21.2/540     | 28/711       | 35/890        | A           | 360      |
| 614SAS £ | \$31,921 | 1          | \$375 | Included           | 2       | 1/2       | T/U/V        | 17/432       | 29.2/742     | 57/1477       | A/W         | 420      |

**Smoothie Freezer**

| Model # | Price    | # of | CTS   | 5 Yr Comp | Comp | Dasher | Voltage | Width  | Depth    | Height   | Cooling | Ship |
|---------|----------|------|-------|-----------|------|--------|---------|--------|----------|----------|---------|------|
| 608-S†  | \$15,685 | 1    | \$275 | Included  | 3/4  | 1/4    | R       | 17/432 | 28.6/726 | 32.5/826 | A/W     | 265  |

**Combination Soft Serve / Shake**

| Model # | Price    | # of | CTS   | 5 Yr Comp | Comp | Dasher    | Voltage | Width  | Depth    | Height    | Cooling | Ship |
|---------|----------|------|-------|-----------|------|-----------|---------|--------|----------|-----------|---------|------|
| 824 £   | \$33,803 | 2    | \$375 | Included  | (2)2 | (2) 1 1/4 | T/U/V/W | 26/660 | 30.8/781 | 55.9/1420 | A/W     | 605  |

**Batch Freezers**

| Model # | Price    | # of Heads | CTS   | 5 Yr Comp Warranty | Comp HP | Dasher HP | Voltage Code | Width In/mm. | Depth In/mm. | Height In/mm. | Cooling | Ship Lbs |
|---------|----------|------------|-------|--------------------|---------|-----------|--------------|--------------|--------------|---------------|---------|----------|
| B-5 †   | \$22,037 | 1          | \$275 | Included           | 1       | 1         | T/U/V        | 17/432       | 23.9/607     | 30.8/781      | A/W     | 280      |
| B-10 £  | \$36,765 | 1          | \$275 | Included           | 3       | 2         | S/U/V        | 21/533       | 32.5/826     | 50.4/1280     | A/W     | 590      |

ACCESSORIES are optional at extra cost. See accessories and options on pages 10 & 11. See Spec. Sheet.

**Voltage Code Key**

There will be an additional net cost of the following optional voltages: (V) \$275 (W) \$275 (X) \$475

Standard Voltages: (R) 115V/60Hz/1 Ph (S) 230V/60 Hz/1 Ph (T) 208-230V/60 Hz/1 Ph (U) 208-230V/60 Hz/3 Ph

Optional Voltages: (V) 220V/50 Hz/1 Ph (W) 240V/50 Hz/1 Ph (X) 380V/50 Hz/3 Ph

† Counter Model

£ Casters Included

§ Can be adapted for Remote Fill Use

SaniServ reserves the right to make changes in designs and specifications and/or make additions or improvements to its products without imposing any obligations upon itself to install them on products previously manufactured. All prices F.O.B. Mooresville, IN. Prices are subject to change without notice.

**Frozen Cocktail Freezers / Frozen Beverage Dispensers**

| Model #  | Price    | # of Heads | CTS   | 5 Yr Comp Warranty | Comp HP | Dasher HP | Voltage Code | Width In/mm. | Depth In/mm. | Height In/mm. | Cooling A/W | Ship Lbs |
|----------|----------|------------|-------|--------------------|---------|-----------|--------------|--------------|--------------|---------------|-------------|----------|
| 707 †§   | \$10,371 | 1          | \$275 | Included           | 1/2     | 1/4       | R/T/V        | 14/356       | 29.2/741     | 31/787        | A           | 210      |
| 708 †§   | \$14,251 | 1          | \$275 | Included           | 3/4     | 1/4       | R            | 17/432       | 25/625       | 32.5/826      | A/W         | 265      |
| 108 †§   | \$15,880 | 1          | \$275 | Included           | 3/4     | 1/2       | R/V          | 16.4/417     | 30.4/772     | 36.8/935      | A/W         | 285      |
| 108C     | \$11,643 | 1          | \$275 | Included           | 3/4     | 1/2       | R            | 16.6/422     | 28.5/724     | 37.1/942      | A           | 285      |
| 108SHO † | \$18,868 | 1          | \$275 | Included           | 2       | 1/2       | T/U          | 16.6/422     | 28.5/724     | 37.1/942      | W           | 285      |
| 108HP †  | \$15,058 | 1          | \$275 | Included           | 1       | 1/2       | T/U          | 16.6/422     | 28.5/724     | 37.1/942      | A           | 285      |
| 709 †§   | \$15,241 | 1          | \$275 | Included           | 1       | 1/4       | T/U/V        | 17/432       | 28.6/726     | 32.5/826      | A/W         | 265      |
| 704 †§   | \$19,856 | 1          | \$275 | Included           | 2       | 1/2       | T/U          | 20.4/518     | 33.6/854     | 32.8/832      | A/W         | 395      |
| 798 †§   | \$20,828 | 2          | \$375 | Included           | 3/4     | (2)1/4    | R            | 20/508       | 35/889       | 34/864        | A           | 335      |
| 724 §£   | \$30,668 | 2          | \$375 | Included           | (2)2    | (2)1/4    | T/U/V/W      | 26/660       | 28/711       | 55/1397       | A/W         | 580      |
| 791 †§   | \$21,914 | 2          | \$375 | Included           | 1       | (2)1/4    | T/U/V        | 21.2/540     | 28/711       | 35/890        | A/w         | 350      |

**Cyclone**

| Model # | Part # | Dasher Hp | Voltage Code | Width In/mm. | Depth In/mm. | Height In/mm. | Price   | Ship Lbs Lbs |
|---------|--------|-----------|--------------|--------------|--------------|---------------|---------|--------------|
| CYCLONE | 188454 | 1/4       | R            | 9/227        | 10/254       | 24/610        | \$2,023 | 35           |

ACCESSORIES are optional at additional cost. See accessories and options on pages 10 & 11. See Spec Sheet.

**Voltage Code Key**

There will be an additional net cost of the following optional voltages: (V) \$275 (W) \$275 (X) \$475

Standard Voltages: (R) 115V/60Hz/1 Ph (S) 230V/60 Hz/1 Ph (T) 208-230V/60 Hz/1 Ph (U) 208-230V/60 Hz/3 Ph

Optional Voltages: (V) 220V/50 Hz/1 Ph (W) 240V/50 Hz/1 Ph (X) 380V/50 Hz/3 Ph

† Counter Model

£ Casters Included

§ Can be adapted for Remote Fill Use

SaniServ reserves the right to make changes in designs and specifications and/or make additions or improvements to its products without imposing any obligations upon itself to install them on products previously manufactured. All prices F.O.B. Mooresville, IN. Prices are subject to change without notice.



**Remote Units**

| Model #                | Price    | # of Heads | CTS   | 5 Yr Comp Warranty     | Comp HP | Dasher HP | Voltage Code   | Width In/mm.           | Depth In/mm. | Height In/mm. | Cooling A/W | Ship Lbs |
|------------------------|----------|------------|-------|------------------------|---------|-----------|----------------|------------------------|--------------|---------------|-------------|----------|
| WB700RF †              | \$10,935 | 1          | \$275 | N/A                    | N/A     | 1/4       | R              | 9/229                  | 26/660       | 25.5/648      | N/A         | 155      |
| WB7110 RF              | \$12,568 | 1          | \$275 | N/A                    | N/A     | 1/4       | R              | 11/279                 | 31.5/800     | 25/635        | N/A         | 175      |
| 108R †                 | \$15,328 | 1          | \$275 | N/A                    | N/A     | 1/2       | R              | 16.6/422               | 28.5/724     | 31.8/808      | N/A         | 200      |
| 108RAF †               | \$15,880 | 1          | \$275 | N/A                    | N/A     | 1/2       | R              | 16.6/422               | 28.5/724     | 31.8/808      | N/A         | 200      |
| WB700-2 †              | \$21,230 | 2          | \$375 | N/A                    | N/A     | (2) 1/4   | R              | 9.5/241                | 26.8/680     | 25.5/648      | N/A         | 245      |
| ROC2361<br>188459      | \$9,147  | N/A        | N/A   | Included               | 2       | N/A       | T - 1<br>Phase | 34/864                 | 26/660       | 20/508        | A           | 305      |
| ROC2363<br>188674      | \$9,403  | N/A        | N/A   | Included               | 2       | N/A       | U - 3<br>Phase | 34/864                 | 26/660       | 20/508        | A           | 305      |
| ROC23613<br>188579     | \$10,049 | N/A        | N/A   | Included               | 3       | N/A       | T-1<br>Phase   | 34/864                 | 26/660       | 20/508        | A           | 320      |
| ROC23633<br>188735     | \$10,306 | N/A        | N/A   | Included               | 3       | N/A       | U-3<br>Phase   | 34/864                 | 26/660       | 20/508        | A           | 320      |
| PRECHARGED LINE SETS   |          |            |       |                        |         |           |                |                        |              |               |             |          |
| 25' - 188460 - \$1,444 |          |            |       | 50' - 188461 - \$2,217 |         |           |                | 75' - 188462 - \$4,230 |              |               |             |          |

ACCESSORIES are optional at extra cost. See accessories and options on pages 10 & 11. See Spec Sheet.

**Voltage Code Key**

There will be an additional net cost of the following optional voltages: (V) \$275 (W) \$275 (X) \$475

Standard Voltages: (R) 115V/60Hz/1 Ph (S) 230V/60 Hz/1 Ph (T) 208-230V/60 Hz/1 Ph (U) 208-230V/60 Hz/3 Ph

Optional Voltages: (V) 220V/50 Hz/1 Ph (W) 240V/50 Hz/1 Ph (X) 380V/50 Hz/3 Ph

† Counter Model

£ Casters Included

§ Can be adapted for Remote Fill Use

SaniServ reserves the right to make changes in designs and specifications and/or make additions or improvements to its products without imposing any obligations upon itself to install them on products previously manufactured. All prices F.O.B. Mooresville, IN. Prices are subject to change without notice.

**Stainless Steel Equipment Stands**

| Model #    | For Use with SaniServ Model(s)     | Width  | Depth  | Height | Price   | Ship |
|------------|------------------------------------|--------|--------|--------|---------|------|
| MS163018SX | 407                                | 18/457 | 30/762 | 30/762 | \$1,332 | 65   |
| MS163018SM | 707                                | 18/457 | 30/762 | 30/762 | \$1,332 | 65   |
| MS163020SX | 401, 404, 408, 601, 608, 708 & 709 | 20/508 | 30/762 | 30/762 | \$1,340 | 67   |
| MS163220SX | B5                                 | 20/508 | 32/813 | 30/762 | \$1,373 | 69   |
| MS163222SX | 108                                | 22/559 | 32/813 | 30/762 | \$1,396 | 71   |
| MS163622SX | 704                                | 22/559 | 36/914 | 30/762 | \$1,405 | 77   |
| MS163624SX | 691, 791, 798 & 808                | 24/610 | 36/914 | 30/762 | \$1,426 | 78   |
| MS163626SX | 501                                | 26/660 | 36/914 | 30/762 | \$1,462 | 80   |
| P1909904   | 4" SWIVEL CASTERS 2 WITH BRAKES    |        |        | 4"     | \$383   | 10   |

**Cord Sets**

| Machine Model  | Cord Set | List Price |
|--|----------|------------|
| 401, 601, 691, 709, 791, B5<br>1 Phase   | 13481    | \$187      |
| 404, 414, 501, 527, 614, 704, 714, 714SAS-L, 914<br>1 Phase                              | 13486    | \$260      |
| 424, 522, 624, 724, 824, 924<br>1 Phase - Two Complete Cord Sets                         | 188648   | \$540      |
| 408<br>1 Phase<br>(115 Volt - 30 Amps)   | 13487    | \$260      |
| 521<br>1 Phase - Two Complete Cord Sets  | 188644   | \$392      |
| 424, 521, 522, 624, 724, 824, 924<br>3 Phase - Two Complete Cord Sets                    | 188649   | \$542      |
| 401, 404, 414, 501, 527, 601, 614, 691, 704, 709, 714, 714SAS-L, 791, 914, B5<br>3 Phase | 13488    | \$261      |

**Bucket Hanger Kits** (soft corner models)

| Model Number  | Kit Number | White Bucket | Grey Bucket | Red Bucket | Price |
|---|------------|--------------|-------------|------------|-------|
| 691, 798, 791, 808                                  | 188724     | 188724-W     | 188724-G    | 188724-R   | \$99  |
| 707   | 188634     | 188634-W     | 188634-G    | 188634-R   | \$99  |
| 501 & 527   | 188721     | 188721-W     | 188721-G    | 188721-R   | \$99  |
| 424, 624, 521, 522, 724, 824                        | 188723     | 188723-W     | 188723-G    | 188723-R   | \$99  |
| 407 & DF200   | 188637     | 188637-W     | 188637-G    | 188637-R   | \$96  |
| 401, 408, 404, 414, 601, 608, 614,<br>708, 709, 714 | 188720     | 188720-W     | 188720-G    | 188720-R   | \$99  |
| 108   | 188641     | 188641-W     | 188641-G    | 188641-R   | \$99  |
| 704   | 188642     | 188642-W     | 188642-G    | 188642-R   | \$99  |

**Accessories (Note: Following Items Sold as Parts )**

|           | Description  | For Use with SaniServ Model(s)   | Price   |
|-----------|--|--|---------|
| 85720     | Drink Spinner W/ Mounting Bracket – Front Mount 230 V        | 601, 614, 624, 704, 709, 724, 824  | \$1,410 |
| 85720-01  | Drink Spinner W/ Mounting Bracket – Side Mount 230 V         | 691 & 791  | \$1,410 |
| 104273    | Drink Spinner W/ Mounting Bracket – Front Mount 115 V        | 108 & 708  | \$1,410 |
| 104273-01 | Drink Spinner W/ Mounting Bracket – Side Mount 115 V         | 707, 798, WB700 & WB7110   | \$1,410 |
| 188397    | Drink Spinner W/ Mounting Bracket – Space Saving Style 230 V | 601 BK   | \$1,410 |
| 188144    | Wash Out Kit   | May Be Used with All Models except for:<br>108, 707, WB and Batch Freezers | \$645   |
| 188345    | AF-1 (Auto Fill Lid)   | 108, 608S, 707, 708, & 709   | \$1,813 |
| 188442    | AF-1 (Auto Fill Lid)   | 704  | \$1,813 |
| 188467    | AF-1 (Auto Fill Lid)   | 798, 791   | \$2,084 |
| 188611    | SAFS24 (Auto Fill System)                                    |  | \$4,734 |
| 188614    | SAFS12 (Auto Fill System)                                    |  | \$4,120 |
| 188477    | Brush Kit  | 407, 408 & 608   | \$79    |
| 188237    | Day/Night Switch   | Single Head Models   | \$119   |
| 188232    | Day/Night Switch   | Double Head Models   | \$238   |

**Tune-Up Kits**

| Model # | For Use with SaniServ Model(s)                     | Price |
|---------|--|-------|
| 188219  | 407, DF200   | \$115 |
| 188220  | 401, 404, 408, 414, 601, 614, 707, 708, 709, WB700 | \$115 |
| 188221  | 421, 424, 624 & 824                                | \$160 |
| 188338  | 501K, 527K 501N, 501P, 527N & 527P                 | \$329 |
| 188247  | 521, 522K, 522N & 522P                             | \$399 |
| 188393  | 108  | \$151 |
| 188547  | 691, 791 & 798                                     | \$234 |
| 188541  | B5 - Batch Freezer                                 | \$79  |
| 188543  | B10 - Batch Freezer                                | \$112 |

**Light Boxes**

| For Use with SaniServ Model(s)<br>Please Call Factory for Part Numbers | Price   |
|--|---------|
| 707  | \$700   |
| 708 & 709  | \$700   |
| All Other Models   | \$1,097 |



Serving you yesterday, today and tomorrow.™

SaniServ reserves the right to make changes in designs and specifications and/or make additions or improvements to its products without imposing any obligations upon itself to install them on products previously manufactured. All prices F.O.B. Mooresville, IN. Prices are subject to change without notice.



451 E. County Line Rd.  
P.O. Box 1089  
Mooresville, Indiana 46158  
Telephone: 317/831-7030  
Fax: 317/831-7036  
[www.saniserv.com](http://www.saniserv.com)