

Easy Drain®
by ess

Modulo Basic

Easy Drain Modulo Basic linear shower drain, the foundation for every bathroom, offers a wide range of modern and stylish design grates. The low overall depth and adjustable drainage syphon guarantee that the Easy Drain Modulo meets your requirements in any conceivable bathroom.

FEATURES

- Outlet - Horizontal outlet
- Siphon - Removable and easy to clean
- Supplied as - Complete set
- Water Protection System - 10-year warranty
- Available lengths - 500 - 1200 mm



Manufacturer

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
info@esspost.com | www.easydrain.com

Contact

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
sales@esspost.com | www.easydrain.com

GENERAL

| | |
|---------------|---|
| Serie | Modulo Basic |
| Name | Modulo Basic |
| Model | Linear shower drain |
| Length (mm) | 500, 600, 700, 800, 900, 1000, 1100, 1200 |
| Product type | Complete |
| Application | New construction, Renovation |
| Certification | ETAG-022, DIN 18534 |

INSTALLATION

| | |
|---|---|
| Substrate | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish | Tiles / Mosaic, Glass Mosaic, Thin tiles |
| Height adjustable feet | Included |
| Installation option | Floor, Wall |
| Outlet | Horizontal |
| Connection (mm) | 40 |
| Min. installation depth (mm) (built-in set) | 63 |
| Min. installation depth (mm) (incl. grate) | 70 |

DRAINAGE

| | |
|---|----|
| Max. drainage capacity entrance (l/min) | 25 |
| Max. drainage capacity wall (l/min) | 32 |
| Max. drainage capacity (l/min) | 32 |

BUILT-IN SET

| | |
|--------------------------------|--------------------|
| Pre-assembled sealing membrane | Included |
| Siphon features | Cleanable |
| Water seal height (mm) | 30 |
| Outlet | Horizontal |
| Material siphon | Polypropylene (PP) |

DESIGN

| | |
|-------------------------|---------------|
| Grate finish | Green glass |
| Grate pattern | Zero / Closed |
| Grate width (mm) | 59 |
| Grate tile insert (mm) | N.A. |
| Adjustable grate | Yes |
| Frame type | N.A. |
| TAF Frame material | N.A. |
| Design frame finish | N.A. |
| Frame width (mm) | N.A. |
| Wheelchair accessible | No |
| Extension set available | No |



Manufacturer



Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 info@esspost.com | www.easydrain.com

Contact

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 sales@esspost.com | www.easydrain.com

| | | | |
|---------|--------------------------|--|--|
| 500 mm | MBGG 500 / EDM1 500-30 | | |
| 600 mm | MBGG 600 / EDM1 600-30 | | |
| 700 mm | MBGG 700 / EDM1 700-30 | | |
| 800 mm | MBGG 800 / EDM1 800-30 | | |
| 900 mm | MBGG 900 / EDM1 900-30 | | |
| 1000 mm | MBGG 1000 / EDM1 1000-30 | | |
| 1100 mm | MBGG 1100 / EDM1 1100-30 | | |
| 1200 mm | MBGG 1200 / EDM1 1200-30 | | |

WPS - Water Protection System



Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
info@esspost.com | www.easydrain.com

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
sales@esspost.com | www.easydrain.com