



Easy Drain®
by ess

Modulo 30 TAF Wall

Easy Drain Modulo TAF Wall linear shower drain fits perfect between any wall and any floor. The subtle stainless frame beautifully connects your bathroom wall and floor, while the ground-breaking TAF-system and Water Protection System make sure that all of the shower water is drained.

FEATURES

- Water Protection System - 10-year warranty
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Certified - EN 1253
- Siphon - Easy to clean
- Supplied as - Complete set
- Available lengths - 500 - 1200 mm



Manufacturer

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
info@esspost.com | www.easydrain.com

Contact

Easy Sanitary Solutions
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
T. +31 (0)541 200 800 | F. +31 (0)541 200 899
sales@esspost.com | www.easydrain.com

Page 1 / 3

GENERAL

| | |
|---------------|---|
| Serie | Compact TAF Wall;Modulo TAF Wall |
| Name | Modulo 30 TAF Wall |
| Model | Linear shower drain |
| Length (mm) | 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000 |
| Product type | Complete |
| Application | Renovation, New construction |
| Certification | DIN 18534, ETAG-022, EN 1253, cUPC |

INSTALLATION

| | |
|---|---|
| Substrate | Lewis sheets, Concrete / Sand Cement, Wooden floors |
| Floor finish | Tiles / Mosaic, Glass Mosaic, Thin tiles |
| Height adjustable feet | Included |
| Installation option | Wall |
| Outlet | Horizontal |
| Connection (mm) | 40 |
| Min. installation depth (mm) (built-in set) | 63 |
| Min. installation depth (mm) (incl. grate) | 70 |

DRAINAGE

| | |
|---|------|
| Max. drainage capacity entrance (l/min) | N.A. |
| Max. drainage capacity wall (l/min) | 32 |
| Max. drainage capacity (l/min) | 32 |

BUILT-IN SET

| | |
|--------------------------------|--------------------|
| Pre-assembled sealing membrane | Included |
| Siphon features | Cleanable |
| Water seal height (mm) | 30 |
| Outlet | Horizontal |
| Material siphon | Polypropylene (PP) |

DESIGN

| | |
|-------------------------|--------------------------------|
| Grate finish | Brushed stainless steel / Tile |
| Grate pattern | Zero / Closed |
| Grate width (mm) | 45 |
| Grate tile insert (mm) | 12 |
| Adjustable grate | No |
| Frame type | TAF (Tile Adjustable Frame) |
| TAF Frame material | Stainless steel (304) |
| Design frame finish | N.A. |
| Frame width (mm) | 81 |
| Wheelchair accessible | Yes |
| Extension set available | Yes |



Manufacturer

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 info@esspost.com | www.easydrain.com


Contact

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 sales@esspost.com | www.easydrain.com

ARTICLE CODE

| | | | |
|---------|-------------------|---------|-------------------|
| 500 mm | EDCOMTAFW 500-30 | 1300 mm | EDCOMTAFW 1300-30 |
| 600 mm | EDCOMTAFW 600-30 | 1400 mm | EDCOMTAFW 1400-30 |
| 700 mm | EDCOMTAFW 700-30 | 1500 mm | EDCOMTAFW 1500-30 |
| 800 mm | EDCOMTAFW 800-30 | 1600 mm | EDCOMTAFW 1600-30 |
| 900 mm | EDCOMTAFW 900-30 | 1700 mm | EDCOMTAFW 1700-30 |
| 1000 mm | EDCOMTAFW 1000-30 | 1800 mm | EDCOMTAFW 1800-30 |
| 1100 mm | EDCOMTAFW 1100-30 | 1900 mm | EDCOMTAFW 1900-30 |
| 1200 mm | EDCOMTAFW 1200-30 | 2000 mm | EDCOMTAFW 2000-30 |

TECHNICAL DRAWINGS



Manufacturer

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 info@esspost.com | www.easydrain.com

Contact

Easy Sanitary Solutions
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899
 sales@esspost.com | www.easydrain.com