

CATALOGUE



ABOUT ESS

TRENDSETTING BATHROOM SOLUTIONS

ESS stands for Easy Sanitary Solutions, and is at the same time the best and most appropriate statement to describe our products. Simple, practical and advantageous for installation specialists and end users, and of the very highest quality.

As a Dutch family business, dealing with water is second nature to us. That is why we provide excellent drainage solutions to suit every need and situation. We are the inventors, developers and official suppliers of Easy Drain linear shower drains. As the initiators of barrier-free bathroom layouts, we have proven that our bathroom solutions are simple, practical and elegant.

A bathroom should be as aesthetically pleasing as it is functional, which is why we place great emphasis on technical development and design. This translates into beautiful and unique bathroom accessories.



easydrain.com

OUR HISTORY



1928

WERE IT STARTED

It all began in 1928, in the small village of Losser (the Netherlands) where our family-owned company Keizers began designing, selling and producing sanitary solutions. Here the foundation was established for ESS's company's success, that continues today.

WHERE WE ARE NOW

From that initial start, we now manufacture in two of our own state-of-the-art factories in the Netherlands and Germany, selling and distributing in over 40 countries around the world and delivering high-quality and innovative design that transforms bathrooms worldwide.

HEAD OFFICE

Opening of the head office in Oldenzaal, Netherlands. This is the global centre for product development, sales, marketing and finance. The head office is located less than 10 km from the place where the Easy Drain was invented.



2013

KEIZERS SHOWROOM

The Keizers family business opened its showroom in Losser, where it began selling bathrooms, kitchens and tiles. This was the place where many innovative products and solutions were developed.



INVENTION OF LINEAR SHOWER DRAIN

The two Keizers brothers invented the Easy Drain linear shower drain. This invention enabled floor-level showering and would transform bathrooms worldwide. With this invention, the company Easy Sanitary Solutions (ESS) was established.



FACTORY & TRAINING CENTRE

Opening of an ultra-modern factory and training centre in Bad Bentheim, Germany. This is where - in addition to Easy Drain - all of ESS's innovative products are being manufactured and transported to clients all over the world.



1972

2002

2009

EXPERIENCE CENTRE

The Keizers showroom is relocated from Losser to Oldenzaal next to the ESS head office. This state-of-the-art place showcases bathrooms and tiles and acts as an experience centre for ESS products.



FACTORY EXPANSION

ESS's global presence and innovations have resulted in a growing demand for its products. To adapt the production capacity accordingly, ESS has expanded its factory and warehouse in Germany.



FIT FOR THE FUTURE

A digital transformation is carried out to enhance the traditional manufacturing process with advanced technologies and drive manufacturing forward. ESS is staying fit for the future of manufacturing.




2014


2017

2020

LINEAR SHOWER DRAINS

	Diamond	NEW	24
	Modulo Clean <small>(Dryphon® Technology)</small>		26
	Modulo TAF / TAF Wall	NEW	32
	Modulo TAF Low		38
	Modulo TAF High		42
	Modulo Stone	NEW	44
	Modulo Design		46
	Modulo Basic		52
	Compact Clean <small>(Dryphon® Technology)</small>		56
	Compact FF	NEW	60
	R-line	NEW	66
	M-line		68
	S-line		70
	Nano		72
	Xs		74

LINEAR SHOWER DRAINS

	Dot & Square	82
	Pool line	84 NEW
	Multi	86
	Waterstop	92
	Vinyl	96
	Flex	98
	Specials	100
	Fixt	102
	Basic Drain	104

POINT DRAINS



Aqua Jewels

NEW **108**

Aqua Jewels Stone

NEW **110**

Aqua Brilliant

NEW **112**

Aqua Plus

114

Aqua

116

Vinyl

NEW **118**

SHOWER BOARDS



Easy Board

120

SIPHONS



Easy Siphon

126

WATERPROOFING



Easy Seal

132

WALL NICHES



T-BOX

146

C-BOX

148

WALL NICHES



F-BOX

NEW

150

BOX

NEW

152

W-BOX

NEW

156


S-BOX

NEW

158

SHELF-BOX

NEW

160

V-BOX

NEW

162

BATHROOM & TOILET ACCESSORIES



T-ROLL

NEW

164

ROLL

NEW

166

MIRRORS



Lugano

NEW

172

Iseo

NEW

176

Victoria

NEW

180

DRYPHON® TECHNOLOGY (SILICONE SIPHON)

NEW

More powerful, more reliable and easier to clean

- Uses a high-tech silicone valve - instead of water - to block any odour from the waste pipe.
- Shower drains are supplied with both a standard siphon and Dryphon® technology (replaceable).
- Available in Compact clean and Modulo Clean shower drains.
- Impossible to run dry – keeps the entire house odour free when you're away for a long time.

EASY

Easy installation

CLEAN

Minimal cleaning

POWER

High capacity 60 l/min




INSTALLATION



THREE SIDED INSTALLATION

Installation against the wall and between the two side walls. This type of installation requires a one-sided slope and offers high drainage capacity.




* Requires an exact length of the shower drain



ENTRANCE INSTALLATION

Installation at the entrance of the shower between the two walls. This type of installation requires a one-sided slope.





* Requires an exact length of the shower drain




FREE IN THE FLOOR INSTALLATION

Installation with floor tiles on all four sides of the shower drain. This installation requires a four-sided slope.




ONE-SIDED INSTALLATION

Installation against the wall with tiles on the other three sides. This type of installation requires a three-sided slope and offers high drainage capacity.



WALL TO WALL INSTALLATION

Installation between the walls, with floor tiles on either side of the shower drain. This type of installation requires a two-sided slope.



* Requires an exact length of the shower drain

WATER PROTECTION SYSTEM (WPS)

WPS

Easy Drain's innovative Water Protection System (WPS) provides an easy-to-install and safe-to-assemble sealing system for linear shower- and floor drains. This WPS-system consists of a flexible waterproofing membrane which is connected to the linear drain's stainless steel flanges or the floor drain's special cuff. This way, leaking as a result of faulty installation due to unfavorable conditions is eliminated.

Preferred by professionals worldwide



Easy Drain's WPS-system is developed with over more than 14 years of experience in the sanitary industry and is preferred by professional installers and tilers worldwide. This shows once again, that the easy and safe solutions of ESS are a milestone in shower drainage design and development.

ETAG 022 certified & DIN 18534 certified

By using our special sealing cuffs (WPS-system), we guarantee an absolute watertight installation of our Easy Drain shower drains and floor drains. The patented WPS-system is tested and approved in accordance with the European standard for wet area construction: ETAG-022.

Advantages

- › Guarantees a 100% watertight installation
- › 10-year warranty with our Wet Area Sealing Set
- › Factory assembled sealing membrane
- › EU standard for wet area construction: ETAG-022



SECONDARY WATER DRAINAGE

With our patented TAF-system (Tile Adjustable Frame) we offer a unique option to apply secondary drainage in a barrier-free installation. This way, any water leaking under the tiles due to porous sealant or cracks ① can flow back into the shower drain. The stainless steel TAF frame can be easily adjusted in height, after installing the drain's built-in set, to match the level of the surrounding tiled floor. All shower drains with TAF-system are also equipped with our pre-assembled sealing membrane (WPS).



Required sealing of wet area

Secondary drainage only applies when the entire wet area is sealed with a certified waterproofing membrane.

We recommend using our Wet Area Sealing Set. Linear shower drains from Easy Drain's Compact and Multi series have a vertical stainless steel flange, and therefore doesn't have the secondary drainage option.

Advantages

- › Any water leaking under the tiles can flow back into the shower drain
- › Tile Adjustable Frame for easy leveling to any tile thickness
- › Water Protection System for a 100% watertight installation
- › 10-year warranty with our Wet Area Sealing Set




! Attention: Sealing the entire wet area is necessary

TILE ADJUSTABLE FRAME (TAF)

- › Perfect finish with closed tile edges
- › Available sizes up to 2000 mm

- › Frame length adjustable using extension set
- › Saves time and eliminates guesswork



TAF (LOW)

- › Thin floors
- › 3 - 13 mm
- › Glass mosaic, Cast/PU

TAF


- › Standard thickness flooring
- › 7 - 18 mm
- › Tile

TAF (HIGH)


- › Thick floors
- › 17 - 28 mm
- › Natural stone

INSTALLATION


1 Positioning




2 Measurement



3 Adjustment



4 Leveling



SELF-ADHESIVE WATERPROOFING MEMBRANE (SAM)

SAM is a self-adhesive sealing system which offers a secure sealing in combination with Easy Drain Shower Boards. With this sealing kit, we guarantee 10 years water tightness within the entire bathroom area. In all standard packages, a sealing certificate is included. SAM is certified according to:

› ETAG 022

› ab (P)

› ANSI 18110

› DIN 18534

100% Watertightness

Most moisture related damages result from an improper installation of liquid sealed sealing membranes, wall-to-floor transfers, and drainage systems. The patented SAM sealing system avoids moisture damage by using fleece free impact bonding. The non-woven zones interrupt the capillary movement of moisture and ensure a 100% watertightness.

The following primed base surfaces can be sealed with SAM:

- | | |
|------------------|-----------------------------|
| › Concrete | › Existing ceramics (tiles) |
| › Cement screeds | › Plasterboard |
| › Dry screed | › Timber |

Advantages

- › Time-saving installation (no drying time)
- › Surface immediately ready for tiling
- › Suitable for all types of building chemicals
- › No more liquid sealing necessary
- › 100% watertight warranty - lifetime warranty
- › Complete sets
- › Antibacterial fleece coating to prevent mold formation
- › High material elasticity prevents cracking
- › Acoustic decoupling between finished surface and building construction
- › Instantly high tack




CUSTOMIZATION LENGTHS

Easy Drain has a wide range of shower drains. However when necessary, customization is possible.


Easy Drain shower drains can be customized in the following ways:

- › Custom lengths




- › Custom applications

e.g. Swimming pools



- › Custom outlets


e.g. Number or position



- › Custom designs



- › Custom shapes



For more information, please contact us.



LINEAR SHOWER DRAINS



Diamond **Modulo Clean**
(*Dryphon® Technology*) **Modulo TAF / TAF Wall** **Modulo TAF Low** **Modulo TAF High**

	Diamond	Modulo Clean (<i>Dryphon® Technology</i>)	Modulo TAF / TAF Wall	Modulo TAF Low	Modulo TAF High
Dimensions (mm)	726	500 - 2000	500 - 2000	500 - 1200	500 - 1200
Grate	Stainless steel	Stainless steel Tileable	Stainless steel Tileable Glass	Stainless steel Tileable	Stainless steel Tileable
Flooring	Tile Glass mosaic	Tile Glass mosaic	Tile Glass mosaic	Glass mosaic Thin tiles	Natural stone
Adjustable to tile thickness	7 - 18	7 - 18	7 - 18	3 - 13	17 - 28
Installation options	Floor	Floor Wall	Floor Wall	Floor	Floor
Minimal installation depth (mm)	76	77	70	70	70
Water seal (mm)	28 50 (EN 1253)	30 50 (EN 1253) <i>Dryphon® Technology</i>	28 30 50 (EN 1253)	30 50 (EN 1253) <i>Dryphon® Technology</i>	30 50 (EN 1253) <i>Dryphon® Technology</i>
Connection	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)
Dryphon® Technology		✓		✓	✓
Pre-assembled sealing membrane (WPS)	✓	✓	✓	✓	✓
Height adjustable frame (TAF)	✓	✓	✓		✓
Customization possible		✓	✓	✓	✓

LINEAR SHOWER DRAINS



Modulo Stone

Modulo Design

Modulo Basic

Compact Clean
(Dryphon® Technology)

Compact FF

Dimensions (mm)	500 - 1200	800 - 2000	500 - 1200	500 - 2000	500 - 2000
Grate	Stainless steel Tileable Glass	Stainless steel Tileable Glass	Stainless steel Tileable Glass	Stainless steel Tileable	Stainless steel Tileable
Flooring	Tile Glass mosaic Natural stone	Tile Glass mosaic	Tile Natural stone	Tile Glass mosaic Natural stone	Tile Glass mosaic Thin Tiles
Adjustable to tile thickness	Every tile thickness possible	7 - 18	-	Every tile thickness possible	Every tile thickness possible
Installation options	Floor Wall	Floor Wall	Floor	Floor Wall	Floor Wall
Minimal installation depth (mm)	70	70	70	65	63
Water seal (mm)	30 50 (EN 1253) Dryphon® Technology	30 50			
Connection	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal	Horizontal
Dryphon® Technology	✓	✓	✓	✓	
Pre-assembled sealing membrane (WPS)	✓	✓	✓	✓	✓
Height adjustable frame (TAF)	✓	✓			
Customization possible	✓	✓	✓	✓	✓

LINEAR SHOWER DRAINS



R-line
Waterstop

M-line

S-line

Nano

Xs

	R-line Waterstop	M-line	S-line	Nano	Xs
Dimensions (mm)	700 - 1200	700 - 1200	700 - 1200	700 - 1200	500 - 2000
Grate	Stainless steel Tileable	Stainless steel Tileable	Stainless steel Tileable	Stainless steel	Stainless steel
Flooring	Tile Glass mosaic Natural stone	Tile Glass mosaic Natural stone	Tile Glass mosaic Natural stone	Tile Glass mosaic Natural stone Thin tiles	Tile Glass mosaic Natural stone Thin tiles
Adjustable to tile thickness	7 - 18	7 - 18	7 - 18 17 - 28 (High)	5 - 18	5 - 18
Installation options	Floor Wall	Wall	Wall	Floor Wall	Floor Wall
Minimal installation depth (mm)	76	70	97	95	95
Water seal (mm)	28 50 (EN 1253)	28 (optional) 50 (EN 1253)	28 (optional) 50 (EN 1253)	28 50 (EN 1253)	50 (EN 1253)
Connection	Horizontal Vertical (optional)	Horizontal	Horizontal Vertical (optional)	Horizontal	Horizontal Vertical (optional)
Dryphon® Technology					
Pre-assembled sealing membrane (WPS)	✓	✓	✓	✓	✓
Height adjustable frame (TAF)	✓	✓	✓	✓	✓
Customization possible		✓			✓

LINEAR SHOWER DRAINS



Dot & Square

Pool line


Multi

Waterstop

Vinyl

Dimensions (mm)	Ø 676 615 x 615	Various sizes	500 - 2000	700 - 1200	700 - 1200
Grate	Tileable	Tileable	Stainless steel Tileable	Stainless steel Tileable	Stainless steel
Flooring	Tile Natural stone	Tile Glass mosaic Natural stone	Tile Glass mosaic Natural stone	Tile Natural stone Thin tiles	Vinyl
Adjustable to tile thickness	9 - 18	10 - 22	7 - 18	Every tile thickness possible	Every thickness possible
Installation options	Floor	Floor	Floor Wall	Floor Wall	Floor
Minimal Installation depth (mm)	99	-	79	91	99
Water seal (mm)	30 35 50 (EN 1253)	-	30 35 50 (EN 1253) Dryphon® Technology	28 50 (EN 1253)	28 50 (EN 1253)
Connection	Horizontal Vertical (optional)	Horizontal	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)
Dryphon® Technology					
Pre-assembled sealing membrane (WPS)		✓	✓	✓	✓
Height adjustable frame (TAF)		✓	✓	✓	✓
Customization possible	✓	✓	✓		✓

LINEAR SHOWER DRAINS



Flex

Specials


Fixt

Basic Drain

Basic Drain Steps

	Flex	Specials	Fixt	Basic Drain	Basic Drain Steps
Dimensions (mm)	500 - 1200	Various sizes	500 - 1200	500 - 1200	500 - 1200
Grate	Stainless steel	Stainless steel	Stainless steel	Stainless steel Tileable	Stainless steel Tileable
Flooring	Tile Glass mosaic Natural stone	Tile Natural stone	Tile Glass mosaic Natural stone	Tile Glass mosaic Natural stone Thin tiles	Tile Glass mosaic Natural stone Thin tiles
Adjustable to tile thickness	Every tile thickness possible	7 - 18	Every tile thickness possible	7 - 18	7 - 19
Installation options	Floor	Floor Wall	Floor	Floor	Floor
Minimal installation depth (mm)	82	79	70	79	75
Water seal (mm)	28 50 (EN 1253)	30 50 (EN 1253)	30 50 (EN 1253)	28 50 (EN 1253) Dryphon® Technology	28 50 (EN 1253)
Connection	Horizontal Vertical (optional)	Horizontal	Horizontal	Horizontal	Horizontal
Dryphon® Technology					
Pre-assembled sealing membrane (WPS)		✓	✓	✓	✓
Height adjustable frame (TAF)	✓		✓		✓
Customization possible	✓	✓		✓	✓

POINT DRAINS



Aqua Jewels

Aqua Jewels Stone

Aqua Brilliant

Aqua / Aqua plus

Vinyl

Dimensions (mm)	100 x 100 150 x 150 200 x 200	100 x 100 150 x 150 200 x 200	150 x 150	100 x 100 150 x 150 200 x 200	Ø 170
Grate	Stainless steel Tileable Glass	Stainless steel Tileable	Stainless steel Tileable	Stainless steel Tile	Stainless steel
Flooring	Tile Glass mosaic Thin flooring	Tile Glass mosaic Natural stone Thin flooring	Tile Glass mosaic Natural stone	Tile Glass mosaic Natural stone	Vinyl
Adjustable to tile thickness	5 - 16 17 - 28 (high)	Every tile thickness possible	7 - 18	7 - 18	Every thickness possible
Installation options	Floor Wall	Floor	Floor	Floor	Floor
Minimal Installation depth (mm)	84	79	75	68	83
Water seal (mm)	50 - 25 (EN 1253)	50 - 25 (EN 1253)	50 (EN 1253)	50 (EN 1253) 50 - 25 (EN 1253)	50 - 25 (EN 1253)
Connection	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)	Horizontal Vertical (optional)
Dryphon® Technology					
Pre-assembled sealing membrane (WPS)	✓	✓	✓	✓	
Height adjustable frame (TAF)	✓	✓		✓	
Customization possible	✓	✓	✓		

SYMBOLS


	High-quality stainless steel
	Certified (Water seal 50 mm)
	Height adjustable drainage siphon
	Pivoted and adjustable drainage siphon
	Adjustable grate
	Easy to clean siphon
	Installation option wall
	Installation option floor
	Water Protection System
	Tile Adjustable Frame
	Wheelchair accessible
	Can be adjusted in size

INSTALLATION OPTIONS

	Wall to wall installation
	Free in the floor
	One-sided installation
	Wall installation
	Free in the floor



The luxury of a diamond in your bathroom



FEATURES

- | | | | |
|---|---|-------------------------------------|---------------------------------------|
| <input checked="" type="checkbox"/> WPS | Only two-sided slope necessary | <input type="checkbox"/> INOX | Easy to clean |
| <input type="checkbox"/> TAF | Tile Adjustable Frame | <input type="checkbox"/> TAF | High capacity |
| <input type="checkbox"/> WPS | Pre-assembled sealing membrane - 10-year warranty | <input type="checkbox"/> INOX | High-quality stainless steel |
| | | <input checked="" type="checkbox"/> | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system
P. 136



M2 Siphon - Vertical outlet
Water seal 50 mm
EDM2-O | P. 126 |



Soundproofing mat
Dimensions 1250 x 300 x 5 mm
ED-SCHALL | P. 126 |

DIAMOND TAF


COMPLETE SET
(including 2 siphons)

DIAMOND

 Water seal 28 / 50 mm	 Installation depth from 77 mm	 TAF 7 - 18 mm	 Drainage capacity 33 l/min (28 mm) 41 l/min (50 mm)
--	--	--	---




Water seal 28 mm



Length Article code

726 mm ED-DIAMOND-TAF

Water seal 50 mm



DIAMOND BLACK

 Water seal 28 / 50 mm	 Installation depth from 77 mm	 TAF 7 - 18 mm	 Drainage capacity 33 l/min (28 mm) 41 l/min (50 mm)
--	--	--	---




Water seal 28 mm



Length Article code

726 mm ED-DIAMOND-TAFB

Water seal 50 mm




MODULO CLEAN DRYPHON® TECHNOLOGY

More power, less cleaning

Dryphon® technology (Silicone siphon)

Included at no extra cost

High capacity: 60 l/min



FEATURES

- | | | | |
|--|---|--|---------------------------------------|
| | Minimal cleaning (Dryphon® technology) | | High capacity |
| | Pre-assembled sealing membrane - 10-year warranty | | High-quality stainless steel |
| | Tile Adjustable Frame | | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Wall installation



Free in the floor

ACCESSORIES



Wet area - Sealing system

P. 136

10
YEAR
WARRANTY



Clean Siphon 30 - Side outlet
Water seal 30 mm
EDMCLEANZ-30 | P. 126 |



Clean Siphon 50 - Side outlet
Water seal 50 mm
EDMCLEANZ-50 | P. 126 |

MODULO CLEAN DRYPHON® TECHNOLOGY

COMPLETE SET
(including 2 siphons)

Wall installation or free in the floor

MODULO CLEAN 30 / 50 | TAF FRAME BRUSHED STAINLESS STEEL | ZERO / TILE REVERSIBLE

 Water seal
30 / 50 mm


 Installation depth
from 77 / 95 mm

 TAF
7 - 18 mm

 Tile inlay depth
12 mm

 Drainage capacity (free)
33 l/min (30 mm)
34 l/min (50 mm)
54 l/min (Dryphon®
technology)

 Drainage capacity (wall)
36 l/min (30 mm)
42 l/min (50 mm)
60 l/min (Dryphon®
technology)




Tile not included

Length Article code

500 mm	EDCLEANCOMTAF 500
600 mm	EDCLEANCOMTAF 600
700 mm	EDCLEANCOMTAF 700
800 mm	EDCLEANCOMTAF 800
900 mm	EDCLEANCOMTAF 900
1000 mm	EDCLEANCOMTAF 1000
1100 mm	EDCLEANCOMTAF 1100
1200 mm	EDCLEANCOMTAF 1200
1300 mm	EDCLEANCOMTAF 1300
1400 mm	EDCLEANCOMTAF 1400
1500 mm	EDCLEANCOMTAF 1500
1600 mm	EDCLEANCOMTAF 1600
1700 mm	EDCLEANCOMTAF 1700
1800 mm	EDCLEANCOMTAF 1800
1900 mm	EDCLEANCOMTAF 1900
2000 mm	EDCLEANCOMTAF 2000


Water seal 30 mm

Modulo Clean 30 / Wall



Water seal 50 mm

Modulo Clean 50 / Wall



MODULO CLEAN DRYPHON® TECHNOLOGY

BUILT-IN SET

MODULO CLEAN 30

 Water seal
30 mm

 Installation depth
from 70 mm

 Drainage capacity (free)
33 l/min (30 mm)
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
36 l/min (30 mm)
60 l/min (Dryphon® technology)



Length	Article code
500 mm	EDM1CLEAN500-30
600 mm	EDM1CLEAN600-30
700 mm	EDM1CLEAN700-30
800 mm	EDM1CLEAN800-30
900 mm	EDM1CLEAN900-30
1000 mm	EDM1CLEAN1000-30
1100 mm	EDM1CLEAN1100-30
1200 mm	EDM1CLEAN1200-30

Combine with Modulo grate P. 33 - 36



MODULO CLEAN 50

 Water seal
50 mm

 Installation depth
from 88 mm

 Drainage capacity (free)
34 l/min (50 mm)
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
42 l/min (50 mm)
60 l/min (Dryphon® technology)



Length	Article code
500 mm	EDM1CLEAN500-50
600 mm	EDM1CLEAN600-50
700 mm	EDM1CLEAN700-50
800 mm	EDM1CLEAN800-50
900 mm	EDM1CLEAN900-50
1000 mm	EDM1CLEAN1000-50
1100 mm	EDM1CLEAN1100-50
1200 mm	EDM1CLEAN1200-50

Combine with Modulo grate P. 33 - 36

FEATURES

 Minimal cleaning (Dryphon® technology)

 High-quality stainless steel

 Pre-assembled sealing membrane - 10-year warranty

 Certified: EN 1253 (50 mm) / ETAG-022

 High capacity

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136



Clean Siphon 30 - Side outlet
Water seal 30 mm
EDM1CLEANZ-30 | P. 126 |



Clean Siphon 50 - Side outlet
Water seal 50 mm
EDM1CLEANZ-50 | P. 126 |


M1-30

 Water seal
30 mm

 Installation depth
from 63 mm

 Drainage capacity (free)
25 l/min

 Drainage capacity (wall)
32 l/min

**Length Article code**

500 mm EDM1 500-30

600 mm EDM1 600-30

700 mm EDM1 700-30

800 mm EDM1 800-30

900 mm EDM1 900-30

1000 mm EDM1 1000-30

1100 mm EDM1 1100-30

1200 mm EDM1 1200-30

Combine with Modulo grate – P. 33 - 36


M1-50

 Water seal
50 mm

 Installation depth
from 83 mm

 Drainage capacity (free)
34 l/min

 Drainage capacity (wall)
42 l/min

**Length Article code**

500 mm EDM1 500-50

600 mm EDM1 600-50

700 mm EDM1 700-50

800 mm EDM1 800-50

900 mm EDM1 900-50

1000 mm EDM1 1000-50

1100 mm EDM1 1100-50

1200 mm EDM1 1200-50

Combine with Modulo grate – P. 33 - 36

FEATURES

 Pre-assembled sealing membrane - 10-year warranty

 High-quality stainless steel

 Easy to clean

 Certified: EN 1253 (50 mm) / ETAG-022

 High capacity


M2-35

 Water seal
28 mm

 Installation depth
from 70 mm

 Drainage capacity (free)
28 l/min

 Drainage capacity (wall)
33 l/min


Length Article code

500 mm	EDM2 500-35
600 mm	EDM2 600-35
700 mm	EDM2 700-35
800 mm	EDM2 800-35
900 mm	EDM2 900-35
1000 mm	EDM2 1000-35
1100 mm	EDM2 1100-35
1200 mm	EDM2 1200-35

Combine with Modulo grate – P. 33 - 36



M2-50

 Water seal
50 mm

 Installation depth
from 87 mm

 Drainage capacity (free)
33 l/min

 Drainage capacity (wall)
41 l/min


Length Article code

500 mm	EDM2 500-50
600 mm	EDM2 600-50
700 mm	EDM2 700-50
800 mm	EDM2 800-50
900 mm	EDM2 900-50
1000 mm	EDM2 1000-50
1100 mm	EDM2 1100-50
1200 mm	EDM2 1200-50

Combine with Modulo grate – P. 33 - 36

FEATURES

 Pre-assembled sealing membrane - 10-year warranty

 High-quality stainless steel

 Easy to clean

 Certified: EN 1253 (50 mm) / ETAG-022

 High capacity



M2 Siphon - Vertical outlet

Water seal 50 mm

EDM2-O | P. 126 |





MODULO TAF / TAF WALL

COMPLETE SET


TAF FRAME BRUSHED STAINLESS STEEL

MODULO TAF 30 / MODULO TAF WALL 30 | ZERO / TILE REVERSIBLE

U Water seal 30 mm
 I Installation depth from 70 mm
 T TAF 7 - 18 mm
 I Tile inlay depth 12 mm
 W Drainage capacity (free) 25 l/min
 W Drainage capacity (wall) 32 l/min





Length	Modulo TAF	Modulo TAF Wall
500 mm	EDCOMTAF 500-30	EDCOMTAFW 500-30
600 mm	EDCOMTAF 600-30	EDCOMTAFW 600-30
700 mm	EDCOMTAF 700-30	EDCOMTAFW 700-30
800 mm	EDCOMTAF 800-30	EDCOMTAFW 800-30
900 mm	EDCOMTAF 900-30	EDCOMTAFW 900-30
1000 mm	EDCOMTAF 1000-30	EDCOMTAFW 1000-30
1100 mm	EDCOMTAF 1100-30	EDCOMTAFW 1100-30
1200 mm	EDCOMTAF 1200-30	EDCOMTAFW 1200-30
1300 mm	EDCOMTAF 1300-30	EDCOMTAFW 1300-30
1400 mm	EDCOMTAF 1400-30	EDCOMTAFW 1400-30
1500 mm	EDCOMTAF 1500-30	EDCOMTAFW 1500-30
1600 mm	EDCOMTAF 1600-30	EDCOMTAFW 1600-30
1700 mm	EDCOMTAF 1700-30	EDCOMTAFW 1700-30
1800 mm	EDCOMTAF 1800-30	EDCOMTAFW 1800-30
1900 mm	EDCOMTAF 1900-30	EDCOMTAFW 1900-30
2000 mm	EDCOMTAF 2000-30	EDCOMTAFW 2000-30




Tile not included

MODULO TAF 50 / MODULO TAF WALL 50 | ZERO / TILE REVERSIBLE

U Water seal 50 mm
 I Installation depth from 83 mm
 T TAF 7 - 18 mm
 I Tile inlay depth 12 mm
 W Drainage capacity (free) 34 l/min
 W Drainage capacity (wall) 42 l/min



Length	Modulo TAF	Modulo TAF Wall
500 mm	EDCOMTAF 500-50	EDCOMTAFW 500-50
600 mm	EDCOMTAF 600-50	EDCOMTAFW 600-50
700 mm	EDCOMTAF 700-50	EDCOMTAFW 700-50
800 mm	EDCOMTAF 800-50	EDCOMTAFW 800-50
900 mm	EDCOMTAF 900-50	EDCOMTAFW 900-50
1000 mm	EDCOMTAF 1000-50	EDCOMTAFW 1000-50
1100 mm	EDCOMTAF 1100-50	EDCOMTAFW 1100-50
1200 mm	EDCOMTAF 1200-50	EDCOMTAFW 1200-50
1300 mm	EDCOMTAF 1300-50	EDCOMTAFW 1300-50
1400 mm	EDCOMTAF 1400-50	EDCOMTAFW 1400-50
1500 mm	EDCOMTAF 1500-50	EDCOMTAFW 1500-50
1600 mm	EDCOMTAF 1600-50	EDCOMTAFW 1600-50
1700 mm	EDCOMTAF 1700-50	EDCOMTAFW 1700-50
1800 mm	EDCOMTAF 1800-50	EDCOMTAFW 1800-50
1900 mm	EDCOMTAF 1900-50	EDCOMTAFW 1900-50
2000 mm	EDCOMTAF 2000-50	EDCOMTAFW 2000-50



Tile not included

MODULO TAF / TAF WALL

GRATE



TAF FRAME BRUSHED STAINLESS STEEL



TAF

7 - 18 mm

CLASSIC




Length Article code

500 mm	MLC 500
600 mm	MLC 600
700 mm	MLC 700
800 mm	MLC 800
900 mm	MLC 900
1000 mm	MLC 1000
1100 mm	MLC 1100
1200 mm	MLC 1200

Combine with Modulo built-in set – P. 28 - 30

CLASSIC WALL





Length Article code

500 mm	MLWC 500
600 mm	MLWC 600
700 mm	MLWC 700
800 mm	MLWC 800
900 mm	MLWC 900
1000 mm	MLWC 1000
1100 mm	MLWC 1100
1200 mm	MLWC 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO / TILE REVERSIBLE




Length Article code

500 mm	MLZT 500
600 mm	MLZT 600
700 mm	MLZT 700
800 mm	MLZT 800
900 mm	MLZT 900
1000 mm	MLZT 1000
1100 mm	MLZT 1100
1200 mm	MLZT 1200

Tile not included

Combine with Modulo built-in set – P. 28 - 30

ZERO / TILE WALL REVERSIBLE



Length Article code

500 mm	MLWZT 500
600 mm	MLWZT 600
700 mm	MLWZT 700
800 mm	MLWZT 800
900 mm	MLWZT 900
1000 mm	MLWZT 1000
1100 mm	MLWZT 1100
1200 mm	MLWZT 1200

Tile not included

Combine with Modulo built-in set – P. 28 - 30

MODULO TAF / TAF WALL

GRATE



TAF FRAME BRUSHED STAINLESS STEEL



TAF

7 - 18 mm

ZERO+ STAINLESS STEEL




Length **Article code**

500 mm	MLZ+M 500
600 mm	MLZ+M 600
700 mm	MLZ+M 700
800 mm	MLZ+M 800
900 mm	MLZ+M 900
1000 mm	MLZ+M 1000
1100 mm	MLZ+M 1100
1200 mm	MLZ+M 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO+ WALL STAINLESS STEEL




Length **Article code**

500 mm	MLWZ+M 500
600 mm	MLWZ+M 600
700 mm	MLWZ+M 700
800 mm	MLWZ+M 800
900 mm	MLWZ+M 900
1000 mm	MLWZ+M 1000
1100 mm	MLWZ+M 1100
1200 mm	MLWZ+M 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO+ CHROME-PLATED STAINLESS STEEL




Length **Article code**

500 mm	MLZ+P 500
600 mm	MLZ+P 600
700 mm	MLZ+P 700
800 mm	MLZ+P 800
900 mm	MLZ+P 900
1000 mm	MLZ+P 1000
1100 mm	MLZ+P 1100
1200 mm	MLZ+P 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO+ WALL CHROME-PLATED STAINLESS STEEL



Length **Article code**

500 mm	MLWZ+P 500
600 mm	MLWZ+P 600
700 mm	MLWZ+P 700
800 mm	MLWZ+P 800
900 mm	MLWZ+P 900
1000 mm	MLWZ+P 1000
1100 mm	MLWZ+P 1100
1200 mm	MLWZ+P 1200

Combine with Modulo built-in set – P. 28 - 30

MODULO TAF / TAF WALL

GRATE


TAF FRAME BRUSHED STAINLESS STEEL



TAF

7 - 18 mm

BLACK GLASS




Length Article code

500 mm	MLGS 500
600 mm	MLGS 600
700 mm	MLGS 700
800 mm	MLGS 800
900 mm	MLGS 900
1000 mm	MLGS 1000
1100 mm	MLGS 1100
1200 mm	MLGS 1200

Combine with Modulo built-in set – P. 28 - 30

BLACK GLASS WALL





Length Article code

500 mm	MLWGS 500
600 mm	MLWGS 600
700 mm	MLWGS 700
800 mm	MLWGS 800
900 mm	MLWGS 900
1000 mm	MLWGS 1000
1100 mm	MLWGS 1100
1200 mm	MLWGS 1200

Combine with Modulo built-in set – P. 28 - 30

WHITE GLASS




Length Article code

500 mm	MLGW 500
600 mm	MLGW 600
700 mm	MLGW 700
800 mm	MLGW 800
900 mm	MLGW 900
1000 mm	MLGW 1000
1100 mm	MLGW 1100
1200 mm	MLGW 1200

Combine with Modulo built-in set – P. 28 - 30

WHITE GLASS WALL



Length Article code

500 mm	MLWGW 500
600 mm	MLWGW 600
700 mm	MLWGW 700
800 mm	MLWGW 800
900 mm	MLWGW 900
1000 mm	MLWGW 1000
1100 mm	MLWGW 1100
1200 mm	MLWGW 1200

Combine with Modulo built-in set – P. 28 - 30


MODULO TAF / TAF WALL

GRATE

TAF FRAME BRUSHED STAINLESS STEEL



GREEN GLASS




Length Article code

500 mm	MLGG 500
600 mm	MLGG 600
700 mm	MLGG 700
800 mm	MLGG 800
900 mm	MLGG 900
1000 mm	MLGG 1000
1100 mm	MLGG 1100
1200 mm	MLGG 1200

Combine with Modulo built-in set – P. 28 - 30

GREEN GLASS WALL




Length Article code

500 mm	MLWGG 500
600 mm	MLWGG 600
700 mm	MLWGG 700
800 mm	MLWGG 800
900 mm	MLWGG 900
1000 mm	MLWGG 1000
1100 mm	MLWGG 1100
1200 mm	MLWGG 1200

Combine with Modulo built-in set – P. 28 - 30

MODULO TAF | SPECIAL FINISHES


GRATE



Combine with Modulo built-in set – P. 28 - 30

MODULO TAF LOW + NEW SIPHON TECHNOLOGY

The solution for thin flooring



Water seal 30 mm

Water seal 50 mm

FEATURES

- | | | | |
|------|---|------|---------------------------------------|
| TAF | Tile Adjustable Frame (3 - 13 mm) | INOX | High capacity |
| WPS | Pre-assembled sealing membrane - 10-year warranty | INOX | High-quality stainless steel |
| EASY | Easy to clean | EASY | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Modulo TAF low

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136


MODULO TAF LOW + NEW SIPHON TECHNOLOGY

COMPLETE SET

LOW TAF FRAME

ZERO+ BRUSHED STAINLESS STEEL WITH BUILT-IN SET M1-30

 **TAF**
3 - 13 mm




Combine with Modulo built-in set – P. 28 - 30

Length	Article code
500 mm	EDM1TAFLZ500-30
600 mm	EDM1TAFLZ600-30
700 mm	EDM1TAFLZ700-30
800 mm	EDM1TAFLZ800-30
900 mm	EDM1TAFLZ900-30
1000 mm	EDM1TAFLZ1000-30
1100 mm	EDM1TAFLZ1100-30
1200 mm	EDM1TAFLZ1200-30

Combine with Modulo built-in set – P. 28 - 30

ZERO+ BRUSHED STAINLESS STEEL WITH BUILT-IN SET M1-50

 **TAF**
3 - 13 mm




Length	Article code
500 mm	EDM1TAFLZ500-50
600 mm	EDM1TAFLZ600-50
700 mm	EDM1TAFLZ700-50
800 mm	EDM1TAFLZ800-50
900 mm	EDM1TAFLZ900-50
1000 mm	EDM1TAFLZ1000-50
1100 mm	EDM1TAFLZ1100-50
1200 mm	EDM1TAFLZ1200-50

Combine with Modulo built-in set – P. 28 - 30

FLOORING 3 MM WITH BUILT-IN SET M1-30

 **TAF**
3 - 13 mm




Combine with Modulo built-in set – P. 28 - 30

Length	Article code
500 mm	EDM1TAFLT500-30
600 mm	EDM1TAFLT600-30
700 mm	EDM1TAFLT700-30
800 mm	EDM1TAFLT800-30
900 mm	EDM1TAFLT900-30
1000 mm	EDM1TAFLT1000-30
1100 mm	EDM1TAFLT1100-30
1200 mm	EDM1TAFLT1200-30

FLOORING 3 MM WITH BUILT-IN SET M1-50

 **TAF**
3 - 13 mm



Combine with Modulo built-in set – P. 28 - 30

Length	Article code
500 mm	EDM1TAFLT500-50
600 mm	EDM1TAFLT600-50
700 mm	EDM1TAFLT700-50
800 mm	EDM1TAFLT800-50
900 mm	EDM1TAFLT900-50
1000 mm	EDM1TAFLT1000-50
1100 mm	EDM1TAFLT1100-50
1200 mm	EDM1TAFLT1200-50


MODULO TAF LOW + NEW SIPHON TECHNOLOGY

GRATE

LOW TAF FRAME

ZERO+ STAINLESS STEEL

 **TAF**
3 - 13 mm





Length	Article code
500 mm	MTAFLAAG-500-Z+
600 mm	MTAFLAAG-600-Z+
700 mm	MTAFLAAG-700-Z+
800 mm	MTAFLAAG-800-Z+
900 mm	MTAFLAAG-900-Z+
1000 mm	MTAFLAAG-1000-Z+
1100 mm	MTAFLAAG-1100-Z+
1200 mm	MTAFLAAG-1200-Z+

Combine with Modulo built-in set – P. 28 - 30

FLOORING 3 MM


 **TAF**
3 - 13 mm

 **Tile inlay depth**
7 mm



Length	Article code
500 mm	MTAFLAAG-500-T
600 mm	MTAFLAAG-600-T
700 mm	MTAFLAAG-700-T
800 mm	MTAFLAAG-800-T
900 mm	MTAFLAAG-900-T
1000 mm	MTAFLAAG-1000-T
1100 mm	MTAFLAAG-1100-T
1200 mm	MTAFLAAG-1200-T

Combine with Modulo built-in set – P. 28 - 30






MODULO TAF HIGH + NEW SIPHON TECHNOLOGY

Perfect for natural stone flooring



Water seal 30 mm



Water seal 50 mm

FEATURES

- | | | | |
|--|------------------------------------|---|---|
| TAF | Tile Adjustable Frame (17 - 28 mm) | WPS | Pre-assembled sealing membrane - 10-year warranty |
| WPS | Easy to clean | INOX | High capacity |
| | | ENO | High-quality stainless steel |
| | | ENO | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Modulo TAF high

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136



MODULO TAF HIGH + NEW SIPHON TECHNOLOGY

GRATE

HIGH TAF FRAME

ZERO+ STAINLESS STEEL

 **TAF**
17 - 28 mm





Length	Article code
500 mm	EDM1TAFLZ500-30
600 mm	EDM1TAFLZ600-30
700 mm	EDM1TAFLZ700-30
800 mm	EDM1TAFLZ800-30
900 mm	EDM1TAFLZ900-30
1000 mm	EDM1TAFLZ1000-30
1100 mm	EDM1TAFLZ1100-30
1200 mm	EDM1TAFLZ1200-30

Combine with Modulo built-in set – P. 28 - 30

ZERO+ CHROME-PLATED STAINLESS STEEL

 **TAF**
17 - 28 mm




Length	Article code
500 mm	EDM1TAFLZ500-50
600 mm	EDM1TAFLZ600-50
700 mm	EDM1TAFLZ700-50
800 mm	EDM1TAFLZ800-50
900 mm	EDM1TAFLZ900-50
1000 mm	EDM1TAFLZ1000-50
1100 mm	EDM1TAFLZ1100-50
1200 mm	EDM1TAFLZ1200-50

Combine with Modulo built-in set – P. 28 - 30

ZERO / TILE REVERSIBLE

 **TAF**
17 - 28 mm

 **Tile inlay depth**
12 mm



Length	Article code
500 mm	EDM1TAFLT500-30
600 mm	EDM1TAFLT600-30
700 mm	EDM1TAFLT700-30
800 mm	EDM1TAFLT800-30
900 mm	EDM1TAFLT900-30
1000 mm	EDM1TAFLT1000-30
1100 mm	EDM1TAFLT1100-30
1200 mm	EDM1TAFLT1200-30

Tile not included

Combine with Modulo built-in set – P. 28 - 30

MODULO STONE

For any type of natural stone



FEATURES


- | | |
|---|---|
| <input checked="" type="checkbox"/> Frameless design | <input checked="" type="checkbox"/> Only two-sided slope necessary (wall to wall) |
| <input checked="" type="checkbox"/> Can be adjusted in size | <input checked="" type="checkbox"/> High-quality stainless steel |
| <input checked="" type="checkbox"/> Suitable for any tile thickness | |

INSTALLATION




MODULO STONE FLEX

 Any tile thickness
0 - 30 mm



Tile not included




Combine with Modulo built-in set – P. 28 - 30

Length	Article code
500 mm	MB-NAT-500-FL
600 mm	MB-NAT-600-FL
700 mm	MB-NAT-700-FL
800 mm	MB-NAT-800-FL
900 mm	MB-NAT-900-FL
1000 mm	MB-NAT-1000-FL
1100 mm	MB-NAT-1100-FL
1200 mm	MB-NAT-1200-FL

Example:

The grate is in total 100 mm longer (50 mm on both sides). If you order a lenght of 500 mm, the grate is 600 mm and can be shortened to 500 mm.

Long lengths possible

MODULO STONE

Tile not included

Combine with Modulo built-in set – P. 28 - 30

Length	Article code
500 mm	MB-NAT-500
600 mm	MB-NAT-600
700 mm	MB-NAT-700
800 mm	MB-NAT-800
900 mm	MB-NAT-900
1000 mm	MB-NAT-1000
1100 mm	MB-NAT-1100
1200 mm	MB-NAT-1200

MODULO DESIGN Z-2



GRATE

BRUSHED STAINLESS STEEL FRAME

 **TAF**
7 - 18 mm

Combine with Modulo built-in set – P. 28 - 30


ZERO+ STAINLESS STEEL



Length Article code

800 mm	MTAFDZ2MZM 800
900 mm	MTAFDZ2MZM 900
1000 mm	MTAFDZ2MZM 1000
1200 mm	MTAFDZ2MZM 1200


ZERO+ CHROME-PLATED STAINLESS STEEL



Length Article code

800 mm	MTAFDZ2MZH 800
900 mm	MTAFDZ2MZH 900
1000 mm	MTAFDZ2MZH 1000
1200 mm	MTAFDZ2MZH 1200

TILE




Length Article code

800 mm	MTAFDZ2MT 800
900 mm	MTAFDZ2MT 900
1000 mm	MTAFDZ2MT 1000
1200 mm	MTAFDZ2MT 1200

Tile not included


BLACK GLASS



Length Article code

800 mm	MTAFDZ2MGS 800
900 mm	MTAFDZ2MGS 900
1000 mm	MTAFDZ2MGS 1000
1200 mm	MTAFDZ2MGS 1200


WHITE GLASS



Length Article code

800 mm	MTAFDZ2MGW 800
900 mm	MTAFDZ2MGW 900
1000 mm	MTAFDZ2MGW 1000
1200 mm	MTAFDZ2MGW 1200

GREEN GLASS



Length Article code

800 mm	MTAFDZ2MGG 800
900 mm	MTAFDZ2MGG 900
1000 mm	MTAFDZ2MGG 1000
1200 mm	MTAFDZ2MGG 1200

MODULO DESIGN Z-2


GRATE

CHROME-PLATED STAINLESS STEEL FRAME

 **TAF**
7 - 18 mm

Combine with Modulo built-in set - P. 28 - 30



ZERO+ STAINLESS STEEL



Length Article code

800 mm	MTAFDZ2PZM 800
900 mm	MTAFDZ2PZM 900
1000 mm	MTAFDZ2PZM 1000
1200 mm	MTAFDZ2PZM 1200


ZERO+ CHROME-PLATED STAINLESS STEEL



Length Article code

800 mm	MTAFDZ2PZP 800
900 mm	MTAFDZ2PZP 900
1000 mm	MTAFDZ2PZP 1000
1200 mm	MTAFDZ2PZP 1200

TILE




Length Article code

800 mm	MTAFDZ2PT 800
900 mm	MTAFDZ2PT 900
1000 mm	MTAFDZ2PT 1000
1200 mm	MTAFDZ2PT 1200

Tile not included


BLACK GLASS



Length Article code

800 mm	MTAFDZ2PGS 800
900 mm	MTAFDZ2PGS 900
1000 mm	MTAFDZ2PGS 1000
1200 mm	MTAFDZ2PGS 1200



WHITE GLASS



Length Article code

800 mm	MTAFDZ2PGW 800
900 mm	MTAFDZ2PGW 900
1000 mm	MTAFDZ2PGW 1000
1200 mm	MTAFDZ2PGW 1200

GREEN GLASS



Length Article code

800 mm	MTAFDZ2PGG 800
900 mm	MTAFDZ2PGG 900
1000 mm	MTAFDZ2PGG 1000
1200 mm	MTAFDZ2PGG 1200

MODULO DESIGN Z-3



GRATE

BRUSHED STAINLESS STEEL FRAME

 **TAF**
7 - 18 mm


Combine with Modulo built-in set - P. 28 - 30

ZERO+ STAINLESS STEEL



Length	Article code
800 mm	MTAFDZ3MZM 800
900 mm	MTAFDZ3MZM 900
1000 mm	MTAFDZ3MZM 1000
1200 mm	MTAFDZ3MZM 1200

ZERO+ CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	MTAFDZ3MZF 800
900 mm	MTAFDZ3MZF 900
1000 mm	MTAFDZ3MZF 1000
1200 mm	MTAFDZ3MZF 1200

TILE



Length	Article code
800 mm	MTAFDZ3MT 800
900 mm	MTAFDZ3MT 900
1000 mm	MTAFDZ3MT 1000
1200 mm	MTAFDZ3MT 1200

Tile not included

BLACK GLASS





Length	Article code
800 mm	MTAFDZ3MGS 800
900 mm	MTAFDZ3MGS 900
1000 mm	MTAFDZ3MGS 1000
1200 mm	MTAFDZ3MGS 1200

WHITE GLASS



Length	Article code
800 mm	MTAFDZ3MGW 800
900 mm	MTAFDZ3MGW 900
1000 mm	MTAFDZ3MGW 1000
1200 mm	MTAFDZ3MGW 1200

GREEN GLASS



Length	Article code
800 mm	MTAFDZ3MGG 800
900 mm	MTAFDZ3MGG 900
1000 mm	MTAFDZ3MGG 1000
1200 mm	MTAFDZ3MGG 1200

MODULO DESIGN Z-3


GRATE

CHROME-PLATED STAINLESS STEEL FRAME

 **TAF**
7 - 18 mm


Combine with Modulo built-in set - P. 28 - 30

ZERO+ STAINLESS STEEL



Length	Article code
800 mm	MTAFDZ3PZM 800
900 mm	MTAFDZ3PZM 900
1000 mm	MTAFDZ3PZM 1000
1200 mm	MTAFDZ3PZM 1200

ZERO+ CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	MTAFDZ3PZP 800
900 mm	MTAFDZ3PZP 900
1000 mm	MTAFDZ3PZP 1000
1200 mm	MTAFDZ3PZP 1200

TILE



Length	Article code
800 mm	MTAFDZ3PT 800
900 mm	MTAFDZ3PT 900
1000 mm	MTAFDZ3PT 1000
1200 mm	MTAFDZ3PT 1200


Tile not included

BLACK GLASS



Length	Article code
800 mm	MTAFDZ3PGS 800
900 mm	MTAFDZ3PGS 900
1000 mm	MTAFDZ3PGS 1000
1200 mm	MTAFDZ3PGS 1200

WHITE GLASS



Length	Article code
800 mm	MTAFDZ3PGW 800
900 mm	MTAFDZ3PGW 900
1000 mm	MTAFDZ3PGW 1000
1200 mm	MTAFDZ3PGW 1200

GREEN GLASS



Length	Article code
800 mm	MTAFDZ3PGG 800
900 mm	MTAFDZ3PGG 900
1000 mm	MTAFDZ3PGG 1000
1200 mm	MTAFDZ3PGG 1200

MODULO DESIGN Z-4


GRATE

BRUSHED STAINLESS STEEL FRAME

TAF
7 - 18 mm

Combine with Modulo built-in set - P. 28 - 30

ZERO+ STAINLESS STEEL



Length	Article code
800 mm	MTAFDZ4MZM 800
900 mm	MTAFDZ4MZM 900
1000 mm	MTAFDZ4MZM 1000
1200 mm	MTAFDZ4MZM 1200

ZERO+ CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	MTAFDZ4MZF 800
900 mm	MTAFDZ4MZF 900
1000 mm	MTAFDZ4MZF 1000
1200 mm	MTAFDZ4MZF 1200

TILE



Length	Article code
800 mm	MTAFDZ4MT 800
900 mm	MTAFDZ4MT 900
1000 mm	MTAFDZ4MT 1000
1200 mm	MTAFDZ4MT 1200

Tile not included

BLACK GLASS



Length	Article code
800 mm	MTAFDZ4MGS 800
900 mm	MTAFDZ4MGS 900
1000 mm	MTAFDZ4MGS 1000
1200 mm	MTAFDZ4MGS 1200

WHITE GLASS



Length	Article code
800 mm	MTAFDZ4MGW 800
900 mm	MTAFDZ4MGW 900
1000 mm	MTAFDZ4MGW 1000
1200 mm	MTAFDZ4MGW 1200

GREEN GLASS



Length	Article code
800 mm	MTAFDZ4MGG 800
900 mm	MTAFDZ4MGG 900
1000 mm	MTAFDZ4MGG 1000
1200 mm	MTAFDZ4MGG 1200

MODULO DESIGN Z-4


GRATE

CHROME-PLATED STAINLESS STEEL FRAME

 **TAF**
7 - 18 mm

Combine with Modulo built-in set - P. 28 - 30

ZERO+ STAINLESS STEEL



Length Article code

800 mm	MTAFDZ4PZM 800
900 mm	MTAFDZ4PZM 900
1000 mm	MTAFDZ4PZM 1000
1200 mm	MTAFDZ4PZM 1200


ZERO+ CHROME-PLATED STAINLESS STEEL



Length Article code

800 mm	MTAFDZ4PZP 800
900 mm	MTAFDZ4PZP 900
1000 mm	MTAFDZ4PZP 1000
1200 mm	MTAFDZ4PZP 1200

TILE



Length Article code

800 mm	MTAFDZ4PT 800
900 mm	MTAFDZ4PT 900
1000 mm	MTAFDZ4PT 1000
1200 mm	MTAFDZ4PT 1200

Tile not included

BLACK GLASS



Length Article code

800 mm	MTAFDZ4PGS 800
900 mm	MTAFDZ4PGS 900
1000 mm	MTAFDZ4PGS 1000
1200 mm	MTAFDZ4PGS 1200

WHITE GLASS



Length Article code

800 mm	MTAFDZ4PGW 800
900 mm	MTAFDZ4PGW 900
1000 mm	MTAFDZ4PGW 1000
1200 mm	MTAFDZ4PGW 1200

GREEN GLASS




Length Article code

800 mm	MTAFDZ4PGG 800
900 mm	MTAFDZ4PGG 900
1000 mm	MTAFDZ4PGG 1000
1200 mm	MTAFDZ4PGG 1200

MORSE POLISHED

 **Tile thickness**
7 - 18 mm




Length	Article code
500 mm	MBC 500
600 mm	MBC 600
700 mm	MBC 700
800 mm	MBC 800
900 mm	MBC 900
1000 mm	MBC 1000
1100 mm	MBC 1100
1200 mm	MBC 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO STAINLESS STEEL

 **Tile thickness**
7 - 18 mm




Length	Article code
500 mm	MBZM 500
600 mm	MBZM 600
700 mm	MBZM 700
800 mm	MBZM 800
900 mm	MBZM 900
1000 mm	MBZM 1000
1100 mm	MBZM 1100
1200 mm	MBZM 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO POLISHED STAINLESS STEEL

 **Tile thickness**
7 - 18 mm



Length	Article code
500 mm	MBZP 500
600 mm	MBZP 600
700 mm	MBZP 700
800 mm	MBZP 800
900 mm	MBZP 900
1000 mm	MBZP 1000
1100 mm	MBZP 1100
1200 mm	MBZP 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO+ STAINLESS STEEL

 **Tile thickness**
7 - 18 mm




Length	Article code
500 mm	MBZ+M 500
600 mm	MBZ+M 600
700 mm	MBZ+M 700
800 mm	MBZ+M 800
900 mm	MBZ+M 900
1000 mm	MBZ+M 1000
1100 mm	MBZ+M 1100
1200 mm	MBZ+M 1200

Combine with Modulo built-in set – P. 28 - 30

ZERO+ CHROME-PLATED STAINLESS STEEL

 **Tile thickness**
7 - 18 mm




Length	Article code
500 mm	MBZ+P 500
600 mm	MBZ+P 600
700 mm	MBZ+P 700
800 mm	MBZ+P 800
900 mm	MBZ+P 900
1000 mm	MBZ+P 1000
1100 mm	MBZ+P 1100
1200 mm	MBZ+P 1200

Combine with Modulo built-in set – P. 28 - 30

TILE

 **Tile thickness**
7 - 18 mm  **Tile inlay depth**
12 mm




Length	Article code
500 mm	MBT 500
600 mm	MBT 600
700 mm	MBT 700
800 mm	MBT 800
900 mm	MBT 900
1000 mm	MBT 1000
1100 mm	MBT 1100
1200 mm	MBT 1200

Tile not included

Combine with Modulo built-in set – P. 28 - 30

BLACK GLASS

 **Tile thickness**
7 - 18 mm





Length	Article code
500 mm	MBGS 500
600 mm	MBGS 600
700 mm	MBGS 700
800 mm	MBGS 800
900 mm	MBGS 900
1000 mm	MBGS 1000
1100 mm	MBGS 1100
1200 mm	MBGS 1200

Combine with Modulo built-in set – P. 28 - 30

WHITE GLASS

 **Tile thickness**
7 - 18 mm



Length	Article code
500 mm	MBGW 500
600 mm	MBGW 600
700 mm	MBGW 700
800 mm	MBGW 800
900 mm	MBGW 900
1000 mm	MBGW 1000
1100 mm	MBGW 1100
1200 mm	MBGW 1200


Combine with Modulo built-in set – P. 28 - 30

MODULO BASIC + NEW SIPHON TECHNOLOGY

GRATE

GREEN GLASS

 **Tile thickness**
7 - 18 mm



Length	Article code
500 mm	MBGG 500
600 mm	MBGG 600
700 mm	MBGG 700
800 mm	MBGG 800
900 mm	MBGG 900
1000 mm	MBGG 1000
1100 mm	MBGG 1100
1200 mm	MBGG 1200

Combine with Modulo built-in set – P. 28 - 30




COMPACT CLEAN DRYPHON® TECHNOLOGY

More power, less cleaning

Dryphon® technology (Silicone siphon)

Included at no extra cost

High capacity: 60 l/min



FEATURES

- | | | | |
|-------------------------------------|---|--|---------------------------------------|
| <input checked="" type="checkbox"/> | Problem solver for renovation projects | | High capacity |
| <input type="checkbox"/> | Minimal cleaning (Dryphon® technology) | | High-quality stainless steel |
| <input type="checkbox"/> | Pre-assembled sealing membrane - 10-year warranty | | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Classic



Zero



Tile

ACCESSORIES



Wet area - Sealing system

P. 136

10
YEAR
WARRANTY



Clean Siphon 30 - Side outlet
Water seal 30 mm
EDM1CLEANZ-30 | P. 126 |



Clean Siphon 50 - Side outlet
Water seal 50 mm
EDM1CLEANZ-50 | P. 126 |

COMPACT CLEAN DRYPHON® TECHNOLOGY

COMPLETE SET



COMPACT CLEAN 30 FF | CLASSIC

 Water seal
30 mm

 Installation depth
from 50 mm

 Drainage capacity (free)
33 l/min
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
36 l/min
60 l/min (Dryphon® technology)



Length	Article code
500 mm	EDCLEANCOMFF500-30
600 mm	EDCLEANCOMFF600-30
700 mm	EDCLEANCOMFF700-30
800 mm	EDCLEANCOMFF800-30
900 mm	EDCLEANCOMFF900-30
1000 mm	EDCLEANCOMFF1000-30
1100 mm	EDCLEANCOMFF1100-30
1200 mm	EDCLEANCOMFF1200-30



COMPACT CLEAN 30 FF | ZERO

 Water seal
30 mm

 Installation depth
from 50 mm

 Drainage capacity (free)
33 l/min
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
36 l/min
60 l/min (Dryphon® technology)



Length	Article code
500 mm	EDCLEANCOMFFZ500-30
600 mm	EDCLEANCOMFFZ600-30
700 mm	EDCLEANCOMFFZ700-30
800 mm	EDCLEANCOMFFZ800-30
900 mm	EDCLEANCOMFFZ900-30
1000 mm	EDCLEANCOMFFZ1000-30
1100 mm	EDCLEANCOMFFZ1100-30
1200 mm	EDCLEANCOMFFZ1200-30

COMPACT CLEAN 30 FF | TILE


 Water seal
30 mm

 Installation depth
from 50 mm

 Tile inlay depth
12 mm

 Drainage capacity (free)
33 l/min
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
36 l/min
60 l/min (Dryphon® technology)



Tile not included

Length	Article code
500 mm	EDCLEANCOMTFF500-30
600 mm	EDCLEANCOMTFF600-30
700 mm	EDCLEANCOMTFF700-30
800 mm	EDCLEANCOMTFF800-30
900 mm	EDCLEANCOMTFF900-30
1000 mm	EDCLEANCOMTFF1000-30
1100 mm	EDCLEANCOMTFF1100-30
1200 mm	EDCLEANCOMTFF1200-30

COMPACT CLEAN DRYPHON® TECHNOLOGY

COMPLETE SET



COMPACT CLEAN 50 FF | CLASSIC

 Water seal
50 mm

 Installation depth
from 68 mm

 Drainage capacity (free)
34 l/min
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
42 l/min
60 l/min (Dryphon® technology)



Length	Article code
500 mm	EDCLEANCOMFF500-50
600 mm	EDCLEANCOMFF600-50
700 mm	EDCLEANCOMFF700-50
800 mm	EDCLEANCOMFF800-50
900 mm	EDCLEANCOMFF900-50
1000 mm	EDCLEANCOMFF1000-50
1100 mm	EDCLEANCOMFF1100-50
1200 mm	EDCLEANCOMFF1200-50



COMPACT CLEAN 50 FF | ZERO

 Water seal
50 mm

 Installation depth
from 68 mm

 Drainage capacity (free)
34 l/min
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
42 l/min
60 l/min (Dryphon® technology)



Length	Article code
500 mm	EDCLEANCOMFFZ500-50
600 mm	EDCLEANCOMFFZ600-50
700 mm	EDCLEANCOMFFZ700-50
800 mm	EDCLEANCOMFFZ800-50
900 mm	EDCLEANCOMFFZ900-50
1000 mm	EDCLEANCOMFFZ1000-50
1100 mm	EDCLEANCOMFFZ1100-50
1200 mm	EDCLEANCOMFFZ1200-50

COMPACT CLEAN 50 FF | TILE



 Water seal
50 mm

 Installation depth
from 68 mm

 Tile inlay depth
12 mm

 Drainage capacity (free)
34 l/min
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
42 l/min
60 l/min (Dryphon® technology)



Tile not included

Length	Article code
500 mm	EDCLEANCOMTF500-50
600 mm	EDCLEANCOMTF600-50
700 mm	EDCLEANCOMTF700-50
800 mm	EDCLEANCOMTF800-50
900 mm	EDCLEANCOMTF900-50
1000 mm	EDCLEANCOMTF1000-50
1100 mm	EDCLEANCOMTF1100-50
1200 mm	EDCLEANCOMTF1200-50

COMPACT CLEAN DRYPHON® TECHNOLOGY

COMPLETE SET



LONG LENGTHS COMPACT CLEAN 30 / 50 FF | CLASSIC

 Water seal
30 / 50 mm


 Installation depth
from 50 / 68 mm

 Drainage capacity (free)
33 l/min (30 mm)
34 l/min (50 mm)
54 l/min (Dryphon® technology)

 Drainage capacity (wall)
36 l/min (30 mm)
42 l/min (50 mm)
60 l/min (Dryphon® technology)



Water seal 30 mm



Water seal 50 mm

Length Article code

1300 mm	EDCLEANCOMFF 1300
1400 mm	EDCLEANCOMFF 1400
1500 mm	EDCLEANCOMFF 1500
1600 mm	EDCLEANCOMFF 1600
1700 mm	EDCLEANCOMFF 1700
1800 mm	EDCLEANCOMFF 1800
1900 mm	EDCLEANCOMFF 1900
2000 mm	EDCLEANCOMFF 2000

COMPACT FF + NEW SIPHON TECHNOLOGY

The world's flattest



Water seal 30

Water seal 50

FEATURES

- | | | | |
|-------------------------------------|---|--|---------------------------------------|
| <input checked="" type="checkbox"/> | Problem solver for renovation projects | | High capacity |
| | Pre-assembled sealing membrane - 10-year warranty | | High-quality stainless steel |
| | Easy to clean | | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Classic



Zero



Tile

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136

COMPACT FF + NEW SIPHON TECHNOLOGY

COMPLETE SET



COMPACT 30 FF | CLASSIC

 Water seal
30 mm

 Installation depth
from 43 mm

 Drainage capacity (free)
25 l/min

 Drainage capacity (wall)
32 l/min



Length	Article code
500 mm	EDCOMFF 500-30
600 mm	EDCOMFF 600-30
700 mm	EDCOMFF 700-30
800 mm	EDCOMFF 800-30
900 mm	EDCOMFF 900-30
1000 mm	EDCOMFF 1000-30
1100 mm	EDCOMFF 1100-30
1200 mm	EDCOMFF 1200-30
1300 mm	EDCOMFF 1300-30
1400 mm	EDCOMFF 1400-30
1500 mm	EDCOMFF 1500-30
1600 mm	EDCOMFF 1600-30
1700 mm	EDCOMFF 1700-30
1800 mm	EDCOMFF 1800-30
1900 mm	EDCOMFF 1900-30
2000 mm	EDCOMFF 2000-30


COMPACT 30 FF | ZERO

 Water seal
30 mm

 Installation depth
from 43 mm

 Drainage capacity (free)
25 l/min

 Drainage capacity (wall)
32 l/min



Length	Article code
500 mm	EDCOMFFZ 500-30
600 mm	EDCOMFFZ 600-30
700 mm	EDCOMFFZ 700-30
800 mm	EDCOMFFZ 800-30
900 mm	EDCOMFFZ 900-30
1000 mm	EDCOMFFZ 1000-30
1100 mm	EDCOMFFZ 1100-30
1200 mm	EDCOMFFZ 1200-30

COMPACT FF + NEW SIPHON TECHNOLOGY

COMPLETE SET



COMPACT 30 FF | TILE

 Water seal
30 mm

 Installation depth
from 43 mm

 Drainage capacity (free)
25 l/min

 Drainage capacity (wall)
32 l/min



Length Article code

500 mm	EDCOMTFF 500-30
600 mm	EDCOMTFF 600-30
700 mm	EDCOMTFF 700-30
800 mm	EDCOMTFF 800-30
900 mm	EDCOMTFF 900-30
1000 mm	EDCOMTFF 1000-30
1100 mm	EDCOMTFF 1100-30
1200 mm	EDCOMTFF 1200-30
1300 mm	EDCOMTFF 1300-30
1400 mm	EDCOMTFF 1400-30
1500 mm	EDCOMTFF 1500-30
1600 mm	EDCOMTFF 1600-30
1700 mm	EDCOMTFF 1700-30
1800 mm	EDCOMTFF 1800-30
1900 mm	EDCOMTFF 1900-30
2000 mm	EDCOMTFF 2000-30

COMPACT FF + NEW SIPHON TECHNOLOGY

COMPLETE SET



COMPACT 50 FF | CLASSIC

 Water seal
50 mm

 Installation depth
from 63 mm

 Drainage capacity (free)
34 l/min

 Drainage capacity (wall)
42 l/min



Length Article code

500 mm	EDCOMFF 500-50
600 mm	EDCOMFF 600-50
700 mm	EDCOMFF 700-50
800 mm	EDCOMFF 800-50
900 mm	EDCOMFF 900-50
1000 mm	EDCOMFF 1000-50
1100 mm	EDCOMFF 1100-50
1200 mm	EDCOMFF 1200-50
1300 mm	EDCOMFF 1300-50
1400 mm	EDCOMFF 1400-50
1500 mm	EDCOMFF 1500-50
1600 mm	EDCOMFF 1600-50
1700 mm	EDCOMFF 1700-50
1800 mm	EDCOMFF 1800-50
1900 mm	EDCOMFF 1900-50
2000 mm	EDCOMFF 2000-50



COMPACT 50 FF | ZERO

 Water seal
50 mm

 Installation depth
from 63 mm

 Drainage capacity (free)
25 l/min

 Drainage capacity (wall)
32 l/min



Length Article code

500 mm	EDCOMFFZ 500-50
600 mm	EDCOMFFZ 600-50
700 mm	EDCOMFFZ 700-50
800 mm	EDCOMFFZ 800-50
900 mm	EDCOMFFZ 900-50
1000 mm	EDCOMFFZ 1000-50
1100 mm	EDCOMFFZ 1100-50
1200 mm	EDCOMFFZ 1200-50

COMPACT FF + NEW SIPHON TECHNOLOGY

COMPLETE SET



COMPACT 50 FF | TILE

 Water seal
50 mm

 Installation depth
from 63 mm

 Drainage capacity (free)
34 l/min

 Drainage capacity (wall)
42 l/min



Length	Article code
500 mm	EDCOMTFF 500-50
600 mm	EDCOMTFF 600-50
700 mm	EDCOMTFF 700-50
800 mm	EDCOMTFF 800-50
900 mm	EDCOMTFF 900-50
1000 mm	EDCOMTFF 1000-50
1100 mm	EDCOMTFF 1100-50
1200 mm	EDCOMTFF 1200-50
1300 mm	EDCOMTFF 1300-50
1400 mm	EDCOMTFF 1400-50
1500 mm	EDCOMTFF 1500-50
1600 mm	EDCOMTFF 1600-50
1700 mm	EDCOMTFF 1700-50
1800 mm	EDCOMTFF 1800-50
1900 mm	EDCOMTFF 1900-50
2000 mm	EDCOMTFF 2000-50




R-LINE WATERSTOP

COMPLETE WATERPROOFING SOLUTION

DESIGN

Easy-to-clean and seamless fit



R-line Waterstop




R-line Waterstop Wall

FEATURES

- | | | | |
|--|---|--|--|
| | Can be adjusted in size | | High capacity |
| | Tile Adjustable Frame | | Easy to clean |
| | Pre-assembled sealing membrane - 10-year warranty | | Certified: EN 12532 (50 mm) / ETAG-022 |

INSTALLATION



R-line Waterstop Wall



R-line Waterstop

ACCESSORIES



Wet area - Sealing system

P. 136

10
YEAR
WARRANTY



M2 Siphon - Vertical outlet

Water seal 50 mm

SPAWS05 | P. 126 |

R-LINE WATERSTOP

COMPLETE WATERPROOFING SOLUTION

COMPLETE SET
(including 2 siphons)

R-LINE WATERSTOP / R-LINE WATERSTOP WALL | BRUSHED STAINLESS STEEL

 Water seal
28 / 50 mm

 Installation depth
from 69 / 85 mm

 TAF
7 - 18 mm

 Drainage capacity (free)
28 l/min (28 mm)
33 l/min (50 mm)

 Drainage capacity (wall)
33 l/min (28 mm)
41 l/min (50 mm)



Length	R-line Waterstop Wall	R-line Waterstop
700 mm	R-LINE-700W	R-LINE-700
800 mm	R-LINE-800W	R-LINE-800
900 mm	R-LINE-900W	R-LINE-900
1000 mm	R-LINE-1000W	R-LINE-1000
1200 mm	R-LINE-1200W	R-LINE-1200



R-LINE WATERSTOP / R-LINE WATERSTOP WALL | POLISHED

 Water seal
28 / 50 mm

 Installation depth
from 69 / 85 mm

 TAF
7 - 18 mm

 Drainage capacity (free)
28 l/min (28 mm)
33 l/min (50 mm)

 Drainage capacity (wall)
33 l/min (28 mm)
41 l/min (50 mm)




Length	R-line Waterstop Wall	R-line Waterstop
700 mm	R-LINE-700-PW	R-LINE-700-P
800 mm	R-LINE-800-PW	R-LINE-800-P
900 mm	R-LINE-900-PW	R-LINE-900-P
1000 mm	R-LINE-1000-PW	R-LINE-1000-P
1200 mm	R-LINE-1200-PW	R-LINE-1200-P



Water seal 28 mm

Pre-assembled sealing membrane (WPS) 1300 x 2000 mm


R-line Waterstop




Water seal 50 mm

Pre-assembled sealing membrane (WPS) 1300 x 2000 mm


R-line Waterstop



R-line Waterstop Wall




R-line Waterstop Wall



M-LINE + NEW SIPHON TECHNOLOGY

DESIGN

Hidden and sleek wall drainage



FEATURES

- | | | |
|---------------|---|---------------------------------------|
| TAF | Tile Adjustable Frame | High capacity |
| WPS | Pre-assembled sealing membrane - 10-year warranty | INOX High-quality stainless steel |
| Easy to clean | | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



M-Line

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136

M-LINE + NEW SIPHON TECHNOLOGY

COMPLETE SET

M-LINE 30 | ZERO / TILE REVERSIBLE

 Water seal
30 mm

 Installation depth
from 63 mm


 TAF
7 - 18 mm

 Available tile depth
12 mm

 Drainage capacity
32 l/min



Tile not included



Length Article code

700 mm	M-line-700-30
800 mm	M-line-800-30
900 mm	M-line-900-30
1000 mm	M-line-1000-30
1200 mm	M-line-1200-30



Reversible grate
(Tile or brushed stainless steel)

M-LINE 50 | ZERO / TILE REVERSIBLE

 Water seal
50 mm

 Installation depth
from 83 mm


 TAF
7 - 18 mm

 Available tile depth
12 mm

 Drainage capacity
42 l/min



Tile not included




Length Article code

700 mm	M-line-700-50
800 mm	M-line-800-50
900 mm	M-line-900-50
1000 mm	M-line-1000-50
1200 mm	M-line-1200-50



Reversible grate
(Tile or brushed stainless steel)

Invisible and stylish



FEATURES

- | | | | |
|--|---|---|---------------------------------------|
| TAF | Tile Adjustable Frame | WPS | High capacity |
| WPS | Pre-assembled sealing membrane - 10-year warranty | INOX | High-quality stainless steel |
| WPS | Easy to clean | EN1253 | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



S-line



S-line High for natural stone

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136

70



M2 Siphon - Vertical outlet
Water seal 50 mm
EDM2-O | P. 126 |



M2 Flat Siphon - Horizontal outlet
Water seal 28 mm
SPAMOD14 | P. 126 |

S-LINE | ZERO / TILE REVERSIBLE

 **Water seal**
50 mm

 **Installation depth**
from 90 mm


 **TAF**
7 - 18 mm

 **Available tile depth**
12 mm

 **Drainage capacity**
41 l/min



Tile not included

**Length Article code**


700 mm S-line-700

800 mm S-line-800

900 mm S-line-900

1000 mm S-line-1000

1200 mm S-line-1200



Reversible grate
(Tile or brushed stainless steel)

S-LINE HIGH | FOR NATURE STONE | ZERO / TILE REVERSIBLE

 **Water seal**
50 mm

 **Installation depth**
from 90 mm


 **TAF**
17 - 28 mm

 **Available tile depth**
12 mm

 **Drainage capacity**
41 l/min



Tile not included

**Length Article code**

700 mm S-line-700-HOOG

800 mm S-line-800-HOOG

900 mm S-line-900-HOOG


1000 mm S-line-1000-HOOG

1200 mm S-line-1200-HOOG



Reversible grate
(Tile or brushed stainless steel)

Simplistic and clean



Nano Wall

Nano


FEATURES

- | | | | | | |
|--|------------------------------|--|---|---|---------------------------------------|
| TAF | Tile Adjustable Frame | WPS | Pre-assembled sealing membrane - 10-year warranty | INOX | High capacity |
| WPS | High-quality stainless steel | TAF | Easy to clean | WPS | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Nano Wall



Nano

ACCESSORIES



Wet area - Sealing system

10
YEAR
WARRANTY



M2 Siphon - Vertical outlet
Water seal 50 mm
EDM2-O | P. 126 |



M2 Flat Siphon - Horizontal outlet
Water seal 28 mm
SPAMOD14 | P. 126 |

NANO

COMPLETE SET



NANO

 Water seal
50 mm

 Installation depth
from 90 mm

 TAF
5 - 18 mm

 Drainage capacity
33 l/min



Length	Article code
700 mm	Nano-Line-700
800 mm	Nano-Line-800
900 mm	Nano-Line-900
1000 mm	Nano-Line-1000
1200 mm	Nano-Line-1200


NANO WALL

 Water seal
50 mm

 Installation depth
from 90 mm


 TAF
5 - 18 mm

 Drainage capacity
41 l/min



Length	Article code
700 mm	Nano-Line-W-700
800 mm	Nano-Line-W-800
900 mm	Nano-Line-W-900
1000 mm	Nano-Line-W-1000
1200 mm	Nano-Line-W-1200

Small, smaller... Xs



FEATURES

- | | | | | | |
|--|-----------------------|---|---|---|---------------------------------------|
| TAF | Tile Adjustable Frame | WPS | Pre-assembled sealing membrane - 10-year warranty | INOX | High capacity |
| WPS | Easy to clean | INNO | High-quality stainless steel | CERT | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Wall installation



Free in the floor

ACCESSORIES



Wet area - Sealing system

**10 JAHRE
GARANTIE**

P. 136



M2 Siphon - Vertical outlet
Water seal 50 mm
EDM2-O | P. 126 |



M2 Flat Siphon - Horizontal outlet
Water seal 28 mm
SPAMOD14 | P. 126 |

XS Z-1 | LONG LENGTHS


 Water seal
50 mm

 Installation depth
from 90 - 100 mm

 TAF
5 - 25 mm

 Drainage capacity (free)
33 l/min

 Drainage capacity (wall)
41 l/min



Length Article code

1300 mm	XS-TAF-1300-Z1-M
1400 mm	XS-TAF-1400-Z1-M
1500 mm	XS-TAF-1500-Z1-M
1600 mm	XS-TAF-1600-Z1-M
1700 mm	XS-TAF-1700-Z1-M
1800 mm	XS-TAF-1800-Z1-M
1900 mm	XS-TAF-1900-Z1-M
2000 mm	XS-TAF-2000-Z1-M


BUILT-IN SET XS

 Water seal
50 mm

 Installation depth
from 90 - 100 mm

 Drainage capacity (free)
33 l/min

 Drainage capacity (wall)
41 l/min



Length Article code

500 mm	XS-ROH-500
600 mm	XS-ROH-600
700 mm	XS-ROH-700
800 mm	XS-ROH-800
900 mm	XS-ROH-900
1000 mm	XS-ROH-1000
1100 mm	XS-ROH-1100
1200 mm	XS-ROH-1200

Combine with Xs grate – P. 76 - 81




Soundproofing mat

Dimensions 1250x300x5 mm

ED-SCHALL | P. 126 |

 **TAF**
5 - 25 mm


XS Z-1 | ZERO+ STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
500 mm	XS-Z1M-M-500
600 mm	XS-Z1M-M-600
700 mm	XS-Z1M-M-700
800 mm	XS-Z1M-M-800
900 mm	XS-Z1M-M-900
1000 mm	XS-Z1M-M-1000
1100 mm	XS-Z1M-M-1100
1200 mm	XS-Z1M-M-1200

Combine with Xs built-in set – P. 75


XS Z-1 | ZERO+ STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
500 mm	XS-Z1P-M-500
600 mm	XS-Z1P-M-600
700 mm	XS-Z1P-M-700
800 mm	XS-Z1P-M-800
900 mm	XS-Z1P-M-900
1000 mm	XS-Z1P-M-1000
1100 mm	XS-Z1P-M-1100
1200 mm	XS-Z1P-M-1200

Combine with Xs built-in set – P. 75


XS Z-1 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
500 mm	XS-Z1M-P-500
600 mm	XS-Z1M-P-600
700 mm	XS-Z1M-P-700
800 mm	XS-Z1M-P-800
900 mm	XS-Z1M-P-900
1000 mm	XS-Z1M-P-1000
1100 mm	XS-Z1M-P-1100
1200 mm	XS-Z1M-P-1200

Combine with Xs built-in set – P. 75

XS Z-1 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
500 mm	XS-Z1P-P-500
600 mm	XS-Z1P-P-600
700 mm	XS-Z1P-P-700
800 mm	XS-Z1P-P-800
900 mm	XS-Z1P-P-900
1000 mm	XS-Z1P-P-1000
1100 mm	XS-Z1P-P-1100
1200 mm	XS-Z1P-P-1200


Combine with Xs built-in set – P. 75

XS Z-2

GRATE

 **TAF**
5 - 25 mm


XS Z-2 | ZERO+ STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
800 mm	XS-Z2M-M-800
900 mm	XS-Z2M-M-900
1000 mm	XS-Z2M-M-1000
1100 mm	XS-Z2M-M-1100
1200 mm	XS-Z2M-M-1200

Combine with Xs built-in set – P. 75

XS Z-2 | ZERO+ STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	XS-Z2P-M-800
900 mm	XS-Z2P-M-900
1000 mm	XS-Z2P-M-1000
1100 mm	XS-Z2P-M-1100
1200 mm	XS-Z2P-M-1200

Combine with Xs built-in set – P. 75

XS Z-2 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
800 mm	XS-Z2M-P-800
900 mm	XS-Z2M-P-900
1000 mm	XS-Z2M-P-1000
1100 mm	XS-Z2M-P-1100
1200 mm	XS-Z2M-P-1200

Combine with Xs built-in set – P. 75

XS Z-2 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	XS-Z2P-P-800
900 mm	XS-Z2P-P-900
1000 mm	XS-Z2P-P-1000
1100 mm	XS-Z2P-P-1100
1200 mm	XS-Z2P-P-1200


Combine with Xs built-in set – P. 75

XS Z-3

GRATE

 **TAF**
5 - 25 mm



XS Z-3 | ZERO+ STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
800 mm	XS-Z3M-M-800
900 mm	XS-Z3M-M-900
1000 mm	XS-Z3M-M-1000
1100 mm	XS-Z3M-M-1100
1200 mm	XS-Z3M-M-1200

Combine with Xs built-in set – P. 75


XS Z-3 | ZERO+ STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	XS-Z3P-M-800
900 mm	XS-Z3P-M-900
1000 mm	XS-Z3P-M-1000
1100 mm	XS-Z3P-M-1100
1200 mm	XS-Z3P-M-1200

Combine with Xs built-in set – P. 75


XS Z-3 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
800 mm	XS-Z3M-P-800
900 mm	XS-Z3M-P-900
1000 mm	XS-Z3M-P-1000
1100 mm	XS-Z3M-P-1100
1200 mm	XS-Z3M-P-1200

Combine with Xs built-in set – P. 75

XS Z-3 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	XS-Z3P-P-800
900 mm	XS-Z3P-P-900
1000 mm	XS-Z3P-P-1000
1100 mm	XS-Z3P-P-1100
1200 mm	XS-Z3P-P-1200



Combine with Xs built-in set – P. 75

XS Z-4

GRATE

 **TAF**
5 - 25 mm



XS Z-4 | ZERO+ STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
800 mm	XS-Z4M-M-800
900 mm	XS-Z4M-M-900
1000 mm	XS-Z4M-M-1000
1100 mm	XS-Z4M-M-1100
1200 mm	XS-Z4M-M-1200

Combine with Xs built-in set – P. 75



XS Z-4 | ZERO+ STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL



Length	Article code
800 mm	XS-Z4P-M-800
900 mm	XS-Z4P-M-900
1000 mm	XS-Z4P-M-1000
1100 mm	XS-Z4P-M-1100
1200 mm	XS-Z4P-M-1200

Combine with Xs built-in set – P. 75

XS Z-4 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME STAINLESS STEEL



Length	Article code
800 mm	XS-Z4M-P-800
900 mm	XS-Z4M-P-900
1000 mm	XS-Z4M-P-1000
1100 mm	XS-Z4M-P-1100
1200 mm	XS-Z4M-P-1200

Combine with Xs built-in set – P. 75

XS Z-4 | ZERO+ CHROME-PLATED STAINLESS STEEL | FRAME CHROME-PLATED STAINLESS STEEL




Length	Article code
800 mm	XS-Z4P-P-800
900 mm	XS-Z4P-P-900
1000 mm	XS-Z4P-P-1000
1100 mm	XS-Z4P-P-1100
1200 mm	XS-Z4P-P-1200

Combine with Xs built-in set – P. 75

XS Z-1 SPECIAL FINISHES


WHITE



BRUSHED GOLD



BLACK




BRUSHED DARK STEEL



BRUSHED CYPRUM




OIL-RUBBED BRONZE




XS Z-1 SPECIAL FINISHES

GRATE




Creative freedom




FEATURES

- Any grate material possible
- WPS Pre-assembled sealing membrane - 10-year warranty
- Easy to clean
- INOX High-quality stainless steel
- High capacity
- Certified: EN 1253 (50 mm) / ETAG-022

INSTALLATION



Dot



Square

ACCESSORIES



Complete waterproofing with SAM - Seal System
P. 132 - 135



Other siphon options
P. 128

DOT & SQUARE



COMPLETE SET
(including 3 siphons)

DOT

 Water seal
30 / 35 / 50 mm

 Installation depth
from 90 mm


 Drainage capacity
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)




Size
Ø 676 mm Article code
EDDOT-RD

Installation options

Example 1



Example 2





SQUARE

 Water seal
30 / 35 / 50 mm

 Installation depth
from 90 mm


 Drainage capacity
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)




Size
615 x 615 mm Article code
EDDOT-SQ

Installation options

Example 1



Example 2






POOL LINE

The ideal drainage solution for pools and spas

Easy Sanitary Solutions has more than 20 years of experience in residential water drainage. In addition to our Easy Drain shower drains, a special drain is developed for pools and spas. This drain has integrated waterproofing and a height-adjustable frame.



MULTI TAF

Multifunctional



FEATURES

- | | | | | | |
|---------------|-----------------------|-----|---|---------------------------------------|---------------|
| TAF | Tile Adjustable Frame | WPS | Pre-assembled sealing membrane - 10-year warranty | INOX | High capacity |
| Easy to clean | | | | Certified: EN 1253 (50 mm) / ETAG-022 | |

INSTALLATION



Fixt



Zero



Tile

ACCESSORIES



10 YEAR
WARRANTY

Wet area - Sealing system
P. 136



Soundproofing mat, | Dimension 1250x300x5 mm
ED-SCHALL | P. 126 |



Optional: Extension Set
See accessories | P. 127 |

MULTI TAF / TAF WALL

COMPLETE SET

MULTI | ZERO / TILE REVERSIBLE


 Water seal
30 / 35 / 50 mm

 Installation depth
from 79 - 112 mm

 TAF
7 - 18 mm


 Drainage capacity (free)
28 l/min (30 mm)
32 l/min (35 mm)
38 l/min (50 mm)

 Drainage capacity (wall)
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)




Zero/Tile reversible

Tile not included



Zero/Tile reversible

Tile not included



Length	Multi TAF	Multi TAF Wall
500 mm	EDMTAF500	EDMTAFW500
600 mm	EDMTAF600	EDMTAFW600
700 mm	EDMTAF700	EDMTAFW700
800 mm	EDMTAF800	EDMTAFW800
900 mm	EDMTAF900	EDMTAFW900
1000 mm	EDMTAF1000	EDMTAFW1000
1100 mm	EDMTAF1100	EDMTAFW1100
1200 mm	EDMTAF1200	EDMTAFW1200
1300 mm	EDMTAF1300	EDMTAFW1300
1400 mm	EDMTAF1400	EDMTAFW1400
1500 mm	EDMTAF1500	EDMTAFW1500
1600 mm	EDMTAF1600	EDMTAFW1600
1700 mm	EDMTAF1700	EDMTAFW1700
1800 mm	EDMTAF1800	EDMTAFW1800
1900 mm	EDMTAF1900	EDMTAFW1900
2000 mm	EDMTAF2000	EDMTAFW2000



Other siphon options

P. 128

MULTI | TILE


 **Water seal**
30 / 35 / 50 mm

 **Installation depth**
from 79 mm

 **TAF**
7 - 18 mm

 **Drainage capacity (free)**
28 l/min (30 mm)
32 l/min (35 mm)
38 l/min (50 mm)

 **Drainage capacity (wall)**
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)

**Length**

500 mm	EDT500-50
600 mm	EDT600-50
700 mm	EDT700-50
800 mm	EDT800-50
900 mm	EDT900-50
1000 mm	EDT1000-50
1100 mm	EDT1100-50
1200 mm	EDT1200-50
1300 mm	EDT1300-50
1400 mm	EDT1400-50
1500 mm	EDT1500-50
1600 mm	EDT1600-50
1700 mm	EDT1700-50
1800 mm	EDT1800-50
1900 mm	EDT1900-50
2000 mm	EDT2000-50

MULTI | LONG LENGTHS



 **Water seal**
30 / 35 / 50 mm

 **Installation depth**
from 79 mm

 **TAF**
7 - 18 mm

 **Drainage capacity (free)**
28 l/min (30 mm)
32 l/min (35 mm)
38 l/min (50 mm)

 **Drainage capacity (wall)**
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)

**Length**

1300 mm	EDM1300
1400 mm	EDM1400
1500 mm	EDM1500
1600 mm	EDM1600
1700 mm	EDM1700
1800 mm	EDM1800
1900 mm	EDM1900
2000 mm	EDM2000

ACCESSORIES



Wet area - Sealing system

P. 136

**10
YEAR
WARRANTY**



Other siphon options

P. 128



For sealing according to national requirements, order an Easy2Fix sealing kit separately

BUILT-IN SET MULTI


BUILT-IN SET MULTI

 Water seal
30 / 35 / 50 mm

 Installation depth
from 59 - 92 mm

 Drainage capacity (free)
28 l/min (30 mm)
32 l/min (35 mm)
38 l/min (50 mm)

 Drainage capacity (wall)
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)



Length	Article code
500 mm	EDMI500
600 mm	EDMI600
700 mm	EDMI700
800 mm	EDMI800
900 mm	EDMI900
1000 mm	EDMI1000
1100 mm	EDMI1100
1200 mm	EDMI1200


Combine with Multi grate – P. 90 - 91

BUILT-IN SET MULTI WALL

 Water seal
30 / 35 / 50 mm

 Installation depth
from 59 - 92 mm

 Drainage capacity
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)




Length	Article code
800 mm	EDMI800
900 mm	EDMI900
1000 mm	EDMI1000
1100 mm	EDMI1100
1200 mm	EDMI1200

Combine with Multi grate – P. 90 - 91

FIXT

 **TAF**
7 - 18 mm



Length	Article code
500 mm	EDF500
600 mm	EDF600
700 mm	EDF700
800 mm	EDF800
900 mm	EDF900
1000 mm	EDF1000
1100 mm	EDF1100
1200 mm	EDF1200

Combine with Multi built-in set – P. 89

ZERO

 **TAF**
7 - 18 mm



Length	Article code
500 mm	EDZ500M
600 mm	EDZ600M
700 mm	EDZ700M
800 mm	EDZ800M
900 mm	EDZ900M
1000 mm	EDZ1000M
1100 mm	EDZ1100M
1200 mm	EDZ1200M

Combine with Multi built-in set – P. 89

TILE REVERSIBLE

 **TAF**
7 - 18 mm



Length	Article code
500 mm	EDFL-8 500
600 mm	EDFL-8 600
700 mm	EDFL-8 700
800 mm	EDFL-8 800
900 mm	EDFL-8 900
1000 mm	EDFL-8 1000
1100 mm	EDFL-8 1100
1200 mm	EDFL-8 1200

Tile not included

Combine with Multi built-in set – P. 89

EXCENTER

 **TAF**
7 - 18 mm




Length	Article code
500 mm	EDE500M
600 mm	EDE600M
700 mm	EDE700M
800 mm	EDE800M
900 mm	EDE900M
1000 mm	EDE1000M
1100 mm	EDE1100M
1200 mm	EDE1200M

Combine with Multi built-in set – P. 89

OUTSIDE

 **TAF**
7 - 18 mm




Length	Article code
500 mm	EDO500M
600 mm	EDO600M
700 mm	EDO700M
800 mm	EDO800M
900 mm	EDO900M
1000 mm	EDO1000M
1100 mm	EDO1100M
1200 mm	EDO1200M

Combine with Multi built-in set – P. 89

MOVE

 **TAF**
7 - 18 mm




Length	Article code
500 mm	EDW500P
600 mm	EDW600P
700 mm	EDW700P
800 mm	EDW 800 P
900 mm	EDW 900 P
1000 mm	EDW 1000 P
1100 mm	EDW 1100 P
1200 mm	EDW 1200 P

Combine with Multi built-in set – P. 89

CENTRE

 **TAF**
7 - 18 mm




Length	Article code
500 mm	EDC500M
600 mm	EDC600M
700 mm	EDC700M
800 mm	EDC800M
900 mm	EDC900M
1000 mm	EDC1000M
1100 mm	EDC1100M
1200 mm	EDC1200M

Combine with Multi built-in set – P. 89

CARRE

 **TAF**
7 - 18 mm



Length	Article code
500 mm	EDCAR500M
600 mm	EDCAR600M
700 mm	EDCAR700M
800 mm	EDCAR800M
900 mm	EDCAR900M
1000 mm	EDCAR1000M
1100 mm	EDCAR1100M
1200 mm	EDCAR1200M

Combine with Multi built-in set – P. 89

WATERSTOP

A complete waterproofing solution



Waterstop



Waterstop Wall

FEATURES

- | | | | |
|-------------------------------------|---|--------------------------|---------------------------------------|
| <input checked="" type="checkbox"/> | Large pre-assembled sealing membrane (1300x2000 mm) | <input type="checkbox"/> | High capacity |
| <input type="checkbox"/> | WPS Pre-assembled sealing membrane - 10-year warranty | <input type="checkbox"/> | INOX High-quality stainless steel |
| <input type="checkbox"/> | Easy to clean | <input type="checkbox"/> | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Waterstop Wall



Waterstop

ACCESSORIES



10 YEAR
WARRANTY

Wet area - Sealing system

P. 136



M2 Siphon - Vertical outlet
Water seal 50 mm
SPAWS05 | P. 126 |



M2 Flat Siphon - Horizontal outlet
Water seal 28 mm
SPAMOD14 | P. 126 |

WATERSTOP WALL


COMPLETE SET

WATERSTOP WALL | ZERO

 Water seal
50 mm

 Installation depth
from 79 - 134 mm

 Drainage capacity
30 l/min




Length	Article code
700 mm	ED-WS-W-70
800 mm	ED-WS-W-80
900 mm	ED-WS-W-90

WATERSTOP WALL | TILE

 Water seal
50 mm


 Installation depth
from 91 - 146 mm

 Drainage capacity
30 l/min



Length	Article code
700 mm	ED-WS-WT-70
800 mm	ED-WS-WT-80
900 mm	ED-WS-WT-90

Tile not included



WATERSTOP


COMPLETE SET

WATERSTOP | MORSE

 Water seal
50 mm

 Installation depth
from 79 - 134 mm

 Drainage capacity
30 l/min



Length Article code


700 mm	ED-WS-M-70
800 mm	ED-WS-M-80
900 mm	ED-WS-M-90
1000 mm	ED-WS-M-100
1200 mm	ED-WS-M-120

WATERSTOP | ZERO

 Water seal
50 mm


 Installation depth
from 79 - 134 mm

 Drainage capacity
30 l/min



Length Article code

700 mm	ED-WS-Z-70
800 mm	ED-WS-Z-80
900 mm	ED-WS-Z-90
1000 mm	ED-WS-Z-100
1200 mm	ED-WS-Z-120





VINYL

The solution for vinyl flooring



Water seal 28 mm



Water seal 50 mm

FEATURES

- | | |
|---|--|
| <input checked="" type="checkbox"/> Vinyl can easily be clamped to drain | <input type="checkbox"/> High capacity |
| <input checked="" type="checkbox"/> Suitable for new construction and renovation projects | <input type="checkbox"/> INOX High-quality stainless steel |
| <input checked="" type="checkbox"/> Easy to clean | <input type="checkbox"/> Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



ACCESSORIES



10
YEAR
WARRANTY

Complete waterproofing with SAM - Seal System
P. 132 - 135



M2 Siphon - Vertical outlet
Water seal 50 mm
EDM2-O | P. 126 |




M2 Flat Siphon - Horizontal outlet
Water seal 28 mm
SPAMOD14 | P. 126 |

VINYL 35

 Water seal
28 mm

 Installation depth
from 80 mm

 Drainage capacity
33 l/min





Length	Article code
700 mm	EDVIN-M2-700-35
800 mm	EDVIN-M2-800-35
900 mm	EDVIN-M2-900-35
1000 mm	EDVIN-M2-1000-35
1200 mm	EDVIN-M2-1200-35

VINYL 50

 Water seal
50 mm

 Installation depth
from 99 - 109 mm

 Drainage capacity
33 l/min



Length	Article code
700 mm	EDVIN-M2-700-50
800 mm	EDVIN-M2-800-50
900 mm	EDVIN-M2-900-50
1000 mm	EDVIN-M2-1000-50
1200 mm	EDVIN-M2-1100-50

FLEX

Custom length shower drains



Water seal 28 mm




Water seal 50 mm

FEATURES

- | | |
|---|---|
| <input checked="" type="checkbox"/> Can be adjusted in size | <input type="checkbox"/> High capacity |
| <input checked="" type="checkbox"/> Suitable for new construction and renovation projects | <input type="checkbox"/> INOX High-quality stainless steel |
| <input checked="" type="checkbox"/> Easy to clean | <input checked="" type="checkbox"/> Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Flex

ACCESSORIES



10 YEAR
WARRANTY

Wet area - Sealing system

P. 136



98



M2 Siphon - Vertical outlet

Water seal 50 mm

EDM2-O | P. 126 |



FLEX 28 Water seal
28 mm Installation depth
from 75 mm TAF
7 - 15 mm Drainage capacity (free)
28 l/min Drainage capacity (wall)
33 l/min

Length

200 mm

Article code

EDFLEX-1200-28

FLEX 50 Water seal
50 mm Installation depth
from 90 - 100 mm TAF
7 - 15 mm Drainage capacity (free)
33 l/min Drainage capacity (wall)
41 l/min

Length

1200 mm

Article code

EDFLEX-1200-50

SPECIALS

Special shapes and sizes



Square Multi



Trapezium Multi



Round Flex Class

FEATURES

- | | |
|---|---|
| <input checked="" type="checkbox"/> Suitable for new construction and renovation projects | <input type="checkbox"/> INOX High-quality stainless steel |
| <input type="checkbox"/> Easy to clean | <input checked="" type="checkbox"/> Certified: EN 1253 (50 mm) / ETAG-022 |
| <input type="checkbox"/> High capacity | |

INSTALLATION



ACCESSORIES



10 YEAR
WARRANTY

Wet area - Sealing system
P. 136



Soundproofing mat | Dimension 1250x300x5 mm
ED-SCHALL | P. 126 |



For sealing according to national
requirements, order an Easy2Fix sealing
kit separately



SQUARE MULTI

 Water seal
30 / 35 / 50 mm

 Installation depth
from 59 - 92 mm

 Drainage capacity (free)
28 l/min (30 mm)
32 l/min (35 mm)
38 l/min (50 mm)

 Drainage capacity (wall)
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)



Dimensions	Article code
485 x 300 x 98 mm	EDM TRAP300
896 x 700 x 98 mm	EDM TRAP700



TRAPEZIUM MULTI

 Water seal
30 / 35 / 50 mm

 Installation depth
from 59 - 92 mm

 Drainage capacity (free)
28 l/min (30 mm)
32 l/min (35 mm)
38 l/min (50 mm)

 Drainage capacity (wall)
34 l/min (30 mm)
38 l/min (35 mm)
49 l/min (50 mm)




Dimensions	Article code
900 x 900 mm	EDMHOEK 900
1000 x 1000 mm	EDMHOEK 1000

SOUND FLEX CLASS

 Water seal
35 mm

 Drainage capacity
24 l/min




Dimensions	Article code
Radius 55 (1/4 Circle)	EDFLCL ROUND



FIXT

The world's toughest



Water seal 30 mm



Water seal 50 mm

FEATURES

- | | | | |
|-------------------------------------|---|-------------------------------------|------------------------------|
| <input checked="" type="checkbox"/> | Suitable for new construction and renovation projects | <input type="checkbox"/> INOX | High-quality stainless steel |
| <input type="checkbox"/> 🚴 | Easy to clean | <input type="checkbox"/> Certified: | EN 1253 (50 mm) / ETAG-022 |
| <input type="checkbox"/> 🔥 | High capacity | | |



Fixt

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136

FIXT


COMPLETE SET

FIXT

 Water seal
30 mm

 Installation depth
from 75 mm

 Drainage capacity
28 l/min




Length	Article code
500 mm	EDFT 500-30
600 mm	EDFT 600-30
700 mm	EDFT 700-30
800 mm	EDFT 800-30
900 mm	EDFT 900-30
1000 mm	EDFT 1000-30
1100 mm	EDFT 1100-30
1200 mm	EDFT 500-30

FIXT

 Water seal
50 mm

 Installation depth
from 90 - 100 mm

 Drainage capacity
38 l/min



Length	Article code
500 mm	EDFT 500-50
600 mm	EDFT 600-50
700 mm	EDFT 700-50
800 mm	EDFT 800-50
900 mm	EDFT 900-50
1000 mm	EDFT 1000-50
1100 mm	EDFT 1100-50
1200 mm	EDFT 500-50

BASIC DRAIN

Perfect for every type of bathroom



Basic Drain



Basic Drain Steps

FEATURES

- | | | | |
|--|---|---|---------------------------------------|
| TAF | Tile Adjustable Frame (Basic Drain Steps) | H | High capacity |
| WPS | Pre-assembled sealing membrane - 10-year warranty | INOX | High-quality stainless steel |
| E | Easy to clean | C | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Basic Drain



Basic Drain Steps

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136

104



M2 Siphon - Vertical outlet

Water seal 50 mm

EDM2-O | P. 126 |

BASIC DRAIN

COMPLETE SET


BASIC DRAIN | ZERO

 Water seal
50 mm

 Installation depth
from 92 mm

 Drainage capacity
36 l/min

 Tile thickness
7 - 18 mm



Length	Article code
500 mm	BD-50-Z
600 mm	BD-60-Z
700 mm	BD-70-Z
800 mm	BD-80-Z
900 mm	BD-90-Z
1000 mm	BD-100-Z
1100 mm	BD-110-Z
1200 mm	BD-120-Z

BASIC DRAIN | TILE

 Water seal
50 mm


 Installation depth
from 92 mm

 Drainage capacity
36 l/min

 Tile thickness
7 - 18 mm



Tile not included



Length	Article code
500 mm	BD-50-FL
600 mm	BD-50-FL
700 mm	BD-50-FL
800 mm	BD-80-FL
900 mm	BD-90-FL
1000 mm	BD-100-FL
1100 mm	BD-110-FL
1200 mm	BD-120-FL

BASIC DRAIN

COMPLETE SET



BASIC DRAIN | ZERO

 Water seal
28 mm

 Installation depth
from 67 mm

 Drainage capacity
36 l/min

 TAF
7 - 18 mm



Length	Article code
500 mm	BD-50-Z-28
600 mm	BD-60-Z-28
700 mm	BD-70-Z-28
800 mm	BD-80-Z-28
900 mm	BD-90-Z-28
1000 mm	BD-100-Z-28
1100 mm	BD-110-Z-28
1200 mm	BD-120-Z-28

BASIC DRAIN | TILE

 Water seal
28 mm

 Installation depth
from 67 mm


 Drainage capacity
36 l/min

 TAF
7 - 18 mm

 Tile inlay depth
12 mm



Tile not included



Length	Article code
500 mm	BD-50-FL-28
600 mm	BD-50-FL-28
700 mm	BD-50-FL-28
800 mm	BD-80-FL-28
900 mm	BD-90-FL-28
1000 mm	BD-100-FL-28
1100 mm	BD-110-FL-28
1200 mm	BD-120-FL-28

BASIC DRAIN STEPS

COMPLETE SET

BASIC DRAIN STEPS | ZERO / TILE REVERSIBLE

 Water seal
28 mm

 Installation depth
from 68 mm


 Drainage capacity
36 l/min

 Tile thickness
7 - 18 mm

 Tile inlay depth
12 mm



Tile not included



Length	Article code
500 mm	BD-50-STEPS-28
600 mm	BD-60-STEPS-28
700 mm	BD-70-STEPS-28
800 mm	BD-80-STEPS-28
900 mm	BD-90-STEPS-28
1000 mm	BD-100-STEPS-28
1100 mm	BD-110-STEPS-28
1200 mm	BD-120-STEPS-28

BASIC DRAIN STEPS | ZERO / TILE REVERSIBLE


 Water seal
50 mm

 Installation depth
from 100 mm


 Drainage capacity
36 l/min

 Tile thickness
7 - 18 mm

 Tile inlay depth
12 mm



Tile not included



Length	Article code
500 mm	BD-50-STEPS
600 mm	BD-60-STEPS
700 mm	BD-70-STEPS
800 mm	BD-80-STEPS
900 mm	BD-90-STEPS
1000 mm	BD-100-STEPS
1100 mm	BD-110-STEPS
1200 mm	BD-120-STEPS

A jewel in your bathroom



Aqua Jewels Quattro



Aqua Jewels Delta

FEATURES

- | | | | |
|-----|-----------------------|------|---|
| TAF | Tile Adjustable Frame | WPS | Pre-assembled sealing membrane - 10-year warranty |
| | Easy to clean | INOX | High capacity
High-quality stainless steel |
| | | | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Quattro



Delta

ACCESSORIES



10 YEAR
WARRANTY

Wet area - Sealing system

P. 136

108



Other siphon options

P. 128

AQUA JEWELS

COMPLETE SET


AQUA JEWELS QUATTRO | ZERO+ STAINLESS STEEL

 Water seal
50 - 25 mm

 Installation depth
from 59 - 79 mm

 TAF
5 - 16 mm

 Drainage capacity
49 l/min (50 mm)



Format Article code

100 x 100 mm AJQ-10x10-ZM

150 x 150 mm AJQ-15x15-ZM

200 x 200 mm AJQ-20x20-ZM

AQUA JEWELS QUATTRO | FLEISE

 Water seal
50 - 25 mm

 Installation depth
from 59 - 79 mm

 TAF
5 - 16 mm

 Tile inlay depth
12 mm

 Drainage capacity
49 l/min (50 mm)



Format Article code

100 x 100 mm AJQ-10x10-T

150 x 150 mm AJQ-15x15-T

200 x 200 mm AJQ-20x20-T

Tile not included

AQUA JEWELS DELTA | ZERO+ STAINLESS STEEL

 Water seal
50 - 25 mm

 Installation depth
from 59 - 79 mm

 TAF
5 - 16 mm

 Drainage capacity
49 l/min (50 mm)



Format Article code

200 x 200 mm AJDE-ZM

AQUA JEWELS DELTA | ZERO / TILE REVERSIBLE

 Water seal
50 - 25 mm

 Installation depth
from 59 - 79 mm

 TAF
5 - 16 mm

 Tile inlay depth
12 mm

 Drainage capacity
49 l/min (50 mm)





Format Article code

200 x 200 mm AJDE-ZT

Tile not included


AQUA JEWELS QUATTRO

Water seal 50 - 25 mm



AQUA JEWELS QUATTRO

Water seal 50 - 25 mm



A jewel in your bathroom



FEATURES

- | | | | |
|---|---|--|---------------------------------------|
| ■ TAF | Suitable for any tile thickness | ■ INOX | High capacity |
| ■ WPS | Pre-assembled sealing membrane - 10-year warranty | ■ | High-quality stainless steel |
| ■ | Easy to clean | ■ | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system


P. 136

110





Other siphon options

P. 128

AQUA JEWELS STONE | NATURAL STONE Water seal
50 - 25 mm Installation depth
from 59 - 79 mm Any tile thickness
from 0 - 30 mm Drainage capacity
34 l/min (25 mm)
49 l/min (50 mm)

Tile not included




Size	Article code
100 x 100 mm	AJQ-10x10-S
150 x 150 mm	AJQ-15x15-S
200 x 200 mm	AJQ-20x20-S

AQUA BRILLIANT

Proven with new technology



Aqua Brilliant Tile



Aqua Brilliant

FEATURES

- | | | | |
|-------------------------------------|---|---|---------------------------------------|
| <input checked="" type="checkbox"/> | Solution for renovation projects |  | High capacity |
| <input type="checkbox"/> WPS | Pre-assembled sealing membrane - 10-year warranty |  | High-quality stainless steel |
| <input checked="" type="checkbox"/> | Horizontal and vertical connection |  | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Vertical



Horizontal

ACCESSORIES



Wet area - Sealing system

10
YEAR
WARRANTY

P. 136

112



Other siphon options
P. 128



Height adjustment piece 10 cm
AquaB-HOH | P. 127 |

AQUA BRILLIANT

COMPLETE SET

AQUA BRILLIANT | TILE

 Water seal
50 mm

 Installation depth
from 65 mm


 Tile thickness
7 - 18 mm

 Tile inlay depth
12 mm

 Drainage capacity
39 l/min



Tile not included



Length

Article code

150 x 150 mm AQUABW-15x15-T


AQUA BRILLIANT

 Water seal
50 mm

 Installation depth
from 65 mm

 Tile thickness
7 - 18 mm

 Drainage capacity
39 l/min



Length

Article code

150 x 150 mm AquaBW-15x15

AQUA PLUS

Proven with new technology



Aqua Plus Quattro



Aqua Plus Delta

FEATURES

- | | | | |
|-------------------------------------|---|--|---------------------------------------|
| <input checked="" type="checkbox"/> | Shower drains with Multi-technology | | High capacity |
| <input type="checkbox"/> | WPS Pre-assembled sealing membrane - 10-year warranty | | High-quality stainless steel |
| <input checked="" type="checkbox"/> | Horizontal and vertical connection | | Certified: EN 1253 (50 mm) / ETAG-022 |

INSTALLATION



Free in floor connection



Wall connection

ACCESSORIES



Wet area - Sealing system

10
YEAR
WARRANTY



Other siphon options

P. 128




AQUA PLUS QUATTRO

 Water seal
50 - 25 mm

 Installation depth
from 54 - 90 mm

 Drainage capacity
38 l/min

 Tile thickness
7 - 18 mm



Length Article code
150 x 150 mm Aqua+W15x15-MSI6



AQUA PLUS DELTA

 Water seal
50 - 25 mm

 Installation depth
from 54 - 90 mm

 Drainage capacity
38 l/min

 Tile thickness
7 - 18 mm



Length Article code
240 x 240 mm Aqua+WDE-MSI6

AQUA

Suitable for any bathroom project



Aqua Quattro



Aqua Round



Aqua Delta

FEATURES

- Shower drains with Multi-technology
- High capacity
- WPS Pre-assembled sealing membrane - 10-year warranty
- INOX High-quality stainless steel
- Easy to clean
- Certified: EN 1253 (50 mm) / ETAG-022

INSTALLATION



Floor installation



Floor installation



Wall installation

ACCESSORIES



10
YEAR
WARRANTY

Wet area - Sealing system

P. 136



Other siphon options

P. 128

AQUA QUATTRO | TILE


Water seal
50 - 25 mm

Installation depth
from 54 mm


Tile thickness
7 - 18 mm

Tile inlay depth
12 mm

Drainage capacity
35 l/min (50 mm)



Tile not included



Length	Article code
100 x 100 mm	AquaW-10x10-MSI6-T
150 x 150 mm	AquaW-15x15-MSI6-T




AQUA QUATTRO | STAINLESS STEEL

Water seal
50 - 25 mm

Installation depth
from 54 mm

Tile thickness
7 - 18 mm

Drainage capacity
35 l/min (50 mm)



Length	Article code
100 x 100 mm	AquaW-10x10-MSI6
150 x 150 mm	AquaW-15x15-MSI6


AQUA ROUND | ROUND 10

Water seal
50 - 25 mm

Installation depth
from 54 mm

Tile thickness
7 - 18 mm

Drainage capacity
35 l/min (50 mm)



Length	Article code
Ø 100 mm	AquaW-RDx10-MSI6


AQUA ROUND | ROUND 15

Water seal
50 - 25 mm

Installation depth
from 54 mm

Tile thickness
7 - 18 mm

Drainage capacity
35 l/min (50 mm)



Length	Article code
Ø 146 mm	AquaW-RDx15-MSI6


AQUA DELTA

Water seal
50 - 25 mm

Installation depth
from 54 mm

Tile thickness
7 - 18 mm

Drainage capacity
35 l/min (50 mm)



Length	Article code
220 x 220 mm	AquaW-DE-MSI6

VINYL

The solution for vinyl flooring



Vinyl 50



Vinyl 75

FEATURES

- Easy to clean
- High capacity
- INOX High-quality stainless steel
- Certified: EN 1253

INSTALLATION



ACCESSORIES



Complete waterproofing with SAM - Seal System
P. 132 - 135





Other siphon options
P. 128

VINYL 50

 **Water seal**
50 - 25 mm

 **Installation depth**
from 59 mm

 **Drainage capacity**
34 l/min (25 mm)
49 l/min (50 mm)



Size
170 mm


Article code
AquaVIN-MSI1-UK

VINYL 75

 **Water seal**
50 - 25 mm

 **Installation depth**
from 87 mm

 **Drainage capacity**
34 l/min (25 mm)
49 l/min (50 mm)



Size
170 mm

Article code
AquaVIN-MSI7-UK


Easy Board®

by ess

The perfect solution to create a shower floor.


1. EASY DRAIN-TECHNOLOGY

Easy Boards shower boards have an integrated Easy Drain shower drain that is easy to clean and offers high drainage capacity. There are many design grates available like stainless steel finishes and tile inserts.



2. DURABLE AND HYGIENIC

The boards are pressure-resistant with an anti-bacterial coating. The integrated shower drain is made of high-quality 304 stainless steel and anti-bacterial ABS plastic. All the materials are very durable to last a lifetime in the bathroom.



3. SUITABLE FOR ANY PROJECT

Easy Board shower boards can be placed on any substrate (i.e. wood, concrete or old tiles). Thanks to the low installation depth they can be applied in any projects whether it's for new construction or renovation.




Incl. SEAL Finishing tape self-adhesive

Create a shower floor quick and easy

With an Easy Board shower board, it's easy to create the perfect shower floor. These boards are made of high-quality polystyrene foam (EPS), come with an integrated shower drain and offer a 10-year warranty in combination with the revolutionary Self-adhesive Sealing set (SAM) or Wet Area Sealing set.

FLOOR LEVEL SHOWER ELEMENTS




Suitable for new construction and renovation

In addition to the water resistant material used, watertightness is guaranteed with an Easy Board. This is ensured by the top coating - a special plastic and mortar combination. Easy Boards are designed with integrated slope and adjustable in size and height for application in any construction situation.

SHOWER BOARD S-LINE

COMPLETE SET
(including 2 siphons)



Shower Board + Shower Drain + Waterproofing

The shower board can be shortened to 850 x 900 mm and has an integrated 700 mm shower drain. This product is supplied with 2 siphons, waterproofing set and substructure element.



Water seal
28 / 50 mm

Installation depth
from 86 / 115 mm

TAF
7 - 18 mm


Tile inlay depth
12 mm

Drainage capacity
31 l/min (28 mm)
41 l/min (50 mm)



Reversible grate
(tile insert or zero brushed look)

Format 1200 x 1100 mm **Article code** SBS-LINE



ACCESSORIES



10 YEAR
WARRANTY

Complete waterproofing with SAM - Seal System
P. 132 - 135


122



M2 ABS Trap body | Water seal 50 mm
EDM2-O | P. 126 |

SHOWER BOARD MODULO

COMPLETE SET
(including 2 siphons)



Shower Board + Shower Drain + Waterproofing

The shower board can be shortened to 850 x 900 mm and has an integrated 700 mm shower drain. This product is supplied with 2 siphons, waterproofing set and substructure element.

Water seal
28 / 50 mm

Installation depth
from 72 / 101 mm


TAF
7 - 18 mm

Tile inlay depth
12 mm

Drainage capacity
31 l/min (28 mm)
41 l/min (50 mm)



Reversible grate
(tile insert or zero brushed look)



Format 1200 x 1100 mm **Article code** SBMOB-LINE-1

ACCESSORIES




10 YEAR
WARRANTY

Complete waterproofing with SAM - Seal System

P. 132 - 135

SHOWER BOARD COMPACT

COMPLETE SET
(including 2 siphons)



Shower Board + Shower Drain + Waterproofing

The shower board can be shortened to 550 x 900 mm and has an integrated 700 mm shower drain. This product is supplied with 2 siphons, waterproofing set and substructure element.

Water seal
30 mm

Installation depth
from 56 mm


TAF
7 - 18 mm

Tile inlay depth
12 mm

Drainage capacity
32 l/min



Reversible grate
(tile insert or zero brushed look)



Format

Article code

1200 x 1100 mm SBCOM-LINE-1

ACCESSORIES




10
YEAR
WARRANTY

Complete waterproofing with SAM - Seal System

P. 132 - 135

SHOWER BOARD AQUA BRILLIANT

COMPLETE SET
(including 2 siphons)



Shower Board + Shower Drain + Waterproofing


Shower board can be shortened to 750 x 750 and comes with an integrated shower drain.

 Water seal
50 mm

 Installation depth
from 68 mm

 TAF
7 - 18 mm

 Drainage capacity
39 l/min



Format Article code
1200 x 1100 mm SBAQUAB

ACCESSORIES



10
YEAR
WARRANTY

Complete waterproofing with SAM - Seal System

P. 132 - 135

ACCESSORIES



EASY CLEAN SET

Easy Clean set is specially developed for the care and cleaning of your Easy Drain. The Easy Clean set removes trapped filth and other stains that are hard to remove and brings the drain its shine back. Easy Clean set consists of: 250 ml Easy cleaner, 250 ml Easy remover, sponge and microfiber cloth.

Article code

ED-SC



EASY DRAIN SOUNDPROOFING MAT

In accordance with P-BA 74/2011 approval, suitable for the entire Easy Drain series. The soundproofing mat complies with the enhanced soundproofing requirements according to DIN 4109.

Article code

ED-SCHALL



CLEAN SIPHON 30 - SIDE OUTLET

Horizontal outlet, water seal 30 mm
Suitable for Compact Clean and Modulo Clean

Article code

EDM1CLEANZ-30



CLEAN SIPHON 50 - SIDE OUTLET

Horizontal outlet, water seal 50 mm
Suitable for Compact Clean and Modulo Clean

Article code

EDM1CLEANZ-50




M2 FLAT SIPHON

Water seal 28 mm
M2 flat siphon suitable for Easy Drain Modulo M2, Vinyl, S-line, Xs and Waterstop



Article code

SPAMOD14




M2 FLAT SIPHON

M2 flat siphon suitable for Easy Drain Nano & Xs



Article code

SPANANO1




M2 SIPHON - VERTICAL OUTLET

Water seal 50 mm
M2 flat siphon suitable for Easy Drain Modulo M-2, Xs, Nano, S-line



Article code


EDM2-O



ACCESSORIES

EXTENSION SETS

For Modulo TAF or TAF Wall



MODULO TAF



Article code

STD	MTAF-VER-STD
20	MTAF-VER-20
40	MTAF-VER-40
60	MTAF-VER-60
80	MTAF-VER-80
100	MTAF-VER-100


MODULO TAF WALL



Article code

STD	MTAFW-VER-STD
20	MTAFW-VER-20
40	MTAFW-VER-40
60	MTAFW-VER-60
80	MTAFW-VER-80
100	MTAFW-VER-100

COMPACT - ASSEMBLY ACCESSORIES




CONNECTION CLIP*

To connect several drains in length.

Article code

EDFT CLIP



WALL CLIP*

For anchoring an Easy Drain Compact to the wall.

Article code

EDFT MC

*Attention: do not use with TAF model!

AQUA MONTAGE




HEIGHT ADJUSTMENT PIECE 10 CM

Article code

AquaB-HOH

SIPHONS



ABS Trap body suitable for: Dot, Square, Multi, Specials, Aqua Jewels, Aqua Plus, Aqua, Vinyl 50 and 75



Horizontal outlet 40 mm

Article code



EDMSI 6



Horizontal outlet 50 mm

Article code

EDMSI




Horizontal outlet 50 mm

Article code

EDMSI 1

Supplied incl. water seal 70 mm.



Horizontal outlet 50 mm,
40 mm for sink connection.

Article code




EDMSI 2

Supplied incl. water seal 70 mm.

SIPHONS



Vertical outlet 50 mm





Article code

EDMSI 3

Supplied incl. water seal 70 mm.



Vertical outlet 50 mm,
40 mm for sink connection.






Article code

EDMSI 4

Supplied incl. water seal 70 mm.



Vertical outlet 50 mm,
50 mm for sink connection.




Article code

EDMSI 5

Supplied incl. water seal 70 mm.



Horizontal outlet
Ausgang 75 mm



Article code

EDMSI 7

FIRE PROTECTION SET

Easy drain fire protection system is especially developed for shower drains with a vertical siphon. The set has a fire resistance up to 90 min, which is successfully proven in tests.

**FIRE-RESISTANCE
CLASS RATING**


"R90"

CHARACTERISTICS

- › Direct mounting under the drain through a plug connection
- › High fire proof foreclosure DN 50
- › Fire protection set consisting of: fire protection collar, PP-HT socket DN 50 and an identification plate
- › The scope of application with massive covers is 150 until 325 mm cover thickness
- › Compatible with all marketable drainage connections made of authorized plastics



FIRE PROTECTION SET



Article code

ED-BRAND



Fire and smoke resistant, fire-resistance class rating "R90" according to DIN 4102-11.

Suitable for Easy Drain shower drains and shower drains with a Ø50 mm vertical outlet.

UPGRADESETS



DRYPHON® UPGRADE SET - COMPACT 30

Suitable for water seal 30 mm

Article code

SPACOM01



DRYPHON® UPGRADE SET - COMPACT 50

Suitable for water seal 50 mm

Article code

SPACOM02



DRYPHON® UPGRADE SET - COMPACT 30/50

Suitable for water seal 30 and 50 mm

Article code

SPACOM04



DRYPHON® UPGRADE SET MULTI

Suitable for Multi / Aqua / Specials

Article code

EDM-DRY

SAM (SELF-ADHESIVE SEALING MEMBRANE)


SAM is a self-adhesive sealing system which offers a secure sealing in combination with Easy Drain Shower Boards. With this sealing kit, we guarantee 10 years of water tightness of the entire bathroom area. In all standard packages, a sealing certificate is included. SAM is certified according to: ETAG 022, ab (P) and ANSI 18110.

Sealing Solutions SAM is a revolutionary sealing system based on elastic foam technology. The self-adhesive sealing membrane can be glued directly to wall and floor surfaces without using additional liquid sealing material. The top side is fleece-coated with an anti-bacterially film and offers an ideal base surface for every type of tile glue.

According to European construction standards

Most moisture related damages result from an improper installation of liquid sealed sealing membranes, wall-to-floor transfers and drainage systems. The patented Sealing Solutions SAM system avoids moisture damage by using fleece free impact bonding. The non-woven zones interrupt the capillary movement of moisture and ensure a 100% watertightness.

SAM offers two options to waterproof (only the wet area, or the complete bathroom). The sets are suitable for most situations, but can also be combined.



SAM SETS for bathroom:

5 m² max

7,5 m² max

10 m² max

SAM SETS are compatible with 'Easy Board'.

Available SAM SETS Self-adhesive for bathroom. Max. 110 x 120 cm.

SAM SETS for bathroom

These sets include sufficient material to waterproof the entire bathroom



SAM SETS | FOR BATHROOM

SEAL SET SAM - FW 5 M² SELF-ADHESIVE FOR BATHROOM 5 M²

Compatible with Easy Boards, see 'Easy Board'. SET contains material sufficient for 17.5 m² total surface (floor, walls etc.)

Wet area with U-shape (niche) is included.

Content:

- | | |
|---|--|
| > 6 x Inside corner self-adhesive | > 1 x SEAL Sealing membrane self-adhesive, incl. |
| > 1 x Outside corner self-adhesive | processing aid 30 m1 x 50 cm |
| > 3 x SEAL Wall sleeve self-adhesive 1/2" | > 2 x Primerspray |
| > 1 x SEAL Corner tape self-adhesive 20 m1 x 10 cm | > 2 x Sample |
| > 1 x SEAL Finishing tape self-adhesive 10 m1 x 10 cm | > 1 x Sleeve DN 100 |
| > 1 x SEAL Finishing tape self-adhesive 10 m1 x 30 cm | > 1 x Certificate |

Complete set **Article code**

17,5 m² tileable surface SEAL-BOX-5

SEAL SET SAM - FW 7,5 M² SELF-ADHESIVE FOR BATHROOM 7,5 M²

Compatible with Easy Boards, see 'Easy Board'. SET contains material sufficient for 19 m² total surface (floor, walls etc.)

Wet area with U-shape (niche) is included.

Content:

- | | |
|---|--|
| > 6 x Inside corner self-adhesive | > 1 x SEAL Sealing membrane self-adhesive, incl. |
| > 1 x Outside corner self-adhesive | processing aid 35 m1 x 50 cm |
| > 3 x SEAL Wall sleeve self-adhesive 1/2" | > 2 x Primerspray |
| > 1 x SEAL Corner tape self-adhesive 20 m1 x 10 cm | > 2 x Sample |
| > 1 x SEAL Finishing tape self-adhesive 10 m1 x 10 cm | > 1 x Sleeve DN 100 |
| > 1 x SEAL Finishing tape self-adhesive 10 m1 x 30 cm | > 1 x Certificate |

Complete set **Article code**

19 m² tileable surface SEAL-BOX-7

SEAL SET SAM - FW 10 M² SELF-ADHESIVE FOR BATHROOM 10 M²

Compatible with Easy Boards, see 'Easy Board'. SET contains material sufficient for 23 m² total surface (floor, walls, etc.)

Wet area with U-shape (niche) is included.

Content:

- | | |
|---|--|
| > 6 x Inside corner self-adhesive | > 1 x SEAL Sealing membrane self-adhesive, incl. |
| > 1 x Outside corner self-adhesive | processing aid 40 m1 x 50 cm |
| > 3 x SEAL Wall sleeve self-adhesive 1/2" | > 3 x Primerspray |
| > 1 x SEAL Corner tape self-adhesive 20 m1 x 10 cm | > 2 x Sample |
| > 1 x SEAL Finishing tape self-adhesive 10 m1 x 10 cm | > 1 x Sleeve DN 100 |
| > 1 x SEAL Finishing tape self-adhesive 10 m1 x 30 cm | > 1 x Certificate |

Complete set **Article code**

23 m² tileable surface SEAL-BOX-10

SAM SETS | FOR BATHROOM

SEAL SET SAM - L | SELF-ADHESIVE FOR SHOWER AREA WITH L - WALL



Compatible with ESS Easy Boards, see 'Easy Board'. The SET contains material sufficient for 7,5 m² total surface (floor, walls etc.)

Content:

- › 1 x SEAL Corner tape self-adhesive 10 m1
- › 1 x SEAL Sealing membrane self-adhesive, incl. processing aid 10 m1 x 50 cm
- › 3 x Wall sleeve self-adhesive 1/2"
- › 1 x SEAL Finishing tape self-adhesive 10 m1 x 30 cm
- › 2 x Sample
- › 1 x Certificate
- › 2 x Inside corner self-adhesive
- › 2 x Primerspray

Complete set

7,5 m² tileable surface

Article code

SEAL-BOX-L

SEAL SET SAM - U (NICHE) | SELF-ADHESIVE FOR SHOWER AREA WITH U - FORM



Compatible with ESS Easy Boards, see 'Easy Board'. The SET contains material sufficient for 9,75 m² total surface (floor, walls etc.)

Content:

- › 1 x SEAL Corner tape self-adhesive 15 m1
- › 1 x SEAL Sealing membrane self-adhesive, incl. processing aid 15 m1 x 50 cm
- › 3 x SEAL Wall sleeve self-adhesive 1/2"
- › 1 x SEAL Finishing tape self-adhesive 10m1 x 30 cm
- › 2 x Sample
- › 1 x Certificate
- › 2 x Inside corner self-adhesive
- › 2 x Primerspray

Complete set

9,75 m² tileable surface

Article code

SEAL-BOX-U

SEALING ACCESSORIES




EASY 2 SEAL 2K RAPID

Article code	Article description
E2S-2K-K	Set consisting of: 1,5 kg for ca. 1 m ²
E2S-2K-G	Set consisting of: 4,0 kg for ca. 3 m ²

Easy2Seal **2K** is a 2-component, highly flexible and reactively fast-setting sealing system for reliable sealing of surfaces.

- › Two components, fast-setting even at low temperatures
- › Dries with almost no shrinking
- › Weather-independent drying thanks to reactive setting
- › Can be applied by brush, roller, sprayer, or towel
- › Processing time approx. 45 minutes
- › Can be surface ready after approx. 90 min - perfect for renovation
- › Sets in the absence of air - important when sealing tapes overlap
- › Can be applied directly wet-on-wet
- › Saves time thanks to rapid work sequence
- › For indoor and outdoor use



INSIDE CORNER / OUTSIDE CORNER

Article code	Article description
WS-I	Inside corner set 2 pieces
WS-A	Outside corner set 2 pieces



SEALING MEMBRANE 100 CM WIDE

Article code	Article description
WS-1x5	Sealing membrane 100 cm wide, Length 5 m ¹
WS-1x10	Sealing membrane 100 cm wide, Length 10 m ¹
WS-1x30	Sealing membrane 100 cm wide, Length 30 m ¹



SEALING MEMBRANE 12,5 CM WIDE

Article code	Article description
WS-12,5x30	Sealing stripe 12,5 cm wide, Length 30 m ¹

SEALING ACCESSORIES

WET AREA - SEALING SYSTEM

The wet area sealing offers a guaranteed safe watertight system solution, that should be applied in combination with the Easy Drain drainage system. This way, leaking as a result of faulty installation due to unfavorable conditions is eliminated. This sealing system from Easy Drain offers both speed and quality in watertight installations with significant time savings. **10 years limited warranty** when using sealing sets with any Easy Drain!

For a complete sealing, we offer 2 options:

Sealing set for wet area until 5 m²

Sealing set for wet area until 10 m²



10 YEAR
WARRANTY



SEALING SET FOR FOR WET-AREA UNTIL 5 M²

Article code

WS-SET-1

Article description

Sealing set for wet area until 5 m²

Content Set

6 p.	Inside corners
2 p.	Outside corners
5 m ²	Sealing membrane 100 cm wide
30 m ¹	Sealing stripe 12,5 cm wide
Easy 2 Seal 2K RAPID	

SEALING SET FOR FOR WET-AREA UNTIL 10 M²

Article code

WS-SET-2

Article description

Sealing set for wet area until 10 m²

Content Set

6 p.	Inside corners
2 p.	Outside corners
10 m ²	Sealing membrane 100 cm wide
30 m ¹	Sealing stripe 12,5 cm wide
Easy 2 Seal 2K RAPID	

WALL NICHES

- › Options: With frame, frameless and with tileable door
- › Time-saving installation - Simple sealing and tiling
- › Designed for application in the shower / wet area
- › Suitable for wet and dry wall
- › High-quality stainless steel: scratch resistant & easy to clean




Incl. built-in element &
sealing set





BAD & WC ACCESSORIES

- › Toilet brush holder, paper holder, toilet paper storage and waste container
- › Time-saving installation - Uncomplicated sealing and tiling
- › Designed for in the shower / wet area
- › Suitable for wet and dry wall
- › High-quality stainless steel: scratch resistant & easy to clean



WITH FRAME

Design wall niches with door, LED (IP67) and Mirror

- › Options - LED (IP67), mirror and door
- › Dimensions - 15 x 30 to 120 x 30 cm
- › Installation depth - 7 and 10 cm



FRAMELESS

Elegant wall niches with variable installation depth

- › Material stainless steel or solid surface
- › Dimensions - 15 x 30, 30 x 30 and 60 x 30 cm
- › Variable installation depth



TILEABLE

Invisible niches with push-to-open door

- › Tileable door - every material possible
- › Dimensions - 15 x 30 and 30 x 30 cm
- › Installation depth - 10 and 14 cm



F-BOX*



BOX*



W-BOX



TCL-7



* Incl. built-in element & sealing set

FINISH



C-BOX



S-BOX



TCL-14



TCL-15



Incl. built-in element & sealing set

FINISH



T-BOX



V-BOX*



TCL-9



Incl. built-in element & sealing set

FINISH



*V-BOX only in stainless steel

WALL NICHES



T-BOX
Tileable door

C-BOX
Frameless

F-BOX
With frame

BOX
With frame

Features	Push-to-open door Tileable door Time-saving installation	Frameless design Time-saving installation	2 mm thick frame Soft edges Easy installation	Brushed / polished frame Time-saving installation Option: door, LED (IP67), Mirror
Dimensions (cm)	15 x 30 30 x 30 60 x 30 90 x 30 120 x 30	15 x 30 30 x 30 60 x 30	15 x 30 30 x 30	15 x 30 30 x 30 60 x 30
Finish	Stainless steel White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703	Stainless steel White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703	Stainless steel White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703	Stainless steel White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703
Wall type	Solid wall Dry wall	Solid wall Dry wall	Solid wall Dry wall	Solid wall Dry wall
Installation depth (cm)	10 14	10	10	10
Complete set incl. built-in element & sealing set	✓	✓	✓	✓
High quality stainless steel	✓	✓	✓	✓
Scratch resistant & easy to clean	✓	✓	✓	✓
Variable installation depth		✓		



W-BOX
With frame

S-BOX
Frameless

SHELF- BOX

V-BOX
Tileable door

Features	Oak frame Easy installation	Solid surface Easy installation Installation flush with the wall or surface mounting	Suitable for indoor / outdoor Easy installation	Hides service valves Push-to-open door Tileable door Time-saving installation
Dimensions (cm)	15 x 30 30 x 30	15 x 30 30 x 30	15 x 10 x 10 30 x 10 x 10 60 x 10 x 10 90 x 10 x 10 120 x 10 x 10 150 x 10 x 10 180 x 10 x 10	30 x 15
Finish	Natural Black White	Solid surface White / RAL 9016	Stainless steel White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703	Stainless steel
Wall type	Solid wall Dry wall	Solid wall Dry wall	Solid wall Dry wall	Solid wall Dry wall
Installation depth (cm)	10	10 14		10
Complete set incl. built-in element & sealing set		✓		✓
High quality stainless steel	✓		✓	✓
Scratch resistant & easy to clean	✓		✓	✓
Variable installation depth	✓	✓		

SYMBOLS

	Scratch resistant & easy to clean
	High-quality stainless steel
	Variable installation depth 0 - 55 mm
	Suitable for dry wall
	Suitable for solid wall
	Door
	LED lighting (IP67)



T-BOX

COMPLETE SET
(Incl. built-in element & sealing set)

Make your bathroom items disappear



Custom option: LED (IP67) *only Europe

WALL NICHE | WITH TILEABLE DOOR

15 x 30 x 10 | 15 x 30 x 14 cm



Finish Depth 100 mm Depth 140 mm

<input checked="" type="checkbox"/>	Stainless steel	BOXT-15x30x10	BOXT-15x30x14
<input type="checkbox"/>	Anthracite	BOXT-A-15x30x10	BOXT-A-15x30x14
<input type="checkbox"/>	Black	BOXT-B-15x30x10	BOXT-B-15x30x14
<input type="checkbox"/>	White	BOXT-W-15x30x10	BOXT-W-15x30x14
<input type="checkbox"/>	Creme	BOXT-C-15x30x10	BOXT-C-15x30x14


WALL NICHE | WITH TILEABLE DOOR

30 x 30 x 10 | 30 x 30 x 14 cm




Finish Depth 100 mm Depth 140 mm


<input checked="" type="checkbox"/>	Stainless steel	BOXT-30x30x10	BOXT-30x30x14
<input type="checkbox"/>	Anthracite	BOXT-A-30x30x10	BOXT-A-30x30x14
<input type="checkbox"/>	Black	BOXT-B-30x30x10	BOXT-B-30x30x14
<input type="checkbox"/>	White	BOXT-W-30x30x10	BOXT-W-30x30x14
<input type="checkbox"/>	Creme	BOXT-C-30x30x10	BOXT-C-30x30x14




Depth 100 mm



Depth 140 mm



Depth 100 mm



Depth 140 mm



C-BOX

COMPLETE SET
(Incl. built-in element & sealing set)

Coloured wall niches

Custom option: LED (IP67) *only Europe



WALL NICHE

15 x 30 x 10 cm



Finish

Frame

Brushed stainless steel

<input checked="" type="checkbox"/>	Stainless steel	BOX10C-15x30x10
<input checked="" type="checkbox"/>	Anthracite	BOX10C-A-15x30x10
<input checked="" type="checkbox"/>	Black	BOX10C-B-15x30x10
<input type="checkbox"/>	White	BOX10C-W-15x30x10
<input type="checkbox"/>	Creme	BOX10C-C-15x30x10

WALL NICHE

30 x 30 x 10 cm



Finish


Frame

Brushed stainless steel

<input checked="" type="checkbox"/>	Stainless steel	BOX10C-30x30x10
<input checked="" type="checkbox"/>	Anthracite	BOX10C-A-30x30x10
<input checked="" type="checkbox"/>	Black	BOX10C-B-30x30x10
<input type="checkbox"/>	White	BOX10C-W-30x30x10
<input type="checkbox"/>	Creme	BOX10C-C-30x30x10

WALL NICHE

60 x 30 x 10 cm




Finish


Frame

Brushed stainless steel


<input checked="" type="checkbox"/>	Stainless steel	BOX10C-60x30x10
<input checked="" type="checkbox"/>	Anthracite	BOX10C-A-60x30x10
<input checked="" type="checkbox"/>	Black	BOX10C-B-60x30x10
<input type="checkbox"/>	White	BOX10C-W-60x30x10
<input type="checkbox"/>	Creme	BOX10C-C-60x30x10



15 x 30 x 10 cm



30 x 30 x 10 cm



60 x 30 x 10 cm



F-BOX

COMPLETE SET
(Incl. built-in element & sealing set)

Wall niches with a sophisticated new frame



Custom option: LED (IP67)

WALL NICHE

15 x 30 x 10 cm



Finish	Frame	Frame
	Brushed stainless steel	Same as niche
<input checked="" type="checkbox"/> Stainless steel	BOXFS-15x30x10	
<input type="checkbox"/> Anthracite	BOXFS-15x30x10-AA	
<input type="checkbox"/> Black	BOXFS-15x30x10-B	BOXFS-15x30x10-BB
<input type="checkbox"/> White	BOXFS-15x30x10-W	BOXFS-15x30x10-WW
<input type="checkbox"/> Creme	BOXFS-15x30x10-C	BOXFS-15x30x10-CC

WALL NICHE

30 x 30 x 10 cm




Frame color same as
niche


Finish	Frame	Frame color
	Brushed stainless steel	Same as niche
<input checked="" type="checkbox"/> Stainless steel	BOXFS-30x30x10	BOXFS-30x30x10
<input type="checkbox"/> Anthracite	BOXFS-30x30x10-A	BOXFS-30x30x10-AA
<input type="checkbox"/> Black	BOXFS-30x30x10-B	BOXFS-30x30x10-BB
<input type="checkbox"/> White	BOXFS-30x30x10-W	BOXFS-30x30x10-WW
<input type="checkbox"/> Creme	BOXFS-30x30x10-C	BOXFS-30x30x10-CC

WALL NICHE


60 x 30 x 10 cm




Finish	Frame	Frame color
	Brushed stainless steel	Same as niche
<input checked="" type="checkbox"/> Stainless steel	BOXFS-60x30x10	
<input type="checkbox"/> Anthracite	BOXFS-60x30x10-A	BOXFS-60x30x10-AA
<input type="checkbox"/> Black	BOXFS-60x30x10-B	BOXFS-60x30x10-BB
<input type="checkbox"/> White	BOXFS-60x30x10-W	BOXFS-60x30x10-WW
<input type="checkbox"/> Creme	BOXFS-60x30x10-C	BOXFS-60x30x10-CC



15 x 30 x 10 cm



30 x 30 x 10 cm



60 x 30 x 10 cm



BOX

Add more space and style to your bathroom

WALL NICHE

15 x 30 x 10 cm



Finish

Frame

brushed stainless steel


Frame

polished

<input checked="" type="checkbox"/> Stainless steel	BOX-15x30x10	BOX-15x30x10-P
<input checked="" type="checkbox"/> Anthracite	BOX-15x30x10-A	BOX-15x30x10-PA
<input checked="" type="checkbox"/> Black	BOX-15x30x10-B	BOX-15x30x10-PB
<input type="checkbox"/> White	BOX-15x30x10-W	BOX-15x30x10-PW
<input type="checkbox"/> Creme	BOX-15x30x10-C	BOX-15x30x10-PC

WALL NICHE

30 x 30 x 10 cm



Finish

Frame

brushed stainless steel


Frame

polished

<input checked="" type="checkbox"/> Stainless steel	BOX-30x30x10	BOX-30x30x10-P
<input checked="" type="checkbox"/> Anthracite	BOX-30x30x10-A	BOX-30x30x10-PA
<input checked="" type="checkbox"/> Black	BOX-30x30x10-B	BOX-30x30x10-PB
<input type="checkbox"/> White	BOX-30x30x10-W	BOX-30x30x10-PW
<input type="checkbox"/> Creme	BOX-30x30x10-C	BOX-30x30x10-PC

WALL NICHE

60 x 30 x 10 cm



Finish


Frame

brushed stainless steel


Frame

polished


<input checked="" type="checkbox"/> Stainless steel	BOX-60x30x10	BOX-60x30x10-P
<input checked="" type="checkbox"/> Anthracite	BOX-60x30x10-A	BOX-60x30x10-PA
<input checked="" type="checkbox"/> Black	BOX-60x30x10-B	BOX-60x30x10-PB
<input type="checkbox"/> White	BOX-60x30x10-W	BOX-60x30x10-PW
<input type="checkbox"/> Creme	BOX-60x30x10-C	BOX-60x30x10-PC



15 x 30 x 10 cm



30 x 30 x 10 cm



60 x 30 x 10 cm

BOX

COMPLETE SET
(Incl. built-in element & sealing set)



WALL NICHE

90 x 30 x 10



Finish **Frame**
brushed stainless steel polished

<input checked="" type="checkbox"/> Stainless steel	BOX-90x30x10	BOX-90x30x10-P
<input checked="" type="checkbox"/> Anthracite	BOX-90x30x10-A	BOX-90x30x10-PA
<input checked="" type="checkbox"/> Black	BOX-90x30x10-B	BOX-90x30x10-PB
<input type="checkbox"/> White	BOX-90x30x10-W	BOX-90x30x10-PW
<input type="checkbox"/> Creme	BOX-90x30x10-C	BOX-90x30x10-PC

WALL NICHE

120 x 30 x 10 cm



Finish **Frame**
brushed stainless steel polished

<input checked="" type="checkbox"/> Stainless steel	BOX-120x30x10	BOX-120x30x10-P
<input checked="" type="checkbox"/> Anthracite	BOX-120x30x10-A	BOX-120x30x10-PA
<input checked="" type="checkbox"/> Black	BOX-120x30x10-B	BOX-120x30x10-PB
<input type="checkbox"/> White	BOX-120x30x10-W	BOX-120x30x10-PW
<input type="checkbox"/> Creme	BOX-120x30x10-C	BOX-120x30x10-PC



ACCESSORIES

Self-adhesive mirror optional



Size Article code

30 x 30	BOXUNIS-30x30
60 x 30	BOXUNIS-60x30






BOX

WALL NICHE WITH DOOR

15 x 30 x 10 | 30 x 30 x 10 | 60 x 30 x 10 cm



Finish	Article code	Size
Stainless steel	BOX-15x30x10-D	15 x 30 x 10 cm
Stainless steel	BOX-30x30x10-D	30 x 30 x 10 cm
Stainless steel	BOX-60x30x10-D	60 x 30 x 10 cm



BOX

COMPLETE SET
(Incl. built-in element & sealing set)






WALL NICHE WITH LED

15 x 30 x 10 - 120 x 30 x 10 cm

Incl. converter and 5 meters cable (IP67)



Finish	Article code	Size
Stainless steel	BOX-15x30x10-L	15 x 30 x 10 cm
Stainless steel	BOX-30x30x10-L	30 x 30 x 10 cm
Stainless steel	BOX-60x30x10-L	60 x 30 x 10 cm
Stainless steel	BOX-90x30x10-L	90 x 30 x 10 cm
Stainless steel	BOX-120x30x10-L	120 x 30 x 10 cm



The authenticity of wood in your bathroom

WALL NICHE

15 x 30 x 10 cm



Finish

Oak frame
Natural

<input checked="" type="checkbox"/> Stainless steel	BOXW-15x30x10-N
<input checked="" type="checkbox"/> Anthracite	BOXW-15x30x10-AN
<input checked="" type="checkbox"/> Black	BOXW-15x30x10-BN
<input type="checkbox"/> White	BOXW-15x30x10-WN
<input type="checkbox"/> Creme	BOXW-15x30x10-CN

WALL NICHE

30 x 30 x 10 cm



Finish

Oak frame
Natural

<input checked="" type="checkbox"/> Stainless steel	BOXW-30x30x10-N
<input checked="" type="checkbox"/> Anthracite	BOXW-30x30x10-AN
<input checked="" type="checkbox"/> Black	BOXW-30x30x10-BN
<input type="checkbox"/> White	BOXW-30x30x10-WN
<input type="checkbox"/> Creme	BOXW-30x30x10-CN

- › Custom option: LED (IP67) *only Europe
- › Can be placed anywhere, except in the shower area
- › The colour and finish of the actual wooden frame may slightly differ from the picture as it is a natural product.





ACCESSORIES

Self-adhesive mirror optional



Article code

30 x 30 BOXUNIS-30x30





S-BOX

COMPLETE SET
(Incl. built-in element & sealing set)

Elegant solid surface wall niches.

Custom option: LED (IP67) *only Europe



WALL NICHE | SOLID SURFACE

15 x 30 x 10 cm




Finish	Article code
<input type="checkbox"/> White	BOXSW-15x30x10

WALL NICHE | SOLID SURFACE


30 x 30 x 10 cm



Finish	Article code
<input type="checkbox"/> White	BOXSW-30x30x10



15 x 30 x 10 cm



30 x 30 x 10 cm



SHELF BOX

Space-saving opportunities

SHELF BOX

15 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-150
<input type="checkbox"/>	Anthracite	SBOX-150-A
<input type="checkbox"/>	Black	SBOX-150-B
<input type="checkbox"/>	White	SBOX-150-W
<input type="checkbox"/>	Creme	SBOX-150-C

SHELF BOX

30 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-300
<input type="checkbox"/>	Anthracite	SBOX-300-A
<input type="checkbox"/>	Black	SBOX-300-B
<input type="checkbox"/>	White	SBOX-300-W
<input type="checkbox"/>	Creme	SBOX-300-C

SHELF BOX

60 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-600
<input type="checkbox"/>	Anthracite	SBOX-600-A
<input type="checkbox"/>	Black	SBOX-600-B
<input type="checkbox"/>	White	SBOX-600-W
<input type="checkbox"/>	Creme	SBOX-600-C


SHELF BOX

90 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-900
<input type="checkbox"/>	Anthracite	SBOX-900-A
<input type="checkbox"/>	Black	SBOX-900-B
<input type="checkbox"/>	White	SBOX-900-W
<input type="checkbox"/>	Creme	SBOX-900-C



SHELF BOX

120 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-1200
<input type="checkbox"/>	Anthracite	SBOX-1200-A
<input type="checkbox"/>	Black	SBOX-1200-B
<input type="checkbox"/>	White	SBOX-1200-W
<input type="checkbox"/>	Creme	SBOX-1200-C

SHELF BOX

150 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-1500
<input type="checkbox"/>	Anthracite	SBOX-1500-A
<input type="checkbox"/>	Black	SBOX-1500-B
<input type="checkbox"/>	White	SBOX-1500-W
<input type="checkbox"/>	Creme	SBOX-1500-C

SHELF BOX

180 x 10 x 10 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	SBOX-1800
<input type="checkbox"/>	Anthracite	SBOX-1800-A
<input type="checkbox"/>	Black	SBOX-1800-B
<input type="checkbox"/>	White	SBOX-1800-W
<input type="checkbox"/>	Creme	SBOX-1800-C

V-BOX

COMPLETE SET
(Incl. built-in element & sealing set)

Make your water valve disappear while maintaining easy access



The V-BOX wall niche is an integrated solution to hide your water shut-off valves. This tileable wall niche, with a practical push-open door, conveniently hides the water valve while still allowing easy access. This way, your bathroom always looks nice and tidy.

WALL NICHE | TILEABLE DOOR


Water shut-off valve box incl. 2x water valves

15 x 30 x 10 cm

Finish

Installation depth 100 mm

Stainless steel BOXV-15x30x10



Installation depth 100 mm



T-ROLL

Make your toilet items dissapear

BUILT-IN TOILET BRUSH HOLDER & WALL NICHE | WITH TILEABLE DOOR



Finish	Article code
■ Stainless steel	TCL-8
■ Anthracite	TCL-8-A
■ Black	TCL-8-B
□ White	TCL-8-W
■ Creme	TCL-8-C

BUILT-IN TOILET BRUSH HOLDER & PAPER HOLDER | WITH TILEABLE DOOR



Finish	Article code
■ Stainless steel	TCL-9
■ Anthracite	TCL-9-A
■ Black	TCL-9-B
□ White	TCL-9-W
■ Creme	TCL-9-C

BUILT-IN TOILET BRUSH HOLDER & PAPER HOLDER | WITH TILEABLE DOOR




Finish	Article code
■ Stainless steel	TCL-10
■ Anthracite	TCL-10-A
■ Black	TCL-10-B
□ White	TCL-10-W
■ Creme	TCL-10-C


BUILT-IN WASTE CONTAINER & WALL NICHE | WITH TILEABLE DOOR




Finish	Article code
■ Stainless steel	TCL-11
■ Anthracite	TCL-11-A
■ Black	TCL-11-B
□ White	TCL-11-W
■ Creme	TCL-11-C




Built-in toilet brush holder & wall niche



Built-in toilet brush holder & paper holder



Built-in toilet brush holder & paper holder



Built-in waste container & wall niche

COMPLETE SET
(Incl. built-in element & sealing set)



**WALL NICHE / PAPER HOLDER
WITH TILEABLE DOOR**

15 x 30 x 14 cm



Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	BOXT-15x15x14
<input type="checkbox"/>	Anthracite	BOXT-A-15x15x14
<input checked="" type="checkbox"/>	Black	BOXT-B-15x15x14
<input type="checkbox"/>	White	BOXT-W-15x15x14
<input type="checkbox"/>	Creme	BOXT-C-15x15x14


**WALL NICHE / SHELF
WITH TILEABLE DOOR**

30 x 30 x 14 cm




Finish Article code

<input checked="" type="checkbox"/>	Stainless steel	TCL-12
<input type="checkbox"/>	Anthracite	TCL-12-A
<input checked="" type="checkbox"/>	Black	TCL-12-B
<input type="checkbox"/>	White	TCL-12-W
<input type="checkbox"/>	Creme	TCL-12-C



Wall niche / paper holder 15 x 15 cm



Wall niche with inlaid shelf 15 x 30 cm

ROLL

COMPLETE SET

Store your toilet accessories easily

BUILT-IN TOILET BRUSH HOLDER & WALL NICHE



Built-in element & sealing set

Finish

Article code

Stainless steel

TCL-6

BUILT-IN TOILET BRUSH HOLDER & PAPER HOLDER



Built-in element & sealing set

Finish

Article code

Stainless steel

TCL-7

TOILET PAPER STORAGE FOR 6 ROLLS

Tileable



Finish

Article code

Stainless steel

TCL-1

TOILET PAPER HOLDER & TOILET PAPER STORAGE FOR 5 ROLLS

Tileable




Finish


Article code

Stainless steel


TCL-5




Built-in toilet brush holder & wall niche



Built-in toilet brush holder & paper holder



Toilet paper storage for 6 rolls




Toilet paper holder & toilet paper storage for 5 rolls

TOILET PAPER ROLL STORAGE SQUARE

Finish **Article code**

<input checked="" type="checkbox"/> Stainless steel	TCL-14
<input checked="" type="checkbox"/> Anthracite	TCL-14-A
<input checked="" type="checkbox"/> Black	TCL-14-B
<input type="checkbox"/> White	TCL-14-W
<input type="checkbox"/> Creme	TCL-14-C

TOILET PAPER ROLL STORAGE SQUARE

Finish **Article code**

<input checked="" type="checkbox"/> Stainless steel	TCL-2
---	-------

TOILET PAPER ROLL STORAGE ROUND


Finish **Article code**

<input checked="" type="checkbox"/> Stainless steel	TCL-3
---	-------


TOILET PAPER HOLDER SQUARE

Finish **Article code**


<input checked="" type="checkbox"/> Stainless steel	TCL-4
---	-------




Toilet paper holder square




Toilet paper roll storage square



Toilet paper roll storage round




Toilet paper holder square



LUGANO

Unlimited lighting options

- › Colour temperature 2800k, 4300k, 6000k
 - › Perfect for shaving, applying make-up and more
 - › Options: Bluetooth speakers, Magnifying mirror, Anti-fog and more
 - › Four-sided illumination
-



ISEO

Perfect lighting all around

- › Colour temperature 2800k, 4300k, 6000k
 - › Perfect for shaving, applying make-up and more
 - › Remote control included
 - › Different sizes and colors
-



VICTORIA

Ultra-chic with indirect lighting

- › Bevelled edge
- › Ultra-flat design
- › Different sizes



MIRROR



Lugano

Iseo

Victoria

	Lugano	Iseo	Victoria
Type	Four sided with frame	Round with frame	Round with bevelled edge
Dimensions (mm)	Height: 700 and 800 Width: 700 - 1600	Ø 600 Ø 800 Ø 1000	Ø 400 Ø 600 Ø 800 Ø 1000 Ø 1200
Standard options	On / off switch Adjustable brightness Colour temperature	On / off switch Adjustable brightness Colour temperature Fernbedienung	Indirect light
Colour temperature	2800k (Warm white) 4300k (Neutral white) 6000k (Cool white)	2800k (Warm white) 4300k (Neutral white) 6000k (Cool white)	4300k (Neutral white)
Extra options	Bluetooth speakers Magnifying mirror (5x) Anti-fog Washbasin lighting Custom logo	Custom logo	Custom logo
Frame options	Matt silver White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703	Matt silver White / RAL 9016 Black / RAL 9005 Creme / RAL 9001 Anthracite / DB703	-
IP44 (Zone 2 & 3) Certified	✓	✓	✓
Customization possible	✓	✓	✓

SYMBOLS

	Bluetooth speakers
	Adjustable brightness
	Colour temperature
	Anti-fog
	Magnifying mirror (5x)
	Washbasin lighting
	On / off switch
	IP44 (Zone 3), CE certified
	Custom logo





LUGANO

Unlimited lighting options

DIMENSIONS

Height: 700 and 800 mm
Width: 700 - 1600 mm

FINISH

	Matt silver		White
	Anthracite		Creme
	Black		


STANDARD OPTIONS

- On / off switch
- Adjustable brightness
- Colour temperature
2800k, 4300k, 6000k
- CE Certified
- IP44 (Zone 2 & 3)

EXTRA OPTIONS

- Bluetooth speakers
- Magnifying mirror (5x)
- Anti-fog
- Washbasin lighting
- Custom logo

LUGANO



Energy label:



Lumen 3500-6200 lm

Watt 32 - 56 W

Standard options

- On / off switch
- Adjustable brightness
- Colour temperature 2800k, 4300k, 6000k

Extra options

Article code

	Bluetooth speakers	25012002
	Magnifying mirror (5x)	25012001
	Anti-fog	25012003
	Washbasin lighting	25012004
	Custom logo	25012005

Customization - on request

MATT SILVER FRAME



Width (W)	Height (H) 700mm	Height (H) 800mm
700 mm	25001070	-
800 mm	25001080	25006080
900 mm	25001090	25006090
1000 mm	25001100	25006100
1200 mm	25001120	25006120
1300 mm	25001130	25006130
1400 mm	25001140	25006140
1600 mm	25001160	25006160

ANTHRACITE FRAME



Width (W)	Height (H) 700mm	Height (H) 800mm
700 mm	25005070	-
800 mm	25005080	25011080
900 mm	25005090	25011090
1000 mm	25005100	25011100
1200 mm	25005120	25011120
1300 mm	25005130	25011130
1400 mm	25005140	25011140
1600 mm	25005160	25011160

LUGANO

BLACK FRAME



Width (W)	Height (H) 700mm	Height (H) 800mm
700 mm	25004070	-
800 mm	25004080	25010080
900 mm	25004090	25010090
1000 mm	25004100	25010100
1200 mm	25004120	25010120
1300 mm	25004130	25010130
1400 mm	25004140	25010140
1600 mm	25004160	25010160

WHITE FRAME



Width (W)	Height (H) 700mm	Height (H) 800mm
700 mm	25002070	-
800 mm	25002080	25007080
900 mm	25002090	25007090
1000 mm	25002100	25007100
1200 mm	25002120	25007100
1300 mm	25002130	25007130
1400 mm	25002140	25007140
1600 mm	25002160	25007160

CREME FRAME



Width (W)	Height (H) 700mm	Height (H) 800mm
700 mm	25003070	-
800 mm	25003080	25009080
900 mm	25003090	25009090
1000 mm	25003100	25009100
1200 mm	25003120	25009100
1300 mm	25003130	25009130
1400 mm	25003140	25009140
1600 mm	25003160	25009160





ISEO

Perfect lighting all around

DIMENSIONS

Ø 600 | Ø 800 | Ø 1000

FINISH

	Matt silver		White
	Anthracite		Creme
	Black		

STANDARD OPTIONS

- On / off switch
- Adjustable brightness
- Colour temperature
2800k, 4300k, 6000k
- CE Certified
- IP44 (Zone 2 & 3)


EXTRA OPTIONS

- Custom logo

REMOTE CONTROL



ISEO



Standard options

- On / off switch
- Adjustable brightness
- Colour temperature 2800k, 4300k, 6000k

Extra options

Article code

	Custom logo	25012005
--	-------------	----------



Remote control included


Customization - on request

Energy label:

A

600 mm	11 W	1200 lm
800 mm	15 W	1700 lm
1000 mm	19 W	2100 lm


MATT SILVER FRAME



Diameter (D) Article code

600 mm	25018060
800 mm	25018080
1000 mm	25018100

ANTHRACITE FRAME



Diameter (D) Article code

600 mm	25015060
800 mm	25015080
1000 mm	25015100


ISEO

BLACK FRAME



Diameter (D)	Article code
600 mm	25013060
800 mm	25013080
1000 mm	25013100

WHITE FRAME



Diameter (D)	Article code
600 mm	25017060
800 mm	25017080
1000 mm	25017100

CREME FRAME



Diameter (D)	Article code
600 mm	25016060
800 mm	25016080
1000 mm	25016100





VICTORIA

Ultra-chic with indirect lighting

DIMENSIONS

Ø 400 | Ø 600 | Ø 800 | Ø 1000 | Ø 1200


STANDARD OPTIONS

- CE Certified
- IP44 (Zone 2 & 3)
- Indirect lighting

EXTRA OPTIONS

- Custom logo

VICTORIA



Standard options

- Indirect lighting
- CE Certified
- IP₄₄ (Zone 2 & 3)

Extra options

Article code

<input checked="" type="checkbox"/> LOGO	Custom logo	25012005
--	-------------	----------

Custom dimensions are available on request

Energy label:

A		
400 mm	5 W	400 lm
600 mm	6 W	530 lm
800 mm	8 W	660 lm
1000 mm	11 W	925 lm
1200 mm	14 W	1185 lm

BACKLIT MIRROR WITH BEVELLED EDGE



Diameter (D) Article code

400 mm	25014040
600 mm	25014060
800 mm	25014080
1000 mm	25014100
1200 mm	25014120

