

AD-18/D-3512-DF-A

Rev. B

The antenna AD-18/D-3512-DF is a wideband monopole VHF/UHF mobile antenna for frequency range from 30 to 512 MHz with the antenna diplexer built inside the antenna housing, enables connection of the two separate VHF and UHF radio units on the same antenna.

The antenna is composed of two main parts: antenna base and radiator. The antenna base is made of aluminum and durable plastic materials. Inside the base is the matching circuitry for the VHF/UHF antenna radiator together with the VHF/UHF diplexer which enables separate feed for VHF and UHF signals. Stainless steel spring above the housing absorbs the shocks and the vibrations, in addition protects the antenna against impacts. Two sections antenna radiator are made of brass tubing enclosed in strong and durable fiberglass radome

The antenna base has four mounting holes equally spaced on a 4.5" (114.3) mm) circle which complies with NATO and US army standard.

The antenna radiator is painted MIL Green while the antenna base with the spring is black colour.

ELECTRICAL SPECIFICATIONS:

Frequency range (MHz) Impedance (Ohms)

VSWR

Gain (dB)

Port to port isolation (dB)

Polarization

Maximum power (W)

Connector

MECHANICAL SPECIFICATIONS:

Height (m) Weight (kg)

Max. high voltage rating (kV) Temperature range - in use (°C) Temperature range - in stock (°C)

Wind rating (km/h)

Color

30 - 88 (VHF); 225 - 512 (UHF)

50

< 3,5

-6 ... +3 (see diagram)

> 45

vert.

75 CW avg.; 100 max. BNC female (VHF), N female (UHF)

2.77 m 4.8 kg

16 kV

-50 ... +55 °C

-55 ... +75 °C 160


MIL Green - Black

AUTHORIZED USA DISTRIBUTION BY:

Cyntony Corporation 195 Follen Road Lexington, Massachusetts sales@cyntony.com 781-430-0675







VSWR

5

