

TOUCH DEMO 1-5 P TBD

Touch TASEL® display glass

TOUCH DEMO 1-5 P FOX is a bundle of TASEL® display panel (Lumineq Touch TASEL display), flexible printed circuit (FPC) cables and driving electronics. With the product, Lumineq customers can experiment with integrated touch technology.

The package comes with

- Display, driving electronics, power supply, documentation, cabling (no mechanics)

Thickness of the glass parts is 2.2 mm with the cover glass.

Lumineq TASEL Introduction Package (TIP) with Touch Display Glass

			Display Technical specifications:	
Product Description:			Technology	Thin Film Electroluminescence
•			Color	TFEL-yellow
•			Segments	14 predefined segments of which 4 relate to touch functionality; "+", "-", "Up" and "Down" triangles.
•			Viewing angle	2x 179° (two sides - substrate is transparent)
•			Response time	< 1 ms
•			Luminance	Typ. 20-800 cd/m ² (adjustable)
			Contrast	ambient (background lighting) dependent; daylight readable
Product highlights:			Transparency	~80%
• Display with build-in touch functionality			Glass size nominal (wo. FPC)	77.34 mm (height) x 100.0 mm (width)
• Comes with necessary electrical parts, cabling and documents			Power consumption	< 3 W
Ordering Information:			Temperature	Display glass: -100 to +105 °C Electronics: Office environment
Product	Part number	Features	Warranty	3 months
TOUCH DEMO 1-5 P FOX	EL00070800	Touch display glass and peripherals		

Products/parts denoted with* can also be ordered separately. Beneq, Lumineq and TASEL are all registered trademarks of Beneq Oy. Technical information in this document is subject to change without notice. Oct/2020. © Beneq Oy.