



BERTRAM

35FB

A MODERN TAKE ON THE BERTRAM CLASSIC




MODEL YEAR 2025



Gray interior package shown above.



Blue and white exterior upholstery package shown above.



BERTRAM 35FB

A modern take on a Bertram classic. The iconic spirit of Bertram’s legacy lives on in our 35. Inspired by our classic 31, the Bertram 35 blends the innovative luxuries expected of our brand, a tradition of quality, with a new beamier, longer hull and capabilities of being fully fish-rigged.

BERTRAM 35FB

OVERVIEW

SPECIFICATIONS

Length Overall (Hull)	35'1" (10.69 m)
Length at Waterline	31'5" (9.58 m)
Overall Beam	12'3" (3.73 m)
Draft (@DWL)	2'9" (0.84 m)
Transom Deadrise	21°
Seakeeper	6
Displacement (Dry with Standard Engines)	17,937 LBS (8,140 Kg)
Displacement (Full-Load)	22,631 LBS (10,270 Kg)
Fuel Capacity	310 GAL (1,173 L)
Freshwater Capacity	50 GAL (189 L)
Waste Holding Tank	30 GAL (114 L)
Engines	Twin 507 mHP CAT C7.1

WARRANTY

Structural Hull	10 Years
Materials, Components, & Accessories	3 Years
Canvas and Upholstery	1 Year





BERTRAM 35FB

STANDARD EQUIPMENT

HULL AND DECK CONSTRUCTION

- White gel-coated hull and deck
- Painted boot stripe
- Hull infused using vinylester blend resin with solid fiberglass bottom and cored sides. Keel and strakes are reinforced with Kevlar.
- Molded, yacht-finish, sand-texture non-skid gelcoat on deck surfaces
- Deck and FRP components molded vinylester blend construction
- Hatches and doors with FRP liners
- Heavy-duty white vinyl rub rail with solid stainless insert and end caps
- Anti-fouling bottom paint
- Commissioning kit

HELM STATION AND FLYBRIDGE

- 3X Pompanette P2000 helm chairs
- Palm Beach style engine controls with integrated bow thruster controls
- CAT Marine 7" color display
- Compass
- Molded footrest
- 2X waterproof JL Audio speakers
- Stainless steel steering wheel
- Drink box and storage compartment with drains
- USB outlet
- JL Audio Sound System Source Unit

DECK AND COCKPIT

- Anchor with chain and rode accessed from foredeck
- Custom stainless steel bow chock
- Self-draining anchor locker
- Stainless steel bow rail
- Stainless steel flybridge ladder with teak steps
- 8X cleats: (2X 10" cleats at the bow, 4X 8" spring pull up style cleats, 2X 12" stern cleats with hawse pipes)
- Cockpit (port/stbd) under-gunwale storage with doors
- Tinted frameless tempered glass house windows
- 2" diameter fuel fills (port/stbd) and 1 1/2" diameter water fill and 1 1/2" diameter dockside pump out
- Foredeck hatch 19" with screen
- Port/stbd removable fish boxes in cockpit with macerators for each. Lids supported and gasketed with compression latches
- LED courtesy cockpit lights
- Power actuated engine room hatch with external jumper power studs, removable pin and manual service lift point
- Transom door with separate integral top gate
- Transom live well with aquarium view
- Rod holders (4X each in gunwale)
- 12-volt electric reel sockets in cockpit under gunwale
- 2X waterproof JL Audio speakers
- Raw water washdown
- Freshwater washdown shower with hot/cold functions
- Engine box cushions with removable headrests
- Sliding white powder-coated aluminium salon door
- Frameless port/stbd aft salon windows
- 4X fender hangers, stainless-steel flush mount

SALON AND GALLEY

- 120-volt AC GFCI receptacles
- 16,000 BTU air conditioning (reverse cycle heat) with sound shield
- Amtico teak and holly flooring
- LED lighting overhead with dimmer switches
- LED indirect lighting
- Large U-shaped seating with teak dinette table (converts to berth with filler)
- Large overhead rod locker storage
- 120-volt AC double drawer Sub Zero drawer refrigerator/freezer with ice maker and sea catches
- Two-burner induction cooktop
- Designer cabinets with soft close mechanism
- Solid surface countertop with custom stainless-steel sink and hot/cold faucet
- Microwave oven
- Subwoofer, amplifier, and 2X JL Audio speakers
- USB outlets



BERTRAM 35FB

STANDARD EQUIPMENT

STATEROOM

- 120-volt AC GFCI receptacle
- Offset queen berth with large access to integrated storage beneath
- Nightstand with solid surface top and stainless-steel grab rail
- Cedar-lined hanging locker. Door converts to privacy feature for stateroom
- Designer cabinets with soft close mechanism
- Custom mattress with spread and shams
- LED overhead lighting with dimmer switches
- LED indirect lighting
- HD 24" TV with digital antenna
- Amtico teak and holly flooring

HEAD

- 120-volt AC GFCI receptacle
- LED overhead lighting with indirect on dimmer switches
- Designer cabinetry with soft close mechanism
- Corian countertop with porcelain sink
- Contemporary swivel and tilt faucet with hot/cold
- Exhaust blower
- Macerating marine toilet (freshwater) with key operated overboard discharge and dockside pumpout
- Flexible handheld shower head with hot/cold water
- Air conditioning vent
- Automatic shower sump

ELECTRICAL SYSTEMS

- 50-amp shore power with 30' shore power cord
- 12/24-volt main distribution panel with voltmeter, generator controls, magnetic circuit breakers and shore power selector switches
- 24-volt Mastervolt battery charger
- LED light fixtures on dimmers
- Vimar outlets and switches
- Alarm monitor panel with bilge flood signal for three compartments
- Flybridge main engine control panel
- 6X AGM heavy-duty batteries (4X house and 2X starting batteries)
- Bonding system with galvanic isolator
- Navigation lights, LED incorporated into the bridge
- NMEA2K digital network
- Digital fuel transfer control at helm

MECHANICAL SYSTEMS

- Twin 507 mHP CAT C7.1, turbo charged main engines with vibration dampening isolators, twin disc gears and controls, engine driven alternators, dual racor filters and custom exhaust
- Seakeeper stabilizer
- 24-volt bow thruster
- Electronic engine controls
- Oil change system
- Engine room intake and exhaust blowers with demister
- Engine room sound absorption insulation
- Isotherm 6.5-gallon electric water heater
- Aquamet 22 shafts 2" diameter
- High-performance rudders and struts
- Engine and machinery room LED lighting
- 2X heavy-duty aluminium epoxy-coated fuel tanks
- Fixed fire suppression system for engine and machinery spaces with emergency engine shutdown system plus audible and visual discharge indicators
- Seastar Optimus EPS hydraulic steering, power assisted
- Bronze seawater strainers for generator, air conditioning and raw water pumps
- Bronze seacocks on all underwater thru-hull fittings
- Bilge pumps (3X @ 2000 gph) automatic/manual
- 7.1 kW Mase generator with sound shield
- Grey water sump with automatic discharge for head shower and sink
- Electric trim tabs with zincs
- Hull zinc, recess transom mounted
- Bottom paint with epoxy primer coat
- Roto-molded 28-gallon holding tank with level indicator, electrical pump-out and plumbed for dockside pump-out
- Pressurized freshwater system with regulated dockside freshwater supply
- Roto-molded 48-gallon freshwater tank equipped with level indicators



BERTRAM 35FB

OPTIONAL EQUIPMENT

BASE

Standard Package includes Twin CAT C7.1 Engines, Seakeeper & Bow Thruster

EXTERIOR COLORS & TRIM

- Custom Hull Paint, Awlcraft 2000 Solid Color
- Custom Boot Stripe, Awlcraft 2000 Solid Color (Single Color Boot Strip Standard)
- Custom House Stripe, Awlcraft 2000 Solid Color
- Custom Bottom Paint (Black Standard)

CONFIGURATIONS

- Swim platform with under mount swim ladder
- Bow Pulpit W/ Anchor Windlass And Chocks

DECK AND COCKPIT

- All Chain Anchor Tackle Upgrade - 200’ 5/16’ (Replaces Standard 200’ Rode and 20’ Chain)
- Upholstered Cockpit Coamings
- Quick Release Fender Lock Cleats
- Upgrade Helm Chairs to Pompanette Decorus with Teak Package

INTERIOR

- Grey interior upholstery and grey and white striped exterior upholstery



Blue interior upholstery and Blue and white striped exterior upholstery



NAVIGATION & ELECTRONICS

- Garmin Dual Display, Sounder and Transducer Base Package (Includes: Garmin Dual GPSMAP 8616/8616xsv 16” Multifunction Displays, Airmar B175M CHIRP Transducer, Garmin SD Card Reader, Garmin GMS 10 Network Port Expander, Garmin GPS 24xd External Receive/Antenna, Garmin Grid Remote Input Device, Garmin VHF 215 Marine Radio with 8’ Antenna & Ratchet Mount)
- Dual Airmar B175HW & B175L CHIRP Transducers With Garmin GSD 25 CHIRP Premium Sounder (Replaces B175M Transducer)
- Garmin GMR Fantom 254 4-Foot 250W Solid State Open Array Radar and Pedestal
- Garmin GMR Fantom 54 4-Foot 50W Solid State Open Array Radar and Pedestal
- Garmin GMR Fantom 24 50W Solid State Radome Radar
- FLIR M232 Pan/Tilt Thermal Image Camera With Joystick Control
- Garmin GHS 11 Wired VHF Handset - Remote Mic for 2nd Location
- Garmin AIS 800 Blackbox Transceiver
- Twin 16’ Shakespeare Antennas: Galaxy VHF Marine Band Antenna and Galaxy AM/FM Antenna with Base Mounts and Standoffs (Replaces Standard 8’ VHF Antenna with Navigation Package)
- Shakespeare AM/FM Stereo Antenna (For Symmetry With Navigation Package VHF Antenna)
- Garmin GXM54 SiriusXM Weather and Radio Antenna
- Garmin Reactor 40 Autopilot
- LED Searchlight with Controller - ACR RCL100

TOPS & RAILS

- Hardtop: Molded Fiberglass Hardtop, Aluminum Structure With Dual Ladders To Coverboards, Aft Bridge Rail With 6 Rod Holders, Side Ladder Treads, LED Spreader Lights, LED Overhead Lights, Molded Platform For Radar, Collapsible VHF Antenna Mount
- Custom Aft Bridge Rail Bench Seat with Rod Holders - Integrated with Hardtop Structure (Net Price for Reference Only - Subject to Custom Pricing Based on Configuration & Content)
- Bow Rail, Aluminum - Replaces Standard 4 Stanchion Rail (Subject to Custom Pricing)

FISHING FEATURES

- Custom 4 hole Leaning Post
- Rupp Single Spreader Outriggers
- Rupp Sidekick Outriggers - 18’
- Add 2 x 24 Volt Power Outlets in Cockpit (12V Standard)
- Additional Gunnel Mount Rod Holders - 15 Degree
- Additional Gunnel Mount Rod Holders - 0 Degree
- Additional Gunnel Mount Cup Type Rod Holders - 15 Degree

ENCLOSURES, CANVAS & COVERS

- Three Side Hardtop Enclosure
- Add Aft Panels to Hardtop Enclosure to Complete Enclosure
- Cockpit Bimini Top: Stainless

- Aft Deck Awning With Carbon Fiber Supports
- Aft Deck Slant-Back Canvas Cover
- Black Mesh Privacy Curtain For Front Windows With Snaps
- Helm Cover

TEAK & TRIM

- Varnished, High Gloss, Teak Helm Pod
- Teak Cockpit Sole
- Teak Cockpit Coverboards
- Teak Cockpit Coaming
- Faux Teak Helm Pod

MECHANICAL/ELECTRICAL

- Propeller Line Cutters, Spurs
- Dry Bilge System - 2 Zone
- Transom Under Water Lights LED RGBW Color Selectable (Price Per Pair - 1 or 2)

ADDITIONAL OPTIONS

- Euro/CE Spec And CE Certification: Includes 220V/50Hz Electrical Systems
- 220V/50Hz Electrical System



DRIVEN BY EXCELLENCE
INSPIRED BY TRADITION

Bertram Yachts LLC
www.bertram.com | +1 (813) 527-9899

Products shown may include optional or dealer installed equipment. All prices are Ex Works (Tampa, Florida, United States of America) and do not include taxes, duties, customs duties, transport costs or any other costs or expenses not specified. Bertram Yachts LLC reserves the right to change, without notice and at its sole discretion, prices, specifications, equipment and options. For further information regarding product configuration, pricing, and to confirm availability of all accessories and equipment, please contact an authorized Bertram Yachts dealer.