

PolarisTrailers2014Brochure.indd 1 (b) 10/11/2016 11:48:44 AM

STANDARD FEATURES

- » All Aluminum Box Tube Construction
- » Torsion Ride Axles (Leaf Spring on PATV83x14)
- » Marine Tech Aqua-Ply Decking
- » 5/4" Pressure Treated Deck Boards (83-Wide Models)
- » Removable Side Ramps (88 & 96-Wide Models)
- » Rear Stowaway Ramp (DL Models)
- » Surface-Mount D-Rings (Not Standard on 83-Wide)
- » Recessed Rubber-Mounted Lights
- » 2" Coupler w/ Safety Chains
- » 1 Year Limited Warranty



PATV84x99DL » Standard Model

(

NEW PATV83x20

PATV83x14

PATV88x14 » Standard Mo

WWW.POLARIS-TRAILERS.COM

(



PolarisTrailers2014Brochure.indd 3 10/11/2016 11:48:57 AM

WWW.POLARIS-TRAILERS.COM



DURALITE UTILITY FEATURES

- » All Aluminum Box Tube Construction
- » 1/2" Plywood or Extruded Aluminum Decking
- » 3.5K Leaf Spring Axle w/ 4" Drop (2K on 48" Model)
- 46" Fold Down Rear Ramp (Tilt Model on 48" Model; No Rear Ramp)
- » Polished Removable Aluminum Fenders
- » Bullet LED Marker Lights
- » Triple Tube Box Tube Tongue
- Recessed and Hidden Wiring
- 4 Year Limited Warranty

NEW POLARIS DURALITE SERIES

We have reinvented the Polaris° Trailers Duralite Utility Series! This new product will come standard with the same side extrusion as the standard Polaris° Trailers Utility Series. Other key new features include bullet LED lights, aluminum rims on aluminum decked models and a 3.5K leaf spring axle with a 4" drop. With sizes ranging from 48x8 to 80x14 and featuring a brand new, stylish solid rail kit option, the Polaris Duralite Utility Series is sure to fit all of your hauling needs.

PU60x10DL-A

PU80x12DL-W

⊕POLARIS


Removable P-Cab Rail Kit

The premium removable P-Cab Aluminum Side Rail Kit gives you solid sides, protecting your cargo from some of the debris caused by normal travel.

The rail kit slides into stake pockets and maintains a low 9" profile so your cab doors can open and close freely while loaded.




WWW.POLARIS-TRAILERS.COM







TRUCK BEDS & DUMP TRAILER \ UTILITY



DUMP TRAILER FEATURES

AL09795

» All Aluminum Framework

- » Extruded Aluminum Decking
- » Braked Leaf Spring Axles
- » 15" White Mod Wheels
- » 17" Tall Aluminum Dump Body w/ Rear Swing Bar Doors
- » Diamond Plate Tongue-Mount Tool Box for Hydraulic Storage
- » 6" Filler Board Slots
- » Front Hoist System
- » Canvas Tarp System



POLARIS° TRAILERS ALL ALUMINUM DUMP TRAILER NOW AVAILABLE IN 7x14!

NOTES

Ŋ¢

WWW.POLARIS-TRAILERS.CON

(

07


CARGO / ENCLOSED

PC6x12-L

LITE CARGO FEATURES

- » All Aluminum Construction
- » Leaf Spring Axles
- » 5/8" Advantech™ Decking (5/6-Wide Models)
- » 3/4" Advantech™ Decking (7-Wide Models)
- » Luan Interior Walls (3/8" Plywood on 7-Wides)
- » Rear Barn Doors (-OR- Rear Ramp 5/6-Wides)
- » Economy Side Access Door w/ Locking Bar
- » White Mod Wheels w/ Bias Ply Tires
- Wheel Jack





VICTORY RED

INDIGO BLUE

CHARCOAL

PEWTER METALLIC

BLACK

BRANDYWINE



ENCLOSED \CARGO

STD CARGO FEATURES

- All Aluminum Box Tube Construction
- Torsion Ride Axles
- » 5/8" Advantech™ Decking (5-Wide Models)
- » 3/4" Advantech™ Decking (6.5/8.5-Wide Models)
- » White Luan Interior Walls
- Rear Barn Doors
- Deluxe Side Access Door w/ Paddle Handle
- » White Mod Wheels w/ Radial Tires
- Wheel Jack



Available on 6.5-wide Polaris® Trailers cargo trailers, the Side-By-Side options package outfits your trailer to haul nearly any UTV model on the



market. Combining a number of quality upgrades at a discounted price point, your wallet will be as happy as your Ranger®.



- 6" Extra Box Height & Upgrade to 7' Box Width
- » Upgrade to Rear Ramp Door w/ Spring Assist



» Shown w/ Options

PC6.5x12 » Shown w/ Options

NOTES

 \bigoplus

80

WWW.POLARIS-TRAILERS.CON

ENCLOSED MC FEATURES

- » All Aluminum Box Tube Construction
- » Torsion Ride Axles
- » 3/4" Advantech™ Decking
- » White Luan Interior Walls
- » 32" x 66" Side Access Door w/ Paddle Handle
- » Rear Ramp Door w/ Spring Assist
- » LED Exterior Lights
- » Wheel Jack
- » Rear Stabilizer Jacks
- » 2" Coupler w/ Safety Chains



VICTORY VICTORY

OPEN MOTORCYCLE

Packed with quality features like extruded aluminum decking, torsion ride axles, aluminum wheels and a stow-away loading ramp, you'll eliminate the hassle of transporting your bikes to your next riding destination...and you'll look good doing it. With single and tandem models available, feel free to take a friend along.

VICTORY

LIMITED

POMC5x8

Built from the highest quality materials and components, by the industry's most talented craftsmen, ALCOM LLC stands tall behind every product we manufacture. Think of our "Limited Lifetime Warranty" as an invitation for you to share in that confidence. Now offered on all Polaris® enclosed cargo trailers (excluding "Lite" models), we want you to tow your trailer with a sense of reliability, and pride, from the moment you leave the lot.

WWW.POLARIS-TRAILERS.COM



Built to the same demanding standards as our enclosed cargo and car hauler lines, Polaris* Trailers Goosenecks epitomize quality, strength and versatility. Combining our comprehensive list of options and accessories with standard box lengths from 24 to 53 feet, it's never been easier to customize the ideal



PEG8.5x42

GOOSENECK FEATURES

- All Aluminum Box Tube Construction
- Smooth .030" Aluminum Side Panels (Screwless)
- One-Piece (Seamless) Aluminum Roof
- 96" Tapered Gooseneck Attic
- 82" Standard Interior Height
- » 16" O/C Crossmembers
- » 3/4" Advantech® Decking
- White Luan Interior Walls w/ T-Channel Trim
- Heavy Duty Rear Ramp Door w/ Spring Assist & Beavertail
- » 32" x 72" Side Access Door w/ Recessed Step Well
- » Tandem 5200# Dexter® Torsion-Ride Axles (Up to 38' Overall)
- » Triple 5200# Dexter® Torsion-Ride Axles (40' - 53' Overall)
- » 15" 225/75R15 Radials
- Adjustable Ball-Style Gooseneck Hitch
- » Interior Dome Lights
- » Polished Aluminum Fender Flares
- » Polished Stainless Steel Hinges & Fasteners
- » Manual Landing Gear
- » (4) 5000# Heavy Duty Recessed D-Rings
- » Manual Roof Vent
- Limited Lifetime Warranty

NEW FOR 2014!

Combining the best features of our Gooseneck and industryading Extreme Weather All-Sport Car Haulers, our new PEG-EW series comes standard with an angled side ramp, giving you access to any terrain and providing superior hauling flexibility.

POPULAR OPTIONS Extra Height

Upgrade to Electric Landing Gear

trailer for your towing application.

- Upgrade to .040" or .050" Exterior Skin
- 24" Anodized Aluminum Trim Panel
- 24" Stainless Steel Trim Panel
- Upgrade to 3/8" Plywood Walls (Interior)
- .030" Aluminum Interior Walls & Ceiling
- Upgrade to Extruded Aluminum Decking
- Upgrade to Quad-Ply Flooring
- Upgrade to Aluminum Wheels
- **Radius Sliding Windows**
- Midship Turn Signals
- Generator Storage Compartment(s)
- **Custom Cabinets & Cabinet Packages**



PolarisTrailers2014Brochure.indd 12 \bigoplus 10/11/2016 11:49:38 AM



ALL-SPORT PACKAGE\LETSURE

The Polaris Trailers "All-Sport" package has transformed our standard enclosed car haulers into four-season towing machines. Eliminate the need for multiple trailers by investing in a single unit, equipped to do it all. From cars and bikes, to sleds and ATVs, you'll discover features that maximize the trailer's versatility, as if it had been custom-built around each specific cargo type.

ALL-SPORT FEATURES

- **All Aluminum Box Tube Construction**
- 3/4" Advantech™ Decking
- Screwless .030" Exterior Side Panels
- » 32" x 72" Side Access Door w/ Paddle Handle
- Front & Rear Ramp Doors w/ Spring Assist
 - » Tandem 5200# Torsion Ride Axles
 - 15" White Mod Wheels w/ 225/75R15 Tires
 - White Luan-Backed Vinyl Walls Ceiling
 - Drive-Over Fender Kit
 - (4) 5000# Heavy Duty Recessed D-Rings
 - Limited Lifetime Warranty

PCH8.5x24-AS

See your dealer for a complete list of packages and options!



REVERSE BEAVERTAIL

For those of you who prefer the style and towability of our inline models, but need a little extra clearance to get you to your next riding destination, check out our "reverse beavertail". Tapering the framework upward, at the rear of the trailer, we've gained an addtional 5" of valuable clearance. No more "dragging bottom" as you leave the gas station and head for the trail.

EXTREME WEATHER PACKAGE

The "Extreme Weather Package" is designed to maximize your trailers' functionality while protecting you, your sleds, and your gear from the harsh winter elements. Whether you're warming up, or in need of a comfortable shelter to tinker on your machine, the "Extreme Weather Package" has you covered. Literally.

Extreme Weather Package Features

- Insulated White Walls & Ceiling (3/4" Foam) » Marine-Grade Battery
- > 110V Power Package w/ 30A Panel
- » Deluxe 2-Door Wraparound Cabinet
- 20# Propane Tank

- (w/ Furnace Compartment & Vented Battery Box)
- 35,000 BTU Furnace w/ Thermostat

| м | | т | Г | r |
|----|---|---|---|---|
| V. | ш | | r | - |



PolarisTrailers2014Brochure.indd 14 10/11/2016 11:49:47 AM

- » All Aluminum Construction
- Torsion Ride Axles
- » Marine Tech Aqua-Ply Decking
- » 8" -OR- 10" Steel Wheels
- » Anti-Rattle System (Excludes Duralite Models)
- Wishbone-Style Tongue (Excludes Duralite Models)
- Adjustable Tie-Down System
- » Recessed Rubber-Mounted Lights
- » 1 Year Limited Warranty (Single Place & DL Models)
- 4 Year Limited Warranty (Premier, LV & V Models)

PFS101x10S » Shown w/ Options

PFS101x22V

» Shown w/ Options

SINGLE PLACE COMBO

Shown on PFSB0x10S

W/ Options

CAPS/COVERS

The Polaris" Trailers all aluminum covers feature 16" O/C crossmembers, .019" corrugated side and roof skins, a radius diamond plate stoneguard, and a front access door, our covers are guaranteed to outperform and outlast the competition.

*Covers built at Maine location only

12' COMBO » Shown on PFS101x12P w/ Options

PFS101x12LV » Shown w/ Options



NOTES

CROSSOVER SNOW

- » All Aluminum Construction
- Torsion Ride Axles
- » 5/8" Advantech™ Decking
- » 12" Plywood Interior Kickplate
- » 19" x 58" Front Access Door
- » Rear Ramp Door w/ Spring Assist
- » Wishbone-Style Tongue w/ Straight Coupler
- » Adjustable Tie-Down System
- LED Exterior Lights
- Wheel Jack



PFS7.5x16 CROSSOVER # PGLARIS

The Polaris® Trailers Crossover model marks another revolution in the snowmobile trailer market. Modeling the base frame after our popular open snow trailers, the Crossover's enclosure features .030" exterior skin and a rear ramp door with spring assist, similar to our enclosed snow trailer products.

Bottom line? The Polaris® Trailers Crossover is lightweight, aerodynamic, and as versatile as any other model in our lineup. If that's not enough to get you interested, check out the price.

PPGLARIS

PFS101x20 CROSSOVER

NWW.POLARIS-TRAILERS.COM



PolarisTrailers2014Brochure.indd 17 10/11/2016 11:50:02 AM

WWW.POLARIS-TRAILERS.COM

MISC. SPECIALTY



PMT FEATURES

- » All Aluminum Construction
- » Torsion Ride Axle
- » 12" Aluminum Spoke Wheels
- » Smooth .030" Exterior Side Panels
- » One Piece Seamless Aluminum Roof
- » Top-Lift Access Hatch w/ Gas Prop Lift Assist
- » Polished Aluminum Fenders
- » Radius Diamond Plate Stoneguard
- » LED Exterior Lighting
- » Checkerboard Flooring w/ 5/8" Advantech Backer
- » White Luan-Backed Interior Walls & Ceiling
- 4 Year Limited Warranty

MULTI-PURPOSE TRAVEL TRAILERS


Our multi-purpose travel trailer will enhance the functionality of your tow vehicle. Reconfigured with a deluxe lift-top design, the PMT3x4 and new PMT4x6 feature 12" aluminum wheels, LED exterior lighting and a fully finished interior. Add an optional roof-top luggage rack or tongue-mounted cooler tray and you're off to the races...literally.

The PMT3x4 is designed for use with compact passenger vehicles only. By no means does Polaris, or any of its affiliates, recommend towing this trailer behind a motorcycle.





- » All Aluminum Construction
- » Leaf Spring Idler Axle(s)
- » Pressure Treated Bunks w/ ABS Glide-Ons™
- » 8" Steel Wheels (PPWC1) / 13" White Mod (PPWC2)
- » Manual Loading Winch
- » Bolt-On ABS Fenders
- Recessed Rubber-Mounted Lights
- » Wheel Jack
 - » 1 Year Limited Warranty



PPWC1

PPWC2

Standard Model

PMT4x6 » Standard Model

WWW.POLARIS-TRAILERS.COM

SPECIFICATIONS

SPECS NOTES


| MODEL | PAGE | OVERALL DIMENSIONS (LxWxH) | DECK / INTERIOR DIMENSIONS (LxWxH) | DECKING | AXLE(S) | PAYLOAD Capacity | CURB WEIGHT | LIMITED Warranty |
|-----------------|------|-------------------------------|---------------------------------------|------------------------------|-----------------------------|---------------------|-------------|---------------------|
| PATV83x10 | 1 | 14' x 102" | 10' x 83" | 5/4" Pressure Treated Boards | (1) 3500# Leaf Spring Idler | 2292# | 698# | 1 Year |
| PATV88x14 | 1 | 18' x 92" | 168" x 88" | 5/4" Pressure Treated Boards | (1) 3500# Torsion Idler | 2086# | 904# | 1 Year |
| PATV83x14 | 1 | 18' x 102" | 14' x 83" | 1/2 " Marine Tech Plywood | (1) 3500# Leaf Spring Idler | 2990# | 425# | 1 Year |
| PATV84x99DL | 1 | 12' x 85" | 97" x 84" | 1/2 " Marine Tech Plywood | (1) 2200# Torsion Idler | 2200# | 320# | 1 Year |
| RANGER 12 | 2 | 16' x 94" | 144" x 72" | 5/4" Pressure Treated Boards | (1)3500# Idler | 2190# | 800# | 4 Year |
| RANGER14-LA | 2 | 18' x 94" | 168" x 72" | Extruded Aluminum | (1) 3500# Idler | 2190# | 800# | 1 Year |
| RAZOR10-L | 2 | 14' x 82" | 10' x 5" | 5/4" Pressure Treated Boards | (1) 3500# Leaf Spring Idler | 1651# | 549# | 1 Year |
| PU6.5x12-A | 3 | 16' x 102" | 144" x 80" | Extruded Aluminum | (1) 3500# Torsion Idler | 2990# | 480# | 4 Year |
| PU5x10SSR | 3 | 14' x 82" | 118" x 57" | 1/2" Marine Tech Plywood | (1) 2200# Idler | 1785# | 415# | 1 Year |
| PU6.5x12FA | 3 | 16' x 102" | 142" x 77" | Extruded Aluminum | (1) 3500# Idler | 2510# | 480# | 4 Year |
| PD0101x18-A | 4 | 22' x 102" | 18' x 101" | Extruded Aluminum | (2) 5200# Braked | 8240# | 1750# | 4 Year |
| PLS6.5x14 | 4 | 18' x 102" | 168" x 80" | 5/4" Pressure Treated Boards | (2) 3500# Torsion Braked | 6000# | 1350# | 4 Year |
| PC6x12-L | 5 | 16' x 94" x 96" | 11' 9" x 69 1/2" x 6' 1" | 5/8" Advantech | (1) 3500# Idler | 2035# | 955# | 1 Year |
| PC5x8-L | 5 | 12' 4" x 80" x 86" | 7' 9" x 57 1/2" x 5' 4" | 5/8" Advantech | (1) 2200# Idler | 1370# | 830# | 1 Year |
| PC6.5x12 | 6 | 17' 7" x 101" x 8' 1" | 11' 10" x 77" x 76" | 3/4" Advantech | (1) 3500# Idler | 1690# | 1300# | Lifetime |
| PC6.5x14 | 6 | 19' 7" x 101" x 8' 1" | 13' 10" x 77" x 76" | 3/4" Advantech | (2) 3500# Braked | 4550# | 1450# | Lifetime |
| PEM7x14 | 7 | 19' 7" x 101" x 7' 8" | 11' 10" x 81" x 70" | 3/4" Advantech | (2) 3500# Braked | 4300# | 1700# | Lifetime |
| POMC5x8 | 7 | 12' 1" x 82" | 96" x 60# | Extruded Aluminum | (1) 2200# Idler | 1800# | 400# | 4 Year |
| PCH8.5x22 | 8 | 26' 8" x 102" x 8' 3" | 21' 10" x 96" x 76" | 3/4" Advantech | (2) 3500# Braked | 4540# | 2710# | Lifetime |
| E-POCH8x18 | 8 | 20' 4" x 101" | 18' x 80" | 2" Pressure Treated Boards | (2) 3500# Braked | 1160# | 1160# | 1 Year |
| POCH8x18 | 8 | 22' 4" x 102" | 18' x 80" | Extruded Aluminum | (2) 3500# Braked | 5850# | 1400# | 4 Year |
| PEG8.5x53 | 9 | 22' 4" x 102" | 18' x 80" | Extruded Aluminum | (2) 3500# Torsion Braked | 7250# | 1400# | Lifetime |
| PES101x22 | 10 | 28' 3" x 101" x 8' 8" | 21' 10" x 98" x 76" | 3/4" Advantech | (2) 3500# Braked | 3760# | 2240# | Lifetime |
| PES7.5x18 | 10 | 24' 9" x 102" 8' 3" | 17' 10" x 87" x 76" | 3/4" Advantech | (2) 3500# Braked | 4065# | 1935# | Lifetime |
| PES101x14 | 10 | 20' 3" x 101" x 8' 8" | 13' 10" x 98" x 76" | 3/4" Advantech | (2) 2200# Braked | 2735# | 1665# | Lifetime |
| PFS101x20V | 11 | 26' x 101" | 20' x 101" | 1/2" Marine Tech | (2) 2200# Braked | 3325# | 1075" | 4 Year |
| PFS101x12LV | 11 | 18' x 101" | 12' x 101" | 1/2" Marine Tech | (1) 2200# Idler | 1625# | 575# | 4 Year |
| PFS101x12 CROSS | 12 | 16' 2" x 102" x 7' 8" | 11' 10" x 98" x 64" | 5/8" Advantech | (1) 3500# Idler | 2115# | 875# | 4 Year |
| PFS7.5x16 CROSS | 12 | 20' 2" x 91" x 7' 8" | 15' 10" x 87" x 64" | 5/8" Advantech | (2) 2200# Braked | 3010# | 1390# | 4 Year |
| PFS101x20 CROSS | 12 | 24' 2" x 102" 7' 8" | 19' 10" x 98" x 64" | 5/8" Advantech | (2) 2200# Braked | 2660# | 1740# | 4 Year |
| PMT3x4 | 13 | 10' x 58" x 40" | 46" x 34" x 32" | 5/8" Advantech | (1) 1000# Idler | 799# | 200# | 4 Year |
| PPWC1 | 13 | 171" x 56" | 60" Adjustable Bunk | PT Bunks w/ ABS Glide-Ons | (1) 1500# Idler | 1225# | 275# | 1 Year |

DISCLAIMER: Information provided in this catalog was current at the time of print. Due to the availability of components, raw materials and improvement evaluations, ALCOM LLC reserves the right to change specifications and construction methods without obligation of notice.

NOTES

18

PolarisTrailers2014Brochure.indd 19 10/11/2016 11:50:10 AM





Polaris and its vehicle body designs and names are registered trademarks of Polaris Industries Inc. used under license. Polaris designs, engineers, manufactures and markets snowmobiles, all-terrain vehicles (ATVs), Victory motorcycles and the Polaris RANGER for recreational and utility use. Information about the complete line of Polaris products, apparel and vehicle accessories is available from authorized Polaris dealers or anytime from the Polaris homepage at www.polarisindustries.com.



www.alcomusa.com

MAINE

6 Millennium Drive • Winslow, ME 04901 (207) 861-9800

SOUTH DAKOTA

501 East 52nd Stree N • Sioux Falls, SD 57104 (605) 338-2090

MONTANA

9063 Bonner Mill Road • Bonner, MT 59823 (406) 258-9739

Like Us On **f**

