

POLARIS[®]
TRAILERS

SPECBOOK



POLARIS[®]
TRAILERS

ALCOM LLC [COMPANY DIRECTORY]

MAINE

6 Millennium Drive
Winslow, ME 04901

P: 207-861-9800

F: 207-861-9500

SOUTH DAKOTA

501 East 52nd Street N
Sioux Falls, SD 57104

P: 605-338-2090

F: 877-670-5471

MONTANA

9063 Bonner Mill Road
Bonner, MT 59823

P: 406-258-9739

F: 406-552-1986

Notes:

SALES

DAN MILLS, Sales Director | 207-272-3683 | dmills@alcomusa.com

TOMMY WALL, Territory Manager | 260-227-1459 | twall@alcomusa.com

TIM MITCHELL, Territory Manager | 207-649-0027 | tmitchell@alcomusa.com

MIKE QUIMBY, Territory Manager | 207-242-4151 | mquimby@alcomusa.com

DARRELL PELOTTE, Inside Sales | 207-861-9800 | dpelotte@alcomusa.com

AARON SUACIER, Parts & Inside Sales | 207-861-9800 | asaucier@alcomusa.com

CUSTOMER SERVICE

KIM TARR, Account Support Rep | 207-861-9800 | ktarr@alcomusa.com

EMILY CARON, Account Support Rep | 207-861-9800 | ecaron@alcomusa.com

JOHN STEWART, Quality & Warranty Manager | 207-861-9800 | jstewart@alcomusa.com

JAMIE PHAIR, Shipping/Logistics ME | 207-861-9800 | jphair@alcomusa.com













































MARTY GULLICKSON, Shipping/Logistics SD | 605-338-2090 | mgullickson@alcomusa.com

WENDELINN ZACHARIASEN, Shipping/Logistics MT | 406-258-9739 | afeeney@alcomusa.com

JENN ESTES, Customer Service | 207-861-9800 | jestes@alcomusa.com

PRICEBOOK [CONTENTS]

>> See the Polaris logo for the trailers we recommend for each unit <<

OPEN CARGO		ENCLOSED CARGO CONTINUED			
RANGER WOOD		4	8 WIDE 	29	
RANGER ALUMINUM		5	X SERIES 	30	
RZR WOOD		6	ENCLOSED CAR HAULER 	31	
RZR ALUMINUM		7	ADVANTAGE CAR HAULER 	32	
WR 2.0 W/ RAIL		8	ENCLOSE GOOSENECK 	33	
WR 2.0 W/ RAIL & ATV		9	OPTIONS 	34-39	
FA 2.0		10	ENCLOSED SNOW		
TA FA 2.0		11	7 WIDE DELUXE		40
FA TILT 2.0		12	7 WIDE ELITE		41
AR 2.0 (54"-66" WIDE)		13	DECKOVER DL		42
AR 2.0 (72"-80" WIDE)		14	DECKOVER BOONDOCKER		43
AR 2.0 RANGER 2		15	DECKOVER EWP		44
OCH 2.0 Wood Deck		16	ALL SPORT PEAK VALUE		45
OCH 2.0 Wood Deck 10k		17	ALL SPORT BOONDOCKER		46
OCH Aluminum Deck		18	ALL SPORT EWP		47
OCH Tilt		19	GOOSENECK EWP		48
WR 2.0 W/ RAIL 5' WIDE		20	101 WIDE CROSSOVER		49
83 WIDE ATV		21	7.5 WIDE CROSSOVER		50
88 WIDE ATV WOOD		22	OPTIONS		51-56
88 WIDE ATV ALUMINUM		23	OPEN SNOW		
SLINGSHOT		24	TILT		57
OPEN MOTORCYCLE 2.0		25	V-NOSE		58
PMT		26	SPORT DECK		59
ENCLOSED CARGO		SPECIALTY			
5/6 WIDE		27	UTV RACK 	60	
7 WIDE		28	PERSONAL WATERCRAFT	61	



Polaris and its vehicle body designs and names are registered trademarks of Polaris Industries Inc. used under license. Polaris designs, engineers, manufactures and markets snowmobiles, all-terrain vehicles (ATVs), Victory motorcycles and the Polaris RANGER for recreational and utility use. Information about the complete line of Polaris products, apparel and vehicle accessories is available from authorized Polaris dealers or anytime from the Polaris homepage at www.polarisindustries.com.

DISCLAIMER: Information provided in this pricebook was current at the time of print. Due to the availability of components, raw materials and improvement evaluations, ALCOM, INC. reserves the right to change specifications and construction methods without obligation of notice. In addition, photography and/or illustrations may display optional items available at additional cost to the trailer base price. Please contact an authorized Polaris Trailers dealer for additional information.

RANGER [WOOD DECK]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Leaf Spring Straight Idler Axle
- Fold Down Rear Ramp
- (4) Surface Mounted D-Rings
- (2) 5000# Safety Chains
- Limited 4 Year Warranty
- 5/4" Pressure Treated Decking (5/8" Plywood on 10')
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- Rear Ramp



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	RANGER10-W	RANGER12-W	RANGER14-W
DECK WxL	6'X10'	6'X12'	6'X14'
OVERALL WxL	94"X14'	94"X16'	94"X18'
DECK HEIGHT	20"	20"	20"
HITCH HEIGHT	16"	16"	16"
DECKING	5/8" Plywood	5/4" PT	5/4" PT
SURFACE MNT. D-RINGS	4	4	4
AXLES-QTY/RATING	1-2200#	1-3500#	1-3500#
WHEELS	13" Silver Mod	15" Silver Mod	15" Silver Mod
TIRES	175/80R13	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
CURB WEIGHT	420#	455#	490#
PAYLOAD	1780#	2535#	2500#
WHEEL JACK	Optional	Optional	Optional

POPULAR OPTIONS

PRICE UOM

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack
- Diamond Plate Spare Box

CONSTRUCTION OPTIONS

- Bi Fold Rear Ramp

WHEELS/TIRES

- Spare 13" Silver Mod
- Spare 15" Silver Mod
- Upgrade to 13" Alum
- Upgrade to 15" Alum
- Spare 13" Alum
- Spare 15" Alum


PCAB 9" RAIL KITS

- 10'
- 12'
- 14'

RANGER [ALUMINUM DECK]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Leaf Spring Straight Idler Axle
- Fold Down Rear Ramp
- (4) Surface Mounted D-Rings
- (2) 5000# Safety Chains
- Limited 4 Year Warranty
- Extruded Aluminum Decking
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- Rear Ramp



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	RANGER10-A	RANGER12-A	RANGER14-A
DECK WxL	6'X10'	6'X12'	6'X14'
OVERALL WxL	94"X14'	94"X16'	94"X18'
DECK HEIGHT	20"	20"	20"
HITCH HEIGHT	16"	16"	16"
DECKING	Extruded Aluminum	Extruded Aluminum	Extruded Aluminum
SURFACE MNT. D-RINGS	4	4	4
AXLES-QTY/RATING	1-2200#	1-3500#	1-3500#
WHEELS	14" Aluminum	14" Aluminum	14" Aluminum
TIRES	205/75R14	205/75R14	205/75R14
GVWR	2200#	2990#	2990#
CURB WEIGHT	420#	455#	490#
PAYLOAD	1780#	2535#	2500#
WHEEL JACK	Optional	Optional	Optional

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack
- Diamond Plate Spare Box

CONSTRUCTION OPTIONS

- Bi Fold Rear Ramp

WHEELS/TIRES

- Spare 14" Alum

PCAB 9" RAIL KITS

- 10'
- 12'
- 14'

RZR [WOOD DECK]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Leaf Spring Straight Idler Axle
- Fold Down Rear Ramp
- (4) Surface Mounted D-Rings
- (2) 5000# Safety Chains
- Limited 4 Year Warranty
- 5/4" Pressure Treated Decking (5/8" Plywood on 10')
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- Rear Ramp



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	RZR10-W	RZR12-W	RZR14-W
DECK WxL	6'X10'	6'X12'	6'X14'
OVERALL WxL	94"X14'	94"X16'	94"X18'
DECK HEIGHT	20"	20"	20"
HITCH HEIGHT	16"	16"	16"
DECKING	5/8" Plywood	5/4" PT	5/4" PT
SURFACE MNT. D-RINGS	4	4	4
AXLES-QTY/RATING	1-2200#	1-3500#	1-3500#
WHEELS	13" Silver Mod	15" Silver Mod	15" Silver Mod
TIRES	175/80R13	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
CURB WEIGHT	420#	455#	490#
PAYLOAD	1780#	2535#	2500#
WHEEL JACK	Optional	Optional	Optional

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack
- Diamond Plate Spare Box

CONSTRUCTION OPTIONS

- Bi Fold Rear Ramp

WHEELS/TIRES

- Spare 13" Silver Mod
- Spare 15" Silver Mod
- Upgrade to 13" Alum
- Upgrade to 15" Alum
- Spare 13" Alum
- Spare 15" Alum

PCAB 9" RAIL KITS

- 10'
- 12'
- 14'

RZR [ALUMINUM DECK]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Leaf Spring Straight Idler Axle
- Fold Down Rear Ramp
- (4) Surface Mounted D-Rings
- (2) 5000# Safety Chains
- Limited 4 Year Warranty
- Extruded Aluminum Decking
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- Rear Ramp



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	RZR10-A	RZR12-A	RZR14-A
DECK WxL	6'X10'	6'X12'	6'X14'
OVERALL WxL	94"X14'	94"X16'	94"X18'
DECK HEIGHT	20"	20"	20"
HITCH HEIGHT	16"	16"	16"
DECKING	Extruded Aluminum	Extruded Aluminum	Extruded Aluminum
SURFACE MNT. D-RINGS	4	4	4
AXLES-QTY/RATING	1-2200#	1-3500#	1-3500#
WHEELS	14" Aluminum	14" Aluminum	14" Aluminum
TIRES	205/75R14	205/75R14	205/75R14
GVWR	2200#	2990#	2990#
CURB WEIGHT	420#	455#	490#
PAYLOAD	1780#	2535#	2500#
WHEEL JACK	Optional	Optional	Optional

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack
- Diamond Plate Spare Box

WHEELS/TIRES

- Spare 14" Alum

PCAB 9" RAIL KITS

- 10'
- 12'
- 14'


CONSTRUCTION OPTIONS

- Bi Fold Rear Ramp

UTILITY [WR-2.0] 72/80-WIDE

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- 2"x8" Planking
- Leaf Spring Idler Straight Axle
- Lay Flat Rear Ramp
- Aluminum Fenders
- Fixed 1"x2" Rail Kit
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Two Piece Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- 2000# Center Jack
- Limited 4 Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU72x10WR-2.0	PU72x12WR-2.0	PU72x14WR-2.0	PU80x10WR-2.0	PU80x12WR-2.0	PU80x14WR-2.0
Deck WxL	72" x 120"	72" x 144"	72" x 168"	80" x 120"	80" x 144"	80" x 168"
Overall WxL	94" x 198"	94" x 222"	94" x 246"	100" x 198"	100" x 222"	100" x 246"
Deck Height	18"	18"	18"	18"	18"	18"
Hitch Height	15"	15"	15"	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#	2990#	2990#	2990#
Curb Weight	756#	796#	836#	906#	944#	982#
Payload	2234#	2194#	2154#	2084#	2046#	2008#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

Bi-Fold Ramp Upgrade

Upgrade to Aluminum Decking

WHEELS

Spare 15" Silver Mod (205/75R15")

Spare 15" Aluminum Rim (205/75R15)

Upgrade to 15" Aluminum Rims From 15" Silver Mods

Tongue Mounted Spare Tire Holder (Bolt-On)

1200# Wheel Jack

RAIL KITS CONT.

Upgrade to PT Solid Rail Kit

Upgrade to DP Solid Rail Kit

ACCESSORIES

Surface Mount D-Rings

5000# HD D-Rings

6000# Swivel D-Rings (Zinc)

UTILITY [WR-2.0 ATV Side Ramp Kit] 80-WIDE

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- 2"x8" Planking(WR) / Extruded Aluminum(AR)
- Leaf Spring Idler Straight Axle
- Bi-Fold Lay Flat Rear Ramp
- (2) Side Stowable ATV Side Load Ramps
- Aluminum Fenders
- Fixed 1"x2" Rail Kit
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Two Piece Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- 2000# Center Jack
- Limited 4 Year Warranty

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU80X14WR-2.0 ATV	PU80X14AR-2.0 ATV
Deck WxL	80" x 168"	80" x 168"
Overall WxL	100" x 246"	100" x 246"
Deck Height	18"	18"
Hitch Height	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#
Wheels	15" Silver Mod	14" Aluminum
Tires	205/75R15	205/75R14
GVWR	2990#	2990#
Curb Weight	982#	982#
Payload	2008#	2008#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

Bi-Fold Ramp Upgrade

WHEELS

Spare 15" Silver Mod (205/75R15")

Spare 15" Aluminum Rim (205/75R15)

Spare 14" Aluminum Rim (205/75R14)

Upgrade to 15" Aluminum Rims From 15" Silver Mods

Tongue Mounted Spare Tire Holder (Bolt-On)

1200# Wheel Jack

RAIL KITS CONT.

Upgrade to PT Solid Rail Kit

Upgrade to DP Solid Rail Kit

ACCESSORIES

Surface Mount D-Rings

5000# HD D-Rings
6000# Swivel D-Rings
(7inc)

UTILITY [FA-2.0]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Torsion Ride Idler Axle
- EASY Removable Aluminum Fenders
- Fixed 2"x2" Aluminum Side Rail Kit
- Intergrated Rear Ramp with Beveled Edge
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lights
- 6000# Coupler w/ 2" Ball
- (2) 5000# Safety Chains
- Limited 5 Year Warranty



* Optional Rail Kit Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU6.5x12FA-2.0	PU6.5x14FA-2.0
Deck WxL	76" x 146"	76" x 223"
Overall WxL	102" x 200"	102" x 223"
Deck Height	17"	17"
Hitch Height	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14
Tongue	Triple - Tube	Triple - Tube
GVWR	2990#	2990#
Curb Weight	773#	853#
Payload	2217#	2137#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- Upgrade to Bi-Fold Ramp (All Models)
- Downgrade to 5/4" PT Decking from Aluminum Decking

REMOVABLE RAIL KITS

- Slatted 17" Rail Kit w/ Solid Front for 10'
- Slatted 17" Rail Kit w/ Solid Front for 12'
- Slatted 17" Rail Kit w/ Solid Front for 14'
- Solid 10" Rail Kit 10'
- Solid 10" Rail Kit 12'
- Solid 10" Rail Kit 14'

EASY INSTALL/ADJUST OPTIONS

- Spare Tire Holder
- Stake Pocket Kit (4)
- Stabilizer Jacks
- Adjustable D-Ring Kit (4)

WHEELS

- Spare 14" Aluminum
- Spare 15" Silver Mod
- Spare 15" Aluminum

- Upgrade to 15" Aluminum Rims From 14" Aluminum Rims

UTILITY [TANDEM AXLE FA-2.0]

** Freight Rebate

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 5" Subframe Tubing
- Extruded Aluminum Decking
- Torsion Ride Braked Axles
- Removable Aluminum Fenders
- Fixed 2"x2" Aluminum Side Rail Kit
- 1500# Wheel Jack
- Intergrated Rear Ramp with Beveled Edge
- Adjustable Track for Perimeter EASY INSTALL Options
- 7-Way Round Power Connection
- Exterior LED Lights
- 6000# Coupler w/ 2 5/16" Ball
- (2) 7800# Safety Chains
- Limited 5 Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU6.5x14TA-FA-2.0	PU6.5x16TA-FA-2.0	PU6.5x18TA-FA-2.0	PU6.5x20TA-FA-2.0
Deck WxL	76" x 169"	76" x 192"	76" x 215"	76" x 239"
Overall WxL	102" x 223"	102" x 246"	102" x 269"	102" x 292"
Deck Height	17"	17"	17"	17"
Hitch Height	14"	14"	14"	14"
Axle(s) - Qty/Rating	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14	205/75R14	205/75R14
Tongue	Triple - Tube	Triple - Tube	Triple - Tube	Triple - Tube
GVWR	7000#	7000#	7000#	7000#
Curb Weight	1134#	1168#	1202#	1236#
Payload	5866#	5832#	5798#	5764#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- Upgrade to Bi-Fold Ramp (All Models)
- Upgrade to Pull Out 4000# Ramp Kit

WHEELS

- Spare 14" Aluminum Rim (205/75R14)
- Spare 15" Silver Mod (205/75R15")
- Spare 15" Aluminum Rim (205/75R15)
- Upgrade to 15" Alum Rims From 14" Alum Rims

ACCESSORIES

- 5000# HD D-Rings

EASY INSTALL/ADJUST OPTIONS

- Spare Tire Holder
- Stake Pocket Kit (4)
- Stabilizer Jacks
- Adjustable D-Ring Kit (4)

UTILITY [FA TILT-2.0]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Torsion Ride Idler Axle
- EASY Removable Aluminum Fenders
- Fixed 2"x2" Aluminum Side Rail Kit
- Tilt Bed - with Hydraulic Dampener System
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lights
- 6000# Coupler w/ 2" Ball
- (2) 5000# Safety Chains
- Limited 5 Year Warranty



* Optional Mount & Spare Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU6.5x12FA-TILT-2.0	PU6.5x14FA-TILT-2.0
Deck WxL	76" x 146"	76" x 169"
Overall WxL	102" x 200"	102" x 223"
Deck Height	17"	17"
Hitch Height	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14
Tongue	Triple - Tube	Triple - Tube
GVWR	2990#	2990#
Curb Weight	480#	560#
Payload	2510#	2430#

POPULAR OPTIONS

REMOVABLE RAIL KITS

- Slatted 17" Rail Kit w/ Solid Front for 12'
- Slatted 17" Rail Kit w/ Solid Front for 14'
- Solid 10" Rail Kit 12'
- Solid 10" Rail Kit 14'

WHEELS

- Spare 14" Aluminum
- Spare 15" Silver Mod
- Spare 15" Aluminum
- Upgrade to 15" Aluminum Rims From 14" Aluminum Rims

EASY INSTALL/ADJUST OPTIONS

- Spare Tire Holder
- Stake Pocket Kit (4)
- Stabilizer Jacks
- Adjustable D-Ring Kit (4)

MISC OPTIONS

- Front Stone Guard

UTILITY [AR-2.0] 54/60/66-WIDE

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Idler Axle
- Intergrated Rear Ramp with Beveled Edge
- EASY Removable Aluminum Fenders
- Adjustable Track for EASY INSTALL Tie Downs
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Triple Tube Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- Limited 5 Year Warranty



* Options Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU54x8AR-2.0	PU54x10AR-2.0	PU60x8AR-2.0	PU60x10AR-2.0	PU66X10AR-2.0
Deck WxL	50" x 96"	50" x 119"	56" x 96"	56" x 119"	62" x 119"
Overall WxL	76" x 150"	76" x 173"	82" x 150"	82" x 173"	88" x 173"
Deck Height	16"	16"	16"	16"	16"
Hitch Height	13"	13"	13"	13"	13"
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-2200#	1-2200#	1-2200#
Wheels	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum
Tires	175/80R13	175/80R13	175/80R13	175/80R13	175/80R13
GVWR	2200#	2200#	2200#	2200#	2200#
Curb Weight	408#	458#	498#	542#	582#
Payload	1792#	1742#	1702#	1658#	1618#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- Bi-Fold Ramp Upgrade
- Downgrade to 5/4" PT Decking from Aluminum Decking

WHEELS

- Spare 13" Silver Mod (175/80R13"0
- Spare 15" Silver Mod (205/75R15")
- Spare 13" Aluminum Rim (175R13")
- Spare 14" Aluminum Rim (205/75R14)
- Spare 15" Aluminum Rim (205/75R15)
- Downgrade to Silver Mods From Aluminum Rims
- Upgrade to 14" Aluminum Rims From 13" Aluminum Rims
- Upgrade to 15" Aluminum Rims From 13" Aluminum Rims

RAIL KITS CONT.

- Solid 10" Rail Kit 54x8
- Solid 10" Rail Kit 54x10
- Solid 10" Rail Kit 60x8
- Solid 10" Rail Kit 60x10
- Solid 10" Rail Kit 66x10
- Slatted 14" Rail Kit 54x8
- Slatted 14" Rail Kit 54x10
- Slatted 14" Rail Kit 60x8
- Slatted 14" Rail Kit 60x10
- Slatted 14" Rail Kit 66x10

EASY INSTALL/ADJUST OPTIONS

- Spare Tire Holder
- Stake Pocket Kit (4)
- Adjustable D-Ring Kit (4)
- Adjustable D-Ring
- Stabilizer Jacks

UTILITY [AR-2.0] 72/80-WIDE

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Idler Axle
- Intergrated Rear Ramp with Beveled Edge
- EASY Removable Aluminum Fenders
- Adjustable Track for EASY INSTALL Tie Downs
- Adjustable Track for Perimeter EASY INSTALL Options
- 4-Way Flat Power Connection
- Exterior LED Lighting
- Triple Tube Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- Limited 5 Year Warranty



* Options Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU72x10AR-2.0	PU72x12AR-2.0	PU80x12AR-2.0	PU80x14AR-2.0
Deck WxL	68" x 119"	68" x 146"	76" x 146"	76" x 169"
Overall WxL	94" x 173"	94" x 200"	102" x 200"	102" x 223"
Deck Height	17"	17"	17"	17"
Hitch Height	14"	14"	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14	205/75R14	205/75R14
GVWR	2990#	2990#	2990#	2990#
Curb Weight	667#	697#	730#	862#
Payload	2323#	2293#	2260#	2128#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- Bi-Fold Ramp Upgrade
- Downgrade to 5/4" PT Decking from Aluminum Decking

WHEELS

- Spare 14" Aluminum Rim (205/75R14)
- Spare 15" Aluminum Rim (205/75R15)
- Downgrade to Silver Mods From Aluminum Rims
- Upgrade to 15" Aluminum Rims From 14" Aluminum Rims

RAIL KITS

- Solid 10" Rail Kit 72x10
- Solid 10" Rail Kit 72x12
- Solid 10" Rail Kit 80x12
- Solid 10" Rail Kit 80x14
- Slatted 14" Rail Kit 72x10
- Slatted 14" Rail Kit 72x12
- Slatted 14" Rail Kit 80x12
- Slatted 14" Rail Kit 80 14
- Two Side Stow ATV Ramps w/ 10" Solid Side Rail Kit (12')
- Two Side Stow ATV Ramps w/ 10" Solid Side Rail Kit (14')

EASY INSTALL/ADJUST OPTIONS

- Spare Tire Holder
- Stake Pocket Kit (4)
- Adjustable D-Ring Kit (4)
- Adjustable D-Ring
- Stabilizer Jacks

UTILITY [AR-2.0 - Ranger 2]

STANDARD FEATURES

- All-Aluminum Construction
- 2" x 3" Subframe Tubing
- Extruded Aluminum Decking
- Dexter Torsion Braked Axles
- Intergrated Rear Ramp with Beveled Edge
- EASY Removable Aluminum Fenders
- Adjustable Track for EASY INSTALL Tie Downs
- Adjustable Track for Perimeter EASY INSTALL Options
- 7-Way Round Power Connection
- Exterior LED Lighting
- Triple Tube Box Tube Tongue
- 6000# Coupler w/ 2" Ball
- Limited 5 Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU80X20AR-2.0	PU80X22AR-2.0
Deck WxL	76" x 241"	76" x 265"
Overall WxL	102" x 295"	102" x 319"
Deck Height	17"	17"
Hitch Height	14"	14"
Axle(s) - Qty/Rating	2-3500#	2-3500#
Wheels	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14
GVWR	6000#	6000#
Curb Weight	TBD	TBD
Payload	TBD	TBD

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- Bi-Fold Ramp Upgrade
- Downgrade to 5/4" PT Decking from Aluminum Decking

WHEELS

- Spare 14" Aluminum Rim (205/75R14)
- Spare 15" Aluminum Rim (205/75R15)
- Downgrade to Silver Mods From Aluminum Rims
- Upgrade to 15" Aluminum Rims From 14" Aluminum Rims

RAIL KITS

- Two Side Stow ATV Ramps w/ 10" Solid Side Rail Kit (20')
- Two Side Stow ATV Ramps w/ 10" Solid Side Rail Kit (22')


EASY INSTALL/ADJUST OPTIONS

- Spare Tire Holder
- Stake Pocket Kit (4)
- Adjustable D-Ring Kit (4)
- Adjustable D-Ring
- Stabilizer Jacks

OPEN CAR HAULER [WOOD DECK 2.0]

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Heavy Wall Crossmembers
- 2"x5" Subframe Tubing (Outer & Tongue)
- 2"x8" Planking
- Leaf Spring Axles
- Removable Aluminum Fender (D/S)
- 2' Beavertail (3" Drop)
- Front Bumper
- Stowaway 5' Aluminum Ramps
- Rub Rail w/ Stake Pockets
- 7-Way Round Power Connection
- Recessed LED Marker Lights
- 10000# Coupler w/ 2 5/16" Ball
- (2) 5000# Safety Chains
- 5000# Center Jack
- (4) 5000# Recessed D-Rings
- Limited 4 Year Warranty



** Standard Rub Rail & Stake Pocket Kit not Shown

* Optional Air Dam Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	POCH8x16-W-2.0	POCH8x18-W-2.0	POCH8x20-W-2.0	POCH8x22-W-2.0
Deck WxL	80" x 192"	80" x 216"	80" x 240"	80" x 264"
Overall WxL	101" x 220"	101" x 244"	101" x 268"	101" x 292"
Deck Height	20"	20"	20"	20"
Hitch Height	24"	24"	24"	24"
Decking	2" x 8" Planking	2" x 8" Planking	2" x 8" Planking	2" x 8" Planking
Axle(s) - Qty/Rating	2-3500#	2-3500#	2-3500#	2-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#
Curb Weight	1363#	1543#	1723#	1903#
Payload	4917#	5097#	5277#	5097#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- 6' Economy Car Hauler Ramp Upgrade (from 5')
- Upgrade to Extruded Aluminum Decking

WHEELS

- Upgrade to 15" Aluminum Rims from 15" Silver Mod
- Spare 15" Silver Mod (205/75R15")
- Tongue Mounted Spare Tire Holder (Bolt-On)


ACCESSORIES

- Tongue Mounted Diamond Plate Tool Box
- Heavy Duty Recessed D-Rings
- Air Dam

OPEN CAR HAULER [WOOD DECK 2.0]

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Heavy Wall Crossmembers
- 2"x5" Subframe Tubing (Outer & Tongue)
- 2"x8" Planking
- Leaf Spring Axles
- Removable Aluminum Fender (D/S)
- 2' Beavertail (3" Drop)
- Front Bumper
- Stowaway 5' Aluminum Ramps
- Rub Rail w/ Stake Pockets
- 7-Way Round Power Connection
- Recessed LED Marker Lights
- 10000# Coupler w/ 2 5/16" Ball
- (2) 5000# Safety Chains
- 5000# Center Jack
- (4) 5000# Recessed D-Rings
- Limited 4 Year Warranty



** Standard Rub Rail & Stake Pocket Kit not Shown

* Optional Air Dam Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	POCH8x18-W-10K-2.0	POCH8x20-W-10K-2.0	POCH8x22-W-10K-2.0
Deck WxL	80" x 216"	80" x 240"	80" x 264"
Overall WxL	101" x 244"	101" x 268"	101" x 292"
Deck Height	20"	20"	20"
Hitch Height	24"	24"	24"
Decking	2" x 8" Planking	2" x 8" Planking	2" x 8" Planking
Axle(s) - Qty/Rating	2-5200#	2-5200#	2-5200#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15
GVWR	9990#	9990#	9990#
Curb Weight	1745#	1925#	2105#
Payload	8245#	9065#	7894#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- 6' Economy Car Hauler Ramp Upgrade (from 5')
- Upgrade to Extruded Aluminum Decking

WHEELS

- Upgrade to 15" 225 Aluminum Rims from 15" 225 Silver Mod
- Spare 15" Silver Mod (225/75R15")
- Tongue Mounted Spare Tire Holder (Bolt-On)

ACCESSORIES

- Tongue Mounted Diamond Plate Tool Box
- Heavy Duty Recessed D-Rings
- Air Dam

OPEN CARGO [CAR HAULER]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Crossmembers
- 2"x5" Subframe Tubing (Outer & Tongue)
- 2"x6" Subframe Tubing on 24'
- Extruded Aluminum Decking
- Torsion Ride Axles
- Removable Driver's Side Alum. Fender
- Fixed 2"x2" Aluminum Bumper (Front)
- 6' HD Stowaway Aluminum Ramps
- Beavertail Construction
- 7-Way Round Power Connection
- Recessed Rubber Mounted LED Lights
- 12500# Coupler w/ 2 5/16" Ball
- (2) 7800# Safety Chains
- 5000# Wheel Jack
- (4) 5000# Recessed D-Rings
- Limited Lifetime Warranty



* Optional Air Dam Shown

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	POCH8X18	POCH8X20	POCH8X22	POCH8X24
DECK WxL	80"X18'	80"X20'	80"X22'	80"X24'
OVERALL WxL	101"X22'4"	101"X24'4"	101"X26'4"	101"X28'4"
DECK HEIGHT	17"	18"	18"	19"
HITCH HEIGHT	18"	19"	19"	20"
DECKING	Ext. Aluminum	Ext. Aluminum	Ext. Aluminum	Ext. Aluminum
5000# D-RINGS	4	4	4	4
AXLE(S)-QTY/RATING	2-3500#	2-3500#	2-3500#	2-5200#
WHEELS	14" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum
TIRES	205/75R14	205/75R15	205/75R15	225/75R15
GVWR	7250#	7250#	7250#	9990#
CURB WEIGHT	1400#	1580#	1760#	TBD
PAYLOAD	5850#	5670#	5490#	TBD

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Diamond Plate Tool Box
- Air Dam

WHEELS/TIRES

- Spare 14" Alum (205)
- Spare 15" Alum (205)
- Spare 15" Alum (225)
- Spare 15" Silver Mod

CONSTRUCTION OPTIONS

- Integrated HD Tire Rack
- Removable Curbside Fender
- Upgrade to 5k Axles

OPEN CARGO [CAR HAULER TILT]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Crossmembers
- 2"x6" Subframe Tubing (Outer & Tongue)
- Extruded Aluminum Decking
- Torsion Ride Axles
- Removable Driver's Side Alum. Fender
- 6" Front Bumper
- Hydraulic Tilt System w/ Control Valve
- Front 18" of Deck Stationary
- 7-Way Round Power Connection
- Recessed Rubber Mounted LED Lights
- 12500# Coupler w/ 2 5/16" Ball
- (2) 15000# Safety Chains
- 5000# Wheel Jack
- (4) 5000# Recessed D-Rings
- Limited Lifetime Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	POCH8X20 TILT	POCH8X22 TILT	POCH8X24 TILT
DECK WxL	80"X20'	80"X22'	80"X24'
OVERALL WxL	101"X24'4"	101"X26'4"	101"X28'4"
DECK HEIGHT	23"	23"	24"
HITCH HEIGHT	18"	18"	19"
DECKING	Ext. Aluminum	Ext. Aluminum	Ext. Aluminum
5000# D-RINGS	4	4	4
AXLE(S)-QTY/RATING	2-3500#	2-3500#	2-5200#
WHEELS	15" Aluminum	15" Aluminum	15" Aluminum
TIRES	205/75R15	205/75R15	225/75R15
GVWR	7250#	7250#	9990#
CURB WEIGHT	1895#	TBD	TBD
PAYLOAD	5355#	TBD	TBD

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Diamond Plate Tool Box
- Air Dam

WHEELS/TIRES

- Spare 14" Alum (205)
- Spare 15" Alum (205)
- Spare 15" Alum (225)
- Spare 15" Silver Mod


CONSTRUCTION OPTIONS

- Integrated HD Tire Rack
- Removable Curbside Fender
- Upgrade to 5k Axles

UTILITY [WR-2.0] 60/66-WIDE

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Floor Crossmembers
- 2" x 4" Box Tube Tongue
- 2"x8" Planking
- Leaf Spring Idler Straight Axle
- Lay Flat Rear Ramp
- Aluminum Fenders
- Fixed 1"x2" Rail Kit
- 4-Way Flat Power Connection
- Exterior LED Lighting
- 6000# Coupler w/ 2" Ball
- 2000# Center Jack
- Limited 4 Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU60x8WR-2.0	PU60x10WR-2.0	PU60X14WR-2.0
Deck WxL	60" x 96"	60" x 120"	60" x 168"
Overall WxL	80" x 174"	80" x 198"	80" x 246"
Deck Height	18"	18"	18"
Hitch Height	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#
Curb Weight	663#	696#	762#
Payload	2327#	2294#	2228#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

- Bi-Fold Ramp Upgrade
- Upgrade to Aluminum Decking

WHEELS

- Spare 15" Silver Mod (205/75R15")
- Spare 15" Aluminum Rim (205/75R15)
- Upgrade to 15" Aluminum Rims From 13" Aluminum Rims
- Tongue Mounted Spare Tire Holder (Bolt-On)

ACCESSORIES

- Surface Mount D-Rings
- 5000# HD D-Rings
- 6000# Swivel D-Rings (Zinc)

RAIL KITS CONT.

- Upgrade to PT Solid Rail Kit
- Upgrade to DP Solid Rail Kit

OPEN ATV [83-WIDE]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Leaf Spring Axles
- Custom Angle Side Rails
for Low Profile Side Loading
- Rear & Front Stowing Removable 8' Ramps
(8' Front/Rear 83-Wide)
- 5/4" Pressure Treated Decking
- (2) 5000# Safety Chains
- Recessed Rubber Mounted LED Lights
- 1200# Wheel Jack
- 3500# Wishbone Style Coupler w/2" Ball
- 4-Way Flat Power Connection (7-way Braked Models)
- Limited 1 Year Warrantny



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PATV83X14
DECK WxL	7'X14'
OVERALL WxL	8'X18'
DECK HEIGHT	
HITCH HEIGHT	18"
DECKING	5/4" PT
SURFACE MNT. D-RINGS	OPTIONAL
AXLES-QTY/RATING	1-3500#
WHEELS	15" Silver Mods
TIRES	205/75R15
GVWR	2990#
CURB WEIGHT	904#
PAYLOAD	2086#
WHEELJACK	Yes

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack

WHEELS/TIRES

- Spare 15" Silver Mod
- Spare 15" Alum
- Upgrade to 15" Alum

CONSTRUCTION OPTIONS

- Extruded Aluminum Decking

OPEN ATV [88-WIDE WOOD]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Torsion Ride Axles
- Removable Ramps/Side Panels
- 5/8" Marine Tech Plywood Decking
- Rear Edge Protector
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/2" Ball
- (2) 5000# Safety Chains
- Limited 1-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PATV88X102-W	PATV88X12-W	PATV88X14-W	PATV88X16-W	PATV88X18-W
DECK WxL	88"X102"	88"X144"	88"X166"	88"X190"	88"X216"
OVERALL WxL	92"X12'6"	92"X16'	92"X18'	92"X20'	92"X22'
DECK HEIGHT	23 1/2"	23 1/2"	23 1/2"	23 1/2"	23 1/2"
HITCH HEIGHT	18"	18"	18"	18"	18"
DECKING	5/8" Plywood	5/8" Plywood	5/8" Plywood	5/8" Plywood	5/8" Plywood
SURFACE MNT. D-RINGS	4	6	6	6	8
AXLES-QTY/RATING	1-3500#	1-3500#	1-3500#	2-2200# Braked	2-2200# Braked
WHEELS	12" E-Rated	12" E-Rated	12" E-Rated	12" E-Rated	12" E-Rated
TIRES	145/R12	145/R12	145/R12	145/R12	145/R12
GVWR	2990#	2990#	2990#	4400#	4400#
CURB WEIGHT	380#	450#	475#	815#	835#
PAYLOAD	1820#	2540#	2515#	3585#	3565#
WHEELJACK	Optional	Yes	Yes	Yes	Yes

**ADDITIONAL SIZES AVAILABLE, CONTACT SALES REP FOR A QUOTE*

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack

CONSTRUCTION OPTIONS

- Extruded Aluminum Decking
- Rear Stake Pocket Kit
(2 Welded on Stake Pockets)

WHEELS/TIRES

- Spare 12" Silver Mod
- Spare 13" Silver Mod
- Spare 15" Silver Mod
- Upgrade to 13" Silver Mod
(from 12" Tires)
- Upgrade to 15" Silver Mod
(from 12" Tires)

OPEN ATV [88-WIDE ALUMINUM]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Torsion Ride Axles
- Removable Ramps/Side Panels
- Extruded Aluminum Decking
- Rear Edge Protector
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/2" Ball
- (2) 5000# Safety Chains
- Limited 1-Year Warranty

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PATV88X102-A	PATV88X12-A	PATV88X14-A	PATV88X16-A	PATV88X18-A
DECK WxL	88"X102"	88"X144"	88"X166"	88"X190"	88"X216"
OVERALL WxL	92"X12'6"	92"X16'	92"X18'	92"X20'	92"X22'
DECK HEIGHT	23 1/2"	23 1/2"	23 1/2"	23 1/2"	23 1/2"
HITCH HEIGHT	18"	18"	18"	18"	18"
DECKING	Extruded Aluminum	Extruded Aluminum	Extruded Aluminum	Extruded Aluminum	Extruded Aluminum
SURFACE MNT. D-RINGS	4	6	6	6	8
AXLES-QTY/RATING	1-3500#	1-3500#	1-3500#	2-2200# Braked	2-2200# Braked
WHEELS	12" Aluminum	12" Aluminum	12" Aluminum	12" Aluminum	12" Aluminum
TIRES	145/R12	145/R12	145/R12	145/R12	145/R12
GVWR	2990#	2990#	2990#	4400#	4400#
CURB WEIGHT	380#	450#	475#	815#	835#
PAYLOAD	1820#	2540#	2515#	3585#	3565#
WHEELJACK	Optional	Yes	Yes	Yes	Yes

**ADDITIONAL SIZES AVAILABLE, CONTACT SALES REP FOR A QUOTE*

POPULAR OPTIONS

ACCESSORIES

- Surface Mount D-Rings
- Heavy Duty D-Rings
- Spare Holder(Tongue Mount)
- Wheel Jack

CONSTRUCTION OPTIONS

- Extruded Aluminum Decking
- Rear Stake Pocket Kit
(2 Welded on Stake Pockets)

WHEELS/TIRES

- Spare 12" Aluminum
- Spare 13" Aluminum
- Spare 15" Aluminum
- Upgrade to 13" Aluminum
(from 12" Aluminum)
- Upgrade to 15" Aluminum
(from 12" Aluminum)

SLINGSHOT [ALUMINUM DECK]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"X3" Subframe Tubing
- Torsion Axles
- 7' Fold Down Bi-Fold Rear Ramp
- (4) HD D-Rings
- (2) 5000# Safety Chains
- Limited 4 Year Warranty
- Extruded Aluminum Decking
- 4-Way Flat Power Connection
- Recessed Rubber Mounted LED Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- Beavertail
- Bolt On Fenders
- Front Bumper



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PU 6.5x14 SLINGSHOT
DECK WxL	80"X168"
OVERALL WxL	102"X18'
DECK HEIGHT	20"
HITCH HEIGHT	16"
DECKING	Extruded Aluminum
HD D-RINGS	4
AXLES-QTY/RATING	1-3500#
WHEELS	15" Aluminum
TIRES	205/75R15
GVWR	2990#
CURB WEIGHT	TBD
PAYLOAD	TBD
WHEEL JACK	1200#

POPULAR OPTIONS

ACCESSORIES

- Spare Holder(Tongue Mount)
- Diamond Plate Spare Box

WHEELS/TIRES

- Spare 15" Alum

OPEN [MOTORCYCLE 2.0]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- 2"x3" Subframe Tubing
- Torsion Ride Axles
- Extruded Aluminum Decking
- HD Aluminum Pull Out Ramp
- EASY Removable Aluminum Fenders
- Adjustable Track for Perimeter EASY INSTALL Options
- Removable 18" Aluminum Stoneguard
- Surface-Mounted Wheel Chock(s)
- 4-Way Flat Power Connection
- Recessed LED Marker Lights
- 3500# Wishbone Style Coupler w/ 2" Ball
- (2) 7500# Safety Chains
- Limited 5-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	POMC5x8-2.0	POMC6.5x10-2.0
Deck WxL	56" x 96"	76" x 120"
Overall WxL	82" x 170"	102" x 204"
Deck Height	16"	18"
Hitch Height	13"	14"
Axle(s) - Qty/Rating	1- 2200#	1-3500#
Wheels	13" Aluminum	14" Aluminum
Tires	175/80R13	205/75R14
GVWR	2200#	2990#
Curb Weight	400#	550#
Payload	1800#	2440#
D-Rings	4	8
Wheel Jack	1500#	1500#

POPULAR OPTIONS

CONSTRUCTION OPTIONS

Rear Ramp Upgrade (1 of Stowing Ramp)

WHEELS

Spare 13" Silver Mod (175/80R13"0

Spare 15" Silver Mod (205/75R15")

Spare 13" Aluminum Rim (175R13")

Spare 14" Aluminum Rim (205/75R14)

Upgrade to 15" Aluminum Rims From 13"

Upgrade to 15" Aluminum Rims From 14"

ACCESSORIES

Tool Box Add On to Stone Guard

EASY INSTALL/ADJUST OPTIONS

Spare Tire Holder

Stake Pocket Kit (4)

Stabilizer Jacks

Adjustable D-Ring Kit (4)

OPEN CARGO [PMT]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall/Roof Studs
- 24" O/C Floor Crossmembers
- 2"X3" Subframe Tubing
- 5/8" Water Resistant Decking
- Torsion Ride Axles
- Screwless .030" Exterior Panels
- Checkerboard Flooring
- Top-Lift Access Hatch w/ Gas Prop Assist
- Diamond Plate Stoneguard
- 4-Way Flat Power Connection
- Recessed LED Lights
- 3500# Wishbone Style Coupler w/2" Ball
- (2) 5000# Safety Chains
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PMT3x4	PMT4x6
DECK WxL	36"X48"	48"X72"
OVERALL WxL	58"X10'	67.5"X10'6"
DECK HEIGHT	15"	15"
HITCH HEIGHT	12"	12"
REAR DOOR OPENING	30"X18"	48"X36"
CAPACITY	25 CU FT	60 cu ft
AXLE(S)-QTY/RATING	1 - 1000#	1 - 2200#
WHEELS	12" Aluminum	12" Aluminum
TIRES	145/R12E	145/R12E
GVWR	999#	2200#
CURB WEIGHT	200#	362#
PAYLOAD	799#	1838#

POPULAR OPTIONS

ACCESSORIES

- Tongue Mounted Cooler Tray
- Roof Mounted Luggage Rack
- Spare Holder(Tongue Mount)

INTERIOR

- Carpet Interior

WHEELS/TIRES

- Spare 12" Aluminum

ENCLOSED 5 / 6-WIDE ATV

STANDARD FEATURES

- All-Aluminum Construction, Integrated Design
- 16" O/C Wall Studs
- 24" O/C Floor & Roof Studs
- 2"x3" Subframe Tubing
- 5/8" Water Resistant Decking
- Torsion Axle
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- LED Lighting
- V-Nose Design (24")
 - 2000# Center Jack w/ Foot (1200# on 5 Wide)
- 3" Exterior Trim
- Luan Interior Walls (5 Wide)
- 3/8" WR Interior Walls (6 Wide)
- Rear Ramp w/Spring Assist
- 24" Bright Stoneguard
- Plastic Salem Vents
- 1 Interior Dome Light w/Wall Switch (W-S 6' Wides only)
- Polished Aluminum Fenders
- 32"x66" Paddle Handle Door
 - (Optional on 5-Wide)
- 2 Rows of Slide Track w/ 4 sliding d-rings
- (2) 5000# Safety Chains
- 3500# Coupler w/ 2" Ball
- 12v Wall Switch (Optional on 5 wide)
- 4-Way Flat Power Connection
- Limited 4-Year Warranty

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PC5x8-IF	PC6x10-IF	PC6x12-IF
Box WxLxH	60"x8"x66"	72"x10"x81"	72"x12"x81"
Interior WxLxH	57.5"x7'9"x64"	69.5"x9'9"x79"	69.5"x11'9"x79"
Overall WxLxH	80"x12'4"x84"	94"x14'4"x99"	80"x16'4"x99"
Deck Height	18"	18"	18"
Rear Door Opening WxH	52"x62"	64"x75"	64"x75"
Axle(s) - Qty/Rating	1-2200#	1-3500#	1-3500#
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
Curb Weight	830#	905#	955#
Payload	1370#	2085#	2035#
Hitch Height	17"	17"	17"

OPTIONS & ACCESSORIES (Expanded Option List can be found in Options Section)

CONSTRUCTION OPTIONS

- 6" Extra Height
- 9" Extra Height
- Add Slope in V-Nose

EXTERIOR

- Two-Tone Color Package w/ 6" Anodized Div.

FLOORING

- Upgrade to Quad Ply Flooring

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

- Upgrade to 15" Aluminum Rims from 15" Silver Mod
- Spare 15" Silver Mod

DOOR/WINDOWS/VENTS

- Locking Bar for Side Access Door
- Upgrade to Double Barn Doors (5-wide)

Roof Vent

LIGHTING

- 12V Economy Dome Light
- 12V Standard Wall Switch

ACCESSORIES

- Stabilizer Jacks
- Surface Mount D-Rings
- Ladder to Roof
- HD Ladder Racks
- Single Wheel Chock w/ 4-D-Rings

ENCLOSED 7-WIDE

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame
- 16" O/C Wall Studs
- 24" O/C Floor & Roof Studs
- 2" x 4" Subframe Tubing
- 3/4" Water Resistant Decking
- Torsion Axles
- Screwless .030" Bonded Side Panels
- One-Piece Seamless Aluminum Roof
- 3/8" Water Resistant Interior Walls
- LED Lighting
- 2 Interior Dome Lights w/Wall Switch
- V-Nose Design (24")
- 3" Exterior Trim
- Interior Cove Trim Package
- 6'10" Interior Height
- 32"x72" Paddle Handle Door
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- Rear Ramp w/ Spring Assist
- 10000# Coupler w/ 2 5/16" Ball
- 2000# Center Jack w/ Foot
- 2 Rows of Slide Track w/ 4 sliding d-rings
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PC7x12SA-IF	PC7x14-IF	PC7x16-IF
Box WxLxH	82.5"x12"x84"	82.5"x14"x84"	82.5"x16"x84"
Interior WxLxHxH	79.5"x11'10"x82"	79.5"x13'10"x82"	79.5"x15'10"x82"
Overall WxLxH	101"x16'8"x103"	101"x18'8"x103"	101"x20'8"x103"
Deck Height	19"	19"	19"
Rear Door Opening WxH	76"x78"	76"x78"	76"x78"
Axle(s) - Qty/Rating	1-3500# Idler	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	7000#	7000#
Curb Weight	1195#	1480#	1580#
Payload	1795#	5520#	5420#
Hitch Height	18"	18"	18"

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS

- 6" Extra Height
- 9" Extra Height
- Add Slope in V-Nose
- Upgrade to 7.5' Wide Box

EXTERIOR

- Two-Tone Color Package w/ 6" Anodized Div.

FLOORING

- Upgrade to Quad Ply Flooring

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

- Upgrade to 15" Aluminum Rims from 15" Silver Mod
- Spare 15" Silver Mod
- Spare 15" Aluminum

DOOR/WINDOWS/VENTS

- Locking Bar for Side Access Door
- Upgrade to Double Barn Doors (5-wide)

ROOF VENT

LIGHTING

- 12V Economy Dome Light

ACCESSORIES

- Stabilizer Jacks
- Surface Mount D-Rings
- Ladder to Roof (Outside V-Nose)
- HD Ladder Racks
- Tandem Wheel Chock w/ 8-D-Rings

ENCLOSED 8-WIDE

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame
- V-Nose Design (36")
- 2 Rows of Slide Track w/ 4 sliding d-rings
- 16" O/C Wall & Roof Studs
- 3" Exterior Trim
- 7-Way Round Power Connection
- 16" O/C Floor Crossmembers
- Interior Cove Trim Package
- (2) 7800# Safety Chains
- 2" x 5" Subframe Tubing
- 6'10" Interior Height
- Limited 4-Year Warranty
- 3/4" Water Resistant Decking
- 32"x72" Paddle Handle Door
- Torsion Axles
- Plastic Salem Vents
- Screwless .030" Bonded Side Panels
- 24" Bright Stoneguard
- One-Piece Seamless Aluminum Roof
- Polished Aluminum Fenders
- 3/8" Water Resistant Interior Walls
- HD Rear Ramp w/ Spring Assist
- LED Lighting
- 10000# Coupler w/ 2 5/16" Ball
- 2 Interior Dome Lights w/Wall Switch
- 2000# Center Jack w/ Foot

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PC8x14-IF	PC8x16-IF	PC8x20-IF
Box WxLxH	99"x14"x84"	99"x16"x84"	99"x20"x84"
Interior WxLxHxH	96"x13'10x82"	96"x15'10x82"	96"x19'10x82"
Overall WxLxH	102"x18"x103"	102"x20"x103"	102"x24"x103"
Deck Height	19"	19"	19"
Rear Door Opening WxH	91"x78"	91"x78"	91"x78"
Axle(s) - Qty/Rating)	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#
Curb Weight	1915#	2035#	2195#
Payload	5085#	4965#	4805#
Hitch Height	18"	18"	18"

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS

- 6" Extra Height
- 9" Extra Height
- Add Slope in V-Nose

EXTERIOR

Two-Tone Color Package w/ 6" Anodized Div.

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

- Upgrade to 15" Aluminum Rims from 15" Silver Mod
- Spare 15" Silver Mod
- Spare 15" Aluminum Rim

DOOR/WINDOWS/VENTS


- Locking Bar for Side Access Door
- Double Barn Doors
- Roof Vent

LIGHTING

- 12V Economy Dome Light

ACCESSORIES

- Stabilizer Jacks
- Surface Mount D-Rings
- Ladder to Roof (Outside V-Nose)
- HD Ladder Racks
- Tandem Wheel Chock w/ 8-D-Rings



OPEN SIDE BY SIDE TRAILER [X SERIES]

STANDARD FEATURES

- All-Aluminum Construction
- Front Enclosed Storage Box
- 16" O/C Wall Studs
- 16" O/C Roof & Floor Crossmembers
- 2"x6" Subframe Tubing, 2"x 6" Integrated Tongue (2"x5"
- Extruded Aluminum Deck
- Dexter Torsion Ride Axles
- One-Piece Seamless Aluminum Roof
- White Vinyl Backed Interior Walls & Ceiling
- 2 LED Interior Dome Lights
- Flat Front w/Cast Corners
- 3" Exterior Trim
- Exterior LED Lights
- Rear Canopy LED Load Lights
- 32"x72" Paddle Handle Door w/18" x 24" Window
- 14" x 14" Roof Vent
- Polished Aluminum Fenders - Driver's Side Removable
- 12500# Coupler w/ 2 5/16" Ball
- 24" Bright Stoneguard
- 5' Pull Out Ramps (#4000 rated)
- 4 x HD Recessed D-Rings
- 5000# Center Jack
- (2) 15000# Safety Chains
- 7-Way Round Power Connection
- Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	POCH 8.5 x 20 X	POCH 8.5 x 22 X
Deck WxL	80" x 20'	80" x 22'
Overall WxL	101" x 24'4"	101" x 26'4"
Interior Storage Box WxLxH	80" x 8' x 6'4"	80" x 8' x 6'4"
Deck Height	19"	21"
Hitch Height	18"	18"
Axles - Qty/Rating	2-3500#	2-5200#
Wheels	15" Aluminum	15" Aluminum
Tires	205/75R15	225/75R15
GVWR	7250#	9900#
Curbweight	TBD	TBD
Payload	TBD	TBD
Deck Area Behind Storage Box WxL	80" x 12'	80" x 14'

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS

- Fold Down Step
- Upgrade to V-Nose Design

ACCESSORIES

- Add't Heavy Duty D-Rings
- 110 VOLT & ELECTRICAL
- 110 Volt Package for X Models
- Kicker Stereo Package
- Deep Cycle Battery & Converter

WHEELS

- Elevated Spare Mount
- Spare 15" Silver Mod.

DOORS/WINDOWS/VENTS

- 18" x 24" Radius Window
- 36" x 24" Radius Window
- 36" x 24" Egress Radius Window

ENCLOSED CARGO [CAR HAULER]

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame • One-Piece Seamless Aluminum Roof • Polished Aluminum Fenders
- Flat Nose Construction w/ Cast Corners • White Luan Interior Walls • 4 Recessed HD D-Rings (6 on 24' +
- 16" O/C Wall & Roof Studs • Plastic Salem Vents • 10000# Coupler w/ 2 5/16" Ball
- 16" O/C Floor Crossmembers • HD Rear Ramp Door w/ Spring Assist • 5000# Center Mounted Jack
- Subtube Framing • 32"x72" Paddle Handle Door • 7-Way Round Power Connection
- 3/4" Water Resistant Decking • 48" Beavertail Construction • (2) 7800# Safety Chains
- Torsion Axles • 2 Interior Dome Lights w/ Switch • Limited 4-Year Warranty
- Screwless .030" Bonded Side Panels • 24" Bright Stoneguard



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PCH8X20-IF	PCH8X24-IF	PCH8X28-IF
BOX WxLxH	99"X20'X84"	99"X24'X84"	99"X28'X84"
INTERIOR WxLxH	96"X19'10"X82"	96"X23'10"X82"	96"X27'10"X82"
OVERALL WxLxH	102"X24'X103"	102"X28'X103"	102"X32'X103"
FRAME	2"X5"	2"X6"	2"X8"
DECK HEIGHT	17"	17"	17"
REAR DOOR OPENING	91"X81"	91"X81"	91"X81"
AXLES(S)-QTY/RATING	2-3500#	2-5200#	2-5200#
WHEELS	15" Silver Mod	15" Silver Mod	15" Silver Mod
TIRES	205/75R15	205/75R15	225/75R15
GVWR	7000#	9990#	9900#
CURB WEIGHT	2580#	2840#	TBD
PAYLOAD	4420#	7150#	TBD
HITCH HEIGHT	19"	19"	19"

**ADDITIONAL SIZES AVAILABLE, CONTACT SALES REP FOR A QUOTE*

POPULAR OPTIONS

ACCESSORIES

- Stabilizer Jacks
- HD D-Rings
- Surface Mount D-Rings
- HD Ladder Racks
- Elevated Spare Mount
- Floor Spare Mount
- Ladder for Vnose
- Roof Vent

CONSTRUCTION OPTIONS

- Two Tone Color Pkg.
(with 6" Anodized Divider)

ELECTRICAL

- Additional Dome Lights
- Recessed Puck Lights

WHEELS/TIRES

- Spare 15" Alum
- Spare 15" Silver Mod
- Upgrade to 15" Alum

AXLES

- Upgrade to 5k Torsion Axles
(from 3k Torsion Axles)

ENCLOSED CARGO [CAR HAULER-ADVANTAGE]

STANDARD FEATURES

- All-Aluminum Construction, Integrated Frame • One-Piece Seamless Aluminum Roof • 24" Bright Stoneguard
- Flat Nose Construction
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- Subframe Tubing
- Extruded Aluminum Decking
- Torsion Axles
- Screwless .030" Bonded Side Panels
- White Luan Interior Walls
- 6" Extruded Aluminum Kickplate
- Plastic Salem Vents
- HD Rear Ramp Door w/ Spring Assist
- 32"x72" Paddle Handle Door
- 48" Beavertail Construction
- 2 Interior Dome Lights w/ Switch
- Polished Aluminum Fenders
- 4 Recessed HD D-Rings (6 on 24'
- 10000# Coupler w/ 2 5/16" Ball
- 5000# Center Mounted Jack
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Limited 4-Year Warranty

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PCH8X20ADV-IF	PCH8X24ADV-IF	PCH8X28ADV-IF
BOX WxLxH	99"X20'X84"	99"X24'X84"	99"X28'X84"
INTERIOR WxLxH	96"X19'10"X82"	96"X23'10"X82"	96"X27'10"X82"
OVERALL WxLxH	102"X24'X103"	102"X28'X103"	102"X32'X103"
DECK HEIGHT	17"	17"	17"
REAR DOOR OPENING	91"X81"	91"X81"	91"X81"
AXLES(S)-QTY/RATING	2-3500#	2-5200#	2-5200#
WHEELS	15" Silver Mod	15" Silver Mod	15" Silver Mod
TIRES	205/75R15	205/75R15	225/75R15
GVWR	7000#	9990#	9900#
CURB WEIGHT	2580#	2840#	TBD
PAYLOAD	4420#	7150#	TBD
HITCH HEIGHT	19"	19"	19"

POPULAR OPTIONS

ACCESSORIES

- Stabilizer Jacks
- HD D-Rings
- Surface Mount D-Rings
- HD Ladder Racks
- Elevated Spare Mount
- Floor Spare Mount
- Ladder for Vnose
- Roof Vent

CONSTRUCTION OPTIONS

- Two Tone Color Pkg.
(with 6" Anodized Divider)

ELECTRICAL

- Additional Dome Lights
- Recessed Puck Lights

WHEELS/TIRES

- Spare 15" Alum
- Spare 15" Silver Mod
- Upgrade to 15" Alum

AXLES

- Upgrade to 5k Torsion Axles
(from 3k Torsion Axles)

ENCLOSED CARGO [GOOSENECK]

STANDARD FEATURES

- All-Aluminum Construction
- 3/4" Water Resistant Decking
- Adjustable Gooseneck Coupler w/ 2 5/16" Ball
- 16" O/C Wall & Roof Studs
- Polished Aluminum Fender Flares
- Recessed Exterior LED Lights
- 16" O/C Floor Crossmembers
- White Luan Interior Walls
- Recessed HD D-Rings
- 2"x8" Subframe Tubing
- 96" Tapered Gooseneck Attic
- Roof Vent
- Torsion Ride Suspension
- 48" Beavertail Construction
- 7-Way Round Power Connection
- Smooth .030" Bonded Side Panels
- 32"x72" Side Access Door
- (2) 15000# Safety Chains
- One-Piece Aluminum Roof
- 3 LED Dome Lights w/ Switch
- Limited Lifetime Warranty
- Rear Ramp Door w/ Spring Assist
- Roof Vent



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PEG8.5x34	PEG8.5x36	PEG8.5x42	PEG8.5x48
BOX WxLxH	99"X26'X7'	99"X28'X7'	99"X34'X7'	99"X40'X7'
INTERIOR WxLxH	96"X25'2"X6'10"	96"X27'2"X6'10"	96"X33'2"X6'10"	96"X39'2"X6'10"
OVERALL WxLxH	101"X34'X8'11"	101"X36'X8'11"	101"X42'X8'11"	101"X48'X8'11"
DECK HEIGHT	15"	15"	15"	15"
REAR DOOR OPENING	91"x81"	91"x81"	91"x81"	91"x81"
AXLES(S)-QTY/RATING	2-5200#	2-5200#	3-5200#	3-5200#
WHEELS	15" Aluminum Rims	15" Aluminum Rims	15" Aluminum Rims	15" Aluminum Rims
TIRES	225/75R15	225/75R15	225/75R15	225/75R15
GVWR	9990#	9990#	15600#	15600#
CURB WEIGHT	5225#	5500#	6450#	7350#
PAYLOAD	4765#	4490#	9150#	8250#
HD D-RINGS	6	6	8	8

**ADDITIONAL SIZES AVAILABLE, CONTACT SALES REP FOR A QUOTE*

POPULAR OPTIONS

ACCESSORIES

- Stabilizer Jacks
- HD D-Rings
- Surface Mount D-Rings
- Elevated Spare Mount
- Floor Spare Mount

CONSTRUCTION OPTIONS

- Two Tone Color Pkg.
(with 6" Anodized Divider)
- White Luan Ceiling

ELECTRICAL

- Additional Dome Lights
- 2015 Rear Ramp Canopy
(with 12V Loading Lights)
- Recessed Puck Lights

OPENINGS

- 4'X4' Escape Door
- Elite Escape Door
- 24"x36" Sliding Window

WHEELS/TIRES

- Spare 15" Alum
- Spare 15" Silver Mod
- Upgrade to 15" Alum

POPULAR ENCLOSED CARGO OPTIONS

SPECIAL PACKAGES

Midnight Package (Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24")

CONSTRUCTION OPTIONS

Flat Front Construction

Cast Polished Corners for Flat Front

Upgrade to Radius Roof Construction (Up to 30')

2' Round Nose Construction w/4' Anodized Nose cone Panel

Add Slope in V-Nose

6" Extra Height

9" Extra Height

12" Extra Height

18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .090 Wall Stud Upgrade)

24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .090 Wall Stud Upgrade)

Height Decrease 6"

Height Decrease 12"

Additional Length in 2' Intervals (6 wide)

Additional Length in 2' Intervals (7 wide)

Additional Length in 2' Intervals (7.5 wide)

Additional Length in 2' Intervals (8.5 wide)

Upgrade to 2 5/16" A-Frame Coupler (From 2" A-Frame Coupler)

Add Beavertail w/ Extra High Door (6-Wide +, 16' +)

Reverse Beavertail Construction on (6-Wide +)

Upgrade to 16" O/C Floor Crossmembers

Upgrade to .090 Wall Studs

Ladder to Roof (Outside V-Nose)

Upgrade to Roller on Rear Ladder Rack

8' Platform Roof w/Ladder & Rail Kit

10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)

12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)

14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)

16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)

18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)

20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)

Extend Tongue 16"

DOORS, RAMPS & COMPARTMENTS

32" x 58" Side Access Door w/ Paddle Handle

32" x 66" Side Access Door w/ Paddle Handle

32" x 72" Side Access Door w/ Paddle Handle

Radius RV Door 32" x 72" w/Screen (Window Optional)

Upgrade to 32" x 72" Side Access Door (from 32" x 66" Door)

Upgrade to 32" x 72" Dexter Radius Side Access Door (from 32" x 72" Door)

Upgrade to Radius RV Door 32" x 72" w/Screen (Window Optional; From 32"x72" Side Access Door)

Upgrade to 36" Wide Side Access Door (from 32")

Upgrade to 48" Wide Side Access Door (from 32")

Upgrade to Rear Ramp Door w/Spring Assist

Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)

POPULAR ENCLOSED CARGO OPTIONS (cont.)

DOORS, RAMPS & COMPARTMENTS (cont.)

Diamond Plate Transition Flap
Barn Doors or Ramp on Side of Trailers (72"x74 1/2")
30" x 30" Generator Door w/ Salem Vent (Lockable)
36" x 36" Generator Door w/ Salem Vent (Lockable)
Generator Box 30"Hx30"Wx24"D (Door Optional)
Generator Box 36"Hx36"Wx24"D (Door Optional)
Generator Slide 16"
Upgrade to Insulated Generator Compartment
Propane Compartment 30"h x 30"w x 24" w/ Vented Non Locking Door
Propane Compartment 36"h x 36"w x 24" w/ Vented Non Locking Door
Fuel Door 14" x 14" w/Paddle Handle
Fuel Door 24" x 24" w/Paddle Handle
4' x 4' Concession Door
4' x 6' Concession Door
4' x 8' Concession Door
RV-Style Pull-Out Step (Steel)
Aluminum Fold Down Step
Aluminum Pull-Out Step
Aluminum Loop Step Stationary
Keyed Locking Hasps for Rear Ramp
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Stainless Steel Locking Bar for Barn Door
Upgrade to Stainless Steel Locking Bars for Ramp
Rear Door Air Curtain
Pop Out Tent Bed (60"h x 80"l Rough Opening)
Keyless Paddle Handle Entry System for SAD

EXTERIOR OPTIONS

24" Anodized Side & Rear Trim Panel
24" Diamond Plate Side & Rear Trim Panel
.040 Skin Upgrade (Black, White, & Silver Only)
.050 Skin Upgrade (Black & White Only)
Upgrade to 36" Stone Guard from 24"
Upgrade to 48" Stone Guard from 24"
Two-Tone Color w/ 6" Anodized Divider
Two-Tone Color w/ 12" Anodized Divider
Two-Tone Color w/ 24" Anodized Divider
Anodized Nose Cone

INTERIOR OPTIONS

White .030 Aluminum Side Walls, Bonded
White .030 Aluminum Side Walls, Screwed
White .030 Aluminum Ceiling, Bonded
White .030 Aluminum Ceiling, Screwed
White Vinyl Faced Luan Ceiling
Plywood Reinforced Walk-On Roof
Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant)

POPULAR ENCLOSED CARGO OPTIONS (cont.)

INTERIOR OPTIONS (cont.)

Upgrade to White Vinyl Faces Luan Walls (From 3/8" Water Resistant)
3/4" Foam Insulation - Side Walls
3/4" Foam Insulation - Ceiling (Require Ceiling liner)
.030 Aluminum Cove (All Colors)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
White .030 Spring Cover
Partition Wall w/ 32" Access Door
Diamond Plate Kick Plate (12")
Water Resistant Kick Plate (12")
Extruded Aluminum Kick Plate (6")
Carpet on Walls (Charcoal only, 3' Up on Walls, Calculate 4' for V)

FLOORING

Upgrade to 3/4" Water Resistant Decking (from 5/8" Water Resistant)
Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant)
Upgrade to Quad-Ply Flooring
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Decking
Diamond Plate Floor Overlay (.045)
Checkerboard Floor Vinyl Overlay (Black & White)
Black Rubber Coin Flooring
Carpet Flooring (Charcoal)
Upgrade to 3/4" Foam Insulated Floor
12" Diamond Plate Runner (Single Row)
12" Diamond Plate Runner (Double Row)
24" Diamond Plate Runner (Double Row)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Upgrade to 13" Aluminum Rims From 13" Silver Mod
Upgrade to 15" Silver Mod From 13" Silver Mod
Upgrade to 15" 225 Silver Mod From 15" 205 Silver Mod
Upgrade to 15" Aluminum Rims From 15" Silver Mod
Upgrade to 15" 225 Aluminum Rims From 15" Silver Mod 225
Upgrade to 16" Silver Mod From 15" 225 Silver Mod
Upgrade to 16" Aluminum Rims From 16" Silver Mod
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 13" Silver Mod (175/80R13)
Spare 15" Silver Mod (205/75R15)
Spare 13" Aluminum Rim (175/80R13)
Spare 15" Aluminum Rim (205/75R15)
Spare 15" Silver Mod Wheel (225/75R15)
Spare 15" Aluminum (225/75R15)
Spare 16" Silver Mod Wheel (235/80R16)
Spare 16" Aluminum (235/80R16)

POPULAR ENCLOSED CARGO OPTIONS (cont.)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (cont.)

Elevated Spare Tire Mount

Spare Tire Mount - Floor Level

Recessed Diamond Plate Spare Tire Well

AXLES

Upgrade from 1-3500# Ilder to 1 -3500# Braked Axles

Upgrade from 1-3500# Ilder to 2 -3500# Braked Axles

Upgrade from 2-3500# Ilder to 2 -5200# Braked Axles (w/ Frame Upgrade; Requires Ramp Upgrade)

Upgrade from 2-5200# Braked to 2-6000# Braked

Upgrade from 2-5200# Torsion to 2-7000# Torsion

Spread Axle Upgrade w/Tapered Skirting (8.5 Wides)

Upgrade to Surge Brakes (from compatible brake size)

TIE-DOWNS

Surface Mounted D-Rings

Heavy-Duty Recessed 5000# D-Rings

Heavy-Duty Recessed 6000# Swivel D-Rings (Zinc)

Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel)

Single Recessed Wheel Chock w/ (4) Surface Mount D-Rings

Tandem Recessed Wheel Chocks w/ (8) Surface Mount D-Rings

Single Recessed Wheel Chock w/ (4) 5000# HD-Rings

Tandem Recessed Wheel Chocks w/ (8) 5000# HD-Rings

Additional Recessed Wheel Chock

E-Track Surface Mounted (Wall)

E-Track HD Recessed w/ Backing Plate (Floor)

E-Track HD Recessed w/ Backing Plate (Walls)

E-Track Aluminum Surface Mounted (Wall)

E-Track Aluminum HD Recessed w/ Backing Plate (Floor)

E-Track Aluminum HD Recessed w/ Backing Plate (Walls)

Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings

12V LIGHTING & ELECTRICAL

LED Back Up Lights

Additional LED Brake Lights

Additional LED Marker Lights

Anodized Loading Lights (Over Spring)

Cold Weather HD Arctic Flex 7-Way Wire Harness

(2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen)

12V LED Load Light (Single Light w/ Switch, 950 Lumen)

12V LED Porch Light w/Wall Switch

Midship Turn Signals (LED)

Angled Backup Lights (Mounts on side of trailer)

12v Electric Jack w/Battery

Additional 12V LED Dome Light (460 lumens)

12V Standard Wall Switch

LED Puck Light Package (Includes 8 recessed lights & wall switch)(requires ceiling liner)

18" Recessed LED Dome Light (require ceiling liner)

12V Battery Trickle Charger

Deep Cycle Battery & Box - Wired

LED Strip Light w/ Housing Package (Per Foot, Per Section)

POPULAR ENCLOSED CARGO OPTIONS (cont.)

12V LIGHTING & ELECTRICAL (cont.)

Rear Canopy Loading Light System - 2013 Version (Not available w/Radius Roof)

Rear Canopy Loading Light System - 2015 Version (Not available w/Radius Roof)

110V LIGHTING & ELECTRICAL

110V Package #1 - (Includes (1) 15 AMP Motobase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ this package)

110V Package #2 - (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights

110V Package #5 - (Includes -60AMP Breaker w/ Converter, (1) Motorbase Plug, (2) 3-Way Wall switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, Deep Cycle Battery & Box

Upgrade to 50 AMP Breaker w/25' Shore Line

30 AMP Motorbase Plug (Replaces Shoreline)

30 AMP Power Converter

110V Interior Wall Switch

110V 3-Way Switch

Interior GFI Receptacle

Exterior GFI Receptacle

4' LED Light (Wraparound)

500W Recessed Quartz Light w/Housing

13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2)

Heat Strip for A/C Unit

Brace & Wire Stub for Future A/C

16,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separately)

35,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separately)

CABINETS

60" V-Nose Base, 2 Door

60" V-Nose Overhead, 2 Door

80" V-Nose Base, 2 Door

80" V-Nose Base, 4 Door

80" V-nose Overhead, 2 Door

84" V-Nose Base, 2 Door

84" V-Nose Base, 4 Door

84" V-Nose Overhead, 2 Door

99" V-Nose Base, 2 Door

99" V-Nose Base, 4 Door

99" V-Nose Overhead, 2 Door

99" V-Nose Base L-Shape Bench Cabinet, 28" Exten.

36" Wardrobe Cabinet (Single Full Height Door, 1 Shelf, Clothes Rod)

4' Straight Wall 2-Door Cabinet

6' Straight Wall 2-Door Cabinet

8' Straight Wall 4-Door Cabinet

8' Overhead Cabinet w/ 4 - Doors

4' Overhead Deluxe Cabinet 48"Lx18"Hx12"D - 2Door

62" Economy Overhead Cabinet - 1Door, 62"Lx18"Hx12"D

6' Wheel Well Cabinet 72"Lx62"Hx6 3/4"D, 2-Door w/Shelving

Clothing Rod for Cabinets

4' Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks)

POPULAR ENCLOSED CARGO OPTIONS (cont.)

AWNINGS

- 12' Carefree Acrylic Fabric with Alumuaguard Awning
- 13' Carefree Acrylic Fabric with Alumuaguard Awning
- 14' Carefree Acrylic Fabric with Alumuaguard Awning
- 15' Carefree Acrylic Fabric with Alumuaguard Awning
- 16' Carefree Acrylic Fabric with Alumuaguard Awning
- 17' Carefree Acrylic Fabric with Alumuaguard Awning
- 18' Carefree Acrylic Fabric with Alumuaguard Awning
- 19' Carefree Acrylic Fabric with Alumuaguard Awning
- 20' Carefree Acrylic Fabric with Alumuaguard Awning
- 21' Carefree Acrylic Fabric with Alumuaguard Awning

VENTS & WINDOWS

- Roof Vent (Extra)
- 12 Volt Power Vent
- 110 Volt Power Vent (Require 110V PKG #2)
- Maxx Air Vent Cover
- Plastic Side Wall Vents
- Aluminum, Two-Way Directional Salem Vents
- 18" x 24" Radius Sliding Window
- 24" x 36" Radius Sliding Window
- 24" x 36" Radius Sliding Egress Window

MISC OPTIONS, ACCESSORIES

- Ladder Racks
- Fold-Down Sofa/Sleeper
- Fold-Down Bunk Beds
- Fold-Down Dinette/Sleeper
- Stabilizer Jacks
- Scissor Jacks (Camber Style)

ENCLOSED INLINE SNOW [INTEGRATED FRAME DELUXE]

STANDARD FEATURES

- All-Aluminum Construction
- Integrated Frame Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x4" Subframe Tubing
- 5/8" Water Resistant Decking
- Leaf Spring Suspension (4" Drop)
- One-Piece Seamless Aluminum Roof
- 12" Water Resistant Kickplate (No Wall Liner)
- Recessed LED Exterior Lighting
- Rear Ramp Door w/ Spring Assist
- Front Ramp Door w/ Spring Assist
- V-Nose Design (60°)
- 32"x66" Paddle Handle Door
- Interior Cove Trim Package
- 3" Exterior Trim
- Slide Track Tie-Down System
- (2) Sliding D-Rings, Per Machine
- 2 Interior LED Dome Lights w/Wall Switch
- Plastic Salem Vents
- 24" Bright Stoneguard
- (2) 14" X 14" Fuel Doors (1 on 14')
- Polished Aluminum Fenders
- Screwless .030" Bonded Side Panels
- 10000# Coupler w/ 2 5/16" Ball
- 2000# Center Jack
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Limited 4-Year Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	PES7x14-IF Deluxe	PES7x18-IF Deluxe	PES7x22-IF Deluxe	PES7x24-IF Deluxe
Box WxLxH	82.5"x14'x75"	82.5"x18'x75"	82.5"x22'x75"	82.5"x24'x75"
Interior WxLxHxH	79.5"x13'10"x73"	79.5"x17'10"x73"	79.5"x21'10"x73"	79.5"x23'10"x73"
Overall WxLxH	101"x20'8"x93"	101"x24'8"x93"	101"x28'8"x93"	101"x30'8"x93"
Deck Height	19"	19"	19"	19"
Rear Door Opening WxH	74.5"x69"	74.5"x69"	74.5"x69"	74.5"x69"
Front Door Opening WxH	57" x 69"	57" x 69"	57" x 69"	57" x 69"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	6000#	6000#	6000#	6000#
Curb Weight	1730#	1930#	2005#	2080#
Payload	4270#	4070#	3995#	3920#
Hitch Height	14"	14"	14"	14"

OPTIONS & ACCESSORIES

DOORS OPTIONS

14" x 14" Deluxe Fuel Door

INTERIOR OPTIONS

White Vinyl Faced Luan Walls

TIRE/WHEEL ASSEMBLIES

& ACCESSORIES

Spare 15" Silver Mod

Spare 15" Aluminum Rim

ENCLOSED INLINE SNOW [INTEGRATED FRAME ELITE]

STANDARD FEATURES

- All-Aluminum Construction
- Integrated Frame Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x4" Subframe Tubing
- 5/8" Water Resistant Decking
- Leaf Spring Suspension (4" Drop)
- One-Piece Seamless Aluminum Roof
- 12" Water Resistant Kickplate
- White Vinyl Backed Luan Walls
- Recessed LED Exterior Lighting
- Rear Ramp Door w/ Spring Assist
- Front Ramp Door w/ Spring Assist
- V-Nose Design (60")
- (2) 14" X 14" Fuel Doors (1 on 14')
- 32"x66" Paddle Handle Door
- Interior Cove Trim Package
- 3" Exterior Trim
- 2 Interior LED Dome Lights w/Wall Switch
- 2 Exterior LED Load Lights w/Wall Switch
- Plastic Salem Vents
- 24" Bright Stoneguard
- Polished Aluminum Fenders
- Screwless .030" Bonded Side Panels
- 10000# Coupler w/ 2 5/16" Ball
- 2000# Center Jack
- 7-Way Round Power Connection
- (2) 7800# Safety Chains
- Slide Track Tie-Down System
- (2) Sliding D-Rings, Per Machine
- Limited 4-Year Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	PES7x14-IF Elite	PES7x18-IF Elite	PES7x22-IF Elite	PES7x24-IF Elite
Box WxLxH	82.5"x14"x75"	82.5"x18"x75"	82.5"x22"x75"	82.5"x24"x75"
Interior WxLxHxH	79.5"x13'10"x73"	79.5"x17'10"x73"	79.5"x21'10"x73"	79.5"x23'10"x73"
Overall WxLxH	101"x20'8"x93"	101"x24'8"x93"	101"x28'8"x93"	101"x30'8"x93"
Deck Height	19"	19"	19"	19"
Rear Door Opening WxH	74.5"x69"	74.5"x69"	74.5"x69"	74.5"x69"
Front Door Opening WxH	57" x 69"	57" x 69"	57" x 69"	57" x 69"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	6000#	6000#	6000#	6000#
Curb Weight	1730#	1930#	2005#	2080#
Payload	4270#	4070#	3995#	3920#
Hitch Height	14"	14"	14"	14"

OPTIONS & ACCESSORIES

INTERIOR OPTIONS

White Vinyl Faced Luan Ceiling

AXLE OPTIONS

Upgrade to Torsion Ride Axles

TIRE/WHEEL ASSEMBLIES

& ACCESSORIES

Spare 15" Silver Mod

Spare 15" Aluminum Rim

ENCLOSED SNOW [DECKOVER DURALITE]

STANDARD FEATURES

- All-Aluminum Construction
- 5/8" Water Resistant Decking
- 6000# Straight Coupler w/ 2" Ball (12' & 14')
- 16" O/C Wall & Roof Studs
- 48" V-Nose Construction
- 8000# A-Frame Coupler w/ 2" Ball (16', 18' & 22')
- 24" O/C Floor Crossmembers
- Side Door 32" x 66"
- 1500# Wheel Jack
- 2"x5" Subframe Tubing
- Full Length Slide Track w/ D-Rings
- (2) 7800# Safety Chains
- Torsion Ride Suspension
- Tri-Frame Tongue
- 7-Way Arctic Flex Cord
- Smooth .030" Bonded Side Panels
- 12" Bright Stoneguard
- 4-Year Limited Warranty
- One-Piece Aluminum Roof
- Recessed LED Lights
- Rear Ramp Door w/ Spring Assist
- 12" WR Kickplate
- Front Ramp Door w/ Spring Assist



STANDARD SPECIFICATIONS

TRAILER MODEL	PES101x12 DL LM	PES101x14 DL LM	PES101x16 DL LM	PES101x18 DL LM	PES101x22 DL LM
Box WxLxH	101"x12'x75"	101"x14'x75"	101"x16'x75"	101"x18'x75"	101"x22'x75"
Interior WxLxH	98"x11'10"x6'1"	98"x13'10"x6'1"	98"x15'10"x6'1"	98"x17'10"x6'1"	98"x21'10"x6'1"
Overall WxLxH	101"x17'5"x92"	101"x19'5"x92"	101"x23'5"x92"	101"x23'5"x92"	101"x27'5"x92"
Deck Height	27"	31"	31"	31"	31"
Rear Door Opening	93"x71"	93"x71"	93"x71"	93"x71"	93"x71"
Front Door Opening	59"x69"	59"x69"	59"x69"	59"x69"	59"x69"
Axle(s) - Qty/Rating)	1-3500# Idler	2-2200# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	13" Silver Mod.	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	175/80R13	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	2990#	4400#	6000#	6000#	6000#
Curb Weight	1295#	1600#	TBD	TBD	TBD
Payload	1605#	2800#	TBD	TBD	TBD
Power Connection	4-Way Flat	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS

- 6" Extra Height
- Upgrade to 24" Stone Guard

INTERIOR

- Upgrade to White Vinyl Luan Ceiling

DECKING

- Upgrade to Quad Ply Decking

ENCLOSED SNOW [DECKOVER BOONDOCKER]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- Showing Beavertail Design
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- Radius Roof Construction
- One-Piece Aluminum Roof
- Wrap Around Front Ramp w/Spring Assist
- Rear Ramp Door w/ Spring Assist
- 32" X 66" Side Access Door
- (2) 14" x 14" Fuel Doors
- 1500# Wheel Jack
- Full Length Slide Track w/ D-Rings
- 24" Bright Stoneguard
- White Vinyl Luan Walls
- 3 Interior Dome Lights w/ Switch
- Roof Vent
- Recessed LED Exterior Lights
- Tri-Frame Tongue
- 8000# A-Frame Coupler w/ 2" Ball
- 3/4" Quad Ply Decking w/ 6" Extruded Kickplate
- (2) 7800# Safety Chains
- Limited Lifetime Warranty



STANDARD SPECIFICATIONS

TRAILER MODEL	PES101x16 (6.5) BD	PES101x22 (6.5) BD
Box WxLxH	101"x16'x78"	101"x22'x78"
Interior WxLxH	98"x15'10"x76"	98"x21'10"x76"
Overall WxLxH	101"x22'5"x8'8"	101"x28'5"x8'8"
Deck Height	27"	27"
Rear Door Opening	91" x 75"	91" x 75"
Front Door Opening	72" x 72"	72" x 72"
Axle(s) - Qty/Rating)	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15
GVWR	6000#	6000#
Curb Weight	1860#	2240#
Payload	4140#	3760#
Power Connection	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES

WHEELS

- Spare 15" Silver Mod
- Spare 15" Aluminum Rim
- Upgrade to 15" Aluminum Rims

EXTERIOR

- Two-Tone Color
- w/ 6" Anodized Divider

DOORS/WINDOWS/VENTS

- Upgrade to 72" Side Door

CABINETS

- 48" Deluxe Overhead Cabinet

ENCLOSED SNOW [DECKOVER EXTREME WEATHER]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- Showing Beavertail Design
- Torsion Ride Suspension
- Smooth .030" Bonded Side Panels
- Radius Roof Construction
- One-Piece Aluminum Roof
- Ducted Cabinet Package w/6' Duct & 48" Cabinet
- Extreme Weather Package - Includes White Luan Walls and Ceiling, Insulated Walls and Ceiling, 110 Package #5, 35,000 BTU Furnace, Safety Kit, 120" V-Nose Wrap Around Cabinet w/Furnace C
- Rear Ramp Door w/ Spring Assist
- Wrap Around Front Ramp w/Spring Assist
- 32" X 66" Side Access Door w/Step Loop
- (2) 14" x 14" Fuel Doors
- (2) Fold Down Benches
- Full Length Slide Track w/ D-Rings
- 24" Bright Stoneguard
- Elevated Spare Tire Mount
- Locking Hasps for Ramps
- Arctic Flex Cold Weather Cord
- 3 Interior Dome Lights
- Roof Vent
- Recessed LED Exterior Lights
- Tri-Frame Tongue
- 8000# A-Frame Coupler w/ 2" Ball
- 1500# Wheel Jack
- (2) 7800# Safety Chains
- Limited Lifetime Warranty
- 3/4" Quad Ply Decking w/ 6" Extruded Kickplate



STANDARD SPECIFICATIONS

TRAILER MODEL	PES101x16 (6.5) EWP	PES101x22 (6.5) EWP
Box WxLxH	101"x16"x78"	101"x22"x78"
Interior WxLxH	98"x15"10"x76"	98"x21"10"x76"
Overall WxLxH	101"x22'5"x8'8"	101"x28'5"x8'8"
Deck Height	27"	27"
Rear Door Opening	91" x 75"	91" x 75"
Front Door Opening	72" x 72"	72" x 72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15
GVWR	6000#	6000#
Curb Weight	1860#	2240#
Payload	4140#	3760#
Power Connection	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES

EXTERIOR

- Two-Tone Color
- w/ 6" Anodized Divider

CONSTRUCTION OPTIONS

- 6" Extra Height

PACKAGES

- Kicker Stereo Package

ENCLOSED SNOW [ALL-SPORT PEAK VALUE]

STANDARD FEATURES

- All-Aluminum Construction, 2" x 5" Main Frame
- Polished Aluminum Fender Flares
- Tri-Frame Tongue
- 16" O/C Wall & Roof Studs
- 48" Beavertail Construction
- (2) 14" x 14" Fuel Doors
- 24" O/C Floor Crossmembers
- White Luan Interior Walls & Ceiling
- 24" Bright Stoneguard
- Dexter Torsion Ride Suspension
- Recessed LED Exterior Lights
- HD Center Jack
- Smooth .030" Bonded Side Panels
- 3 Interior Dome Lights
- (2) 7800# Safety Chains
- One-Piece Aluminum Roof
- Drive-Over Fender Kit
- Limited Lifetime Warranty
- Rear Ramp Door w/ Spring Assist w/FTH Flap
- Roof Vent
- Arctic Flex Cold Weather Cord
- Front Ramp Door w/ Spring Assist
- 12500# A-Frame Coupler w/ 2 5/16" Ball
- 3/4" Water Resistant Decking
- 32"x72" Side Access Door
- 4x Recessed D-Rings

No Axle Upgrades Available

STANDARD SPECIFICATIONS

TRAILER MODEL	PCH 8.5 x 16 A-S PV	PCH 8.5 x 18 A-S PV	PCH 8.5 x 22 A-S PV
Box WxLxH	99"x16"x84"	99"x18"x84"	99"x22"x84"
Interior WxLxH	96"x15'10"x6'10"	96"x17'10"x6'10"	96"x21'10"x6'10"
Overall WxLxH	102"x23'9"x9'4"	102"x24'9"x9'4"	102"x29'9"x9'4"
Deck Height	18"	18"	18"
Rear Door Opening	89"x81"	89"x81"	89"x81"
Axle(s) - Qty/Rating)	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Aluminum Rims	15" Aluminum Rims	15" Aluminum Rims
Tires	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#
Curb Weight	TBD	TBD	TBD
Payload	TBD	TBD	TBD
BASE PRICE	15"	15"	15"

OPTIONS & ACCESSORIES

STRUCTURE

6" Extra Height

CABINETS

48" Deluxe Overhead Cabinet

60" Overhead Cabinet

DOORS/WINDOWS/VENTS

4' X 4' Escape Door

AXLE & FRAME UPGRADE

Upgrade to 2-5200# axles w/ Frame

Upgrade (ONLY UPGRADE

AVAILABLE)

ENCLOSED SNOW [ALL-SPORT BOONDOCKER]

STANDARD FEATURES

- All-Aluminum Construction
- Polished Aluminum Fender Flares
- Tri-Frame Tongue
- 16" O/C Wall & Roof Studs
- 48" Beavertail Construction
- White Luan Interior Walls & Ceiling
- 16" O/C Floor Crossmembers
- Recessed LED Exterior Lights
- (2) 14"x14" Fuel Doors (1 on 16')
- 3 Interior Dome Lights
- Smooth .030" Bonded Side Panels
- Drive-Over Fender Kit
- Radius Roof w/One-Piece Aluminum Roof
- Roof Vent
- Rear Ramp Door w/ Spring Assist w/FTH Flap
- 12500# A-Frame Coupler w/ 2 5/16" Ball
- Wrap Around Front Ramp Door w/ Spring Assist
- 32"x72" Side Access Door w/ Flip Down Step
- 3/4" Quad Ply Decking w/ 6" Extruded Kickplate
- 4' x 4' Escape Door
- Slide Track Tie-Down System, w/10 Sliding D-Rings
- Recessed HD D-Rings
- 24" Bright Stoneguard
- HD Center Jack
- Spread Axle Package w/ Dexter Torsion Ride Suspension
- (2) 7800# Safety Chains
- Arctic Flex - Cold Weather 7-Way Cord
- Limited Lifetime Warranty



STANDARD SPECIFICATIONS

TRAILER MODEL	PCH 8.5 x 16 A-S BD	PCH 8.5 x 22 A-S BD	PCH 8.5 x 24 A-S BD
Box WxLxH	99"x16'x84"	99"x22'x84"	99"x24'x84"
Interior WxLxH	96"x15'10"x6'10"	96"x21'10"x6'10"	96"x23'10"x6'10"
Overall WxLxH	102"x23'9"x9'4"	102"x29'9"x9'4"	102"x31'9"x9'4"
Deck Height	18"	18"	18"
Rear Door Opening	89"x81"	89"x81"	89"x81"
Front Door Opening	72"x78"	72"x78"	72"x78"
Axle(s) - Qty/Rating	2-5200# Braked	2-6000# Braked	2-6000# Braked
Wheels	15" Aluminum Rims	16" Aluminum Rims	16" Aluminum Rims
Tires	225/75R15	235/80R16	235/80R16
GVWR	9900#	12000#	12000#
Curb Weight	2415#	3000#	3100#
Payload	7485#	9000#	8900#
Hitch Height	15"	15"	17"

OPTIONS & ACCESSORIES

STRUCTURE

6" Extra Height

AXLES

Upgrade from 2-5200# Braked

to 2-6000# Braked

Upgrade from 2-5200# Braked

to 2-7000# Braked

WHEELS

Spare 15" 225 Aluminum Rim

Spare 16" 235 Aluminum Rim

DOORS/WINDOWS/VENTS

Fuel Door 14"x14"

ENCLOSED SNOW [ALL-SPORT EXTREME WEATHER PACKAGE]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- Recessed LED Exterior Lights
- Smooth .030" Bonded Side Panels
- Radius Roof w/One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist w/ FTH Flap
- Wrap Around Front Ramp Door w/ Spring Assist
- 3/4" Quad Ply Decking w/ 6" Extruded Kickplate
- Slide Track Tie-Down System, w/10 Sliding D-Rings
- 30# Propane Tank
- Polished Aluminum Fender Flares
- 48" Beavertail Construction
- Spread Axle Package w/Dexter Torsion Ride Suspension
- 3 Interior Dome Lights
- Drive-Over Fender Kit
- Roof Vent
- 12500# A-Frame Coupler w/ 2 5/16" Ball
- 32"x72" Side Access Door w/ Flip Down Step
- 4' x 4' Escape Door
- Ducted Cabinet Package w/ 6' Duct & 48" Overhead Cabinet
- 2 x Flip Down Benches
- Tri-Frame Tongue
- Recessed HD D-Rings
- Roof Vent
- 24" Bright Stoneguard
- Extreme Weather Package: Includes 3/4" Foam Insulated Walls & Ceiling, 110V Power Package #5, 120" Wrap-Around Deluxe (White w/ Black Trim) 2-Door Cabinet w/ 35,000 BTU Furnace w/ Thermostat
- Arctic Flex - Cold Weather 7-Way Cord
- Locking Hasps for Ramps
- Elevated Spare Tire Mount
- Limited Lifetime Warranty
- HD Center Jack
- (2) 7800# Safety Chains



STANDARD SPECIFICATIONS

TRAILER MODEL	PCH 8.5 x 16 A-S EWP	PCH 8.5 x 22 A-S EWP	PCH 8.5 x 24 A-S EWP
Box WxLxH	99"x16"x84"	99"x22"x84"	99"x24"x84"
Interior WxLxH	96"x15'10"x6'10"	96"x21'10"x6'10"	96"x23'10"x6'10"
Overall WxLxH	102"x23'9"x9'4"	102"x29'9"x9'4"	102"x31'9"x9'4"
Deck Height	18"	18"	18"
Rear Door Opening	89"x81"	89"x81"	89"x81"
Front Ramp Opening	72"x78"	72"x78"	72"x78"
Axle(s) - Qty/Rating	2-5200# Braked	2-6000# Braked	2-6000# Braked
Wheels	15" Aluminum Rims	16" Aluminum Rims	16" Aluminum Rims
BASE PRICE	225/75R15	235/80R16	235/80R16
GVWR	9900#	12000#	12000#
Curb Weight	2415#	3000#	3100#
Payload	7485#	9000#	8900#
Hitch Height	15"	15"	17"

OPTIONS & ACCESSORIES

STRUCTURE

6" Extra Height

DOORS/WINDOWS/VENTS

Fuel Door 14"x14"

AXLES

Upgrade from 2-5200# Braked to 2-6000# Braked

Upgrade from 2-5200# Braked to 2-7000# Braked

ENCLOSED SNOW [GOOSENECK ETREME WEATHER]

STANDARD FEATURES

- Extreme Weather Package
- 16" O/C Wall & Roof Studs
- 16" O/C Floor Crossmembers
- 2"x8" Subframe Tubing
- LED Lights
- Smooth .030" Bonded Side Panels
- Radius Roof w/ One-Piece Aluminum R
- Rear Ramp Door w/ Spring Assist
- 6' Side Ramp w/ Spring Assist
- 3/4" Quad-Ply Decking
- Polished Alum. Fender Flares
- White Luan Walls/Ceiling
- 96" Tapered Gooseneck Attic
- 48" Beavertail Construction
- 36"x72" Side Access Door
- Aluminum Fold-Down Step
- (8) LED Puck Lights
- Roof Vent
- Adjustable Gooseneck Coupler
- Recessed HD D-Rings
- Roof Vent
- Manual Landing Gear
- Limited Lifetime Warranty
- Spread Axle Package
- 4' x 4' Escape Door
- Slide Track Tie-Down System, w/10 Sliding D-Rings
- Arctic Flex 7-Way Cord
- Kicker Stereo Package
- (2) 30lb Propane Tanks
- Ducted Cabinet Package
- (2) Flip Down Benches
- Elevated Spae Tire Mount
- 6" Extruded Kickplate
- w/ 6' Duct & 48" Overhead Cabinet

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PEG8.5X34-EW	PEG8.5X36-EW
BOX WxLxH	99"X26'X7'	99"X28'X7'
INTERIOR WxLxH	96"X25'2"X6'10"	96"X27'2"X6'10"
OVERALL WxLxH	101"X34'X8'11	101"X36'X8'11
DECK HEIGHT	15"	15"
REAR RAMP OPENING	91"X81"	91"X81"
AXLE(S) - QTY/RATING)	2-6000# Braked	2-6000# Braked
WHEELS	16" Aluminum	16" Aluminum
TIRES	235/85R16	235/85R16
GVWR	12,000#	12,000#
CURB WEIGHT	5240#	5520#
PAYLOAD	6760#	6480#

POPULAR OPTIONS

ACCESSORIES

- Stabilizer Jacks
- Elevated Spare Mount
- Floor Spare Mount

CONSTRUCTION OPTIONS

- 6" Extra Height
- 9" Extra Height
- Two Tone Color Pkg.
(with 6" Anodized Divider)

ELECTRICAL

- Additional Dome Lights
- Wall Switch for Dome Light

OPENINGS

- 4'X4' Escape Door
- Elite Escape Door
- 24"x36" Sliding Window
- 14"x14" Fuel Door

WHEELS/TIRES

- Spare 16" Alum
- Spare 16" Silver Mod

CROSSOVER SNOW

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- Subframe Tubing (2x3 - 12', 2x5 - 20')
- Torsion Ride Suspension
- Screwless .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 19"x58" Front Access Door
- 5/8" Water Resistant Decking
- Full Length Slide Track w/ Ski Tie Down Bars
- 12" Plywood Kickplate
- Interior Dome Light
- Louver Vents
- Recessed LED Marker Lights
- Wishbone Tongue w/ Straight Coupler
- Round Radius Diamond Plate Nose
- 1200# Wheel Jack
- (2) 5000# Safety Chains
- Limited 4-Year Warranty
- 26"x58" Side Door w/ Paddle Handle



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PFS101X12-X	PFS101X20-X
BOX WxLxH	101"X12'X66"	101"X20'X66"
INTERIOR WxLxH	98"X11'10"X64"	98"X19'10"X64"
OVERALL WxLxH	102"X7'8"X16'2"	102"X7'8"X24'2"
DECK HEIGHT	25"	26"
HITCH HEIGHT	23"	24"
REAR RAMP OPENING	93"X62"	93"X62"
COUPLER RATING/BALL	3500#/2" Ball	6000#/2" Ball
AXLE(S) - QTY/RATING	1-3500#	2-2200# Braked
WHEELS	12" E-Rated	12" E-Rated
TIRES	ST145/R12E	ST145/R12E
GVWR	2990#	4400#
CURB WEIGHT	1058#	1740#
PAYLOAD	1932#	2660#

POPULAR OPTIONS

ACCESSORIES

- Tongue Mount Spare
- Ski Guides
- Track Mats
- Paddle Grabbers (set of 6)

CONSTRUCTION OPTIONS

- Two Tone Color Pkg.
(with 6" Anodized Divider)
- Upgrade to Quad Ply Floor

OPENINGS

- 14"x14" Fuel Door

WHEELS/TIRES

- Spare 12" E Rated
- Spare 13" Silver Mod
- Upgrade to 13" Silver Mod
(from 12" E Rated)

CROSSOVER SNOW [7.5]

STANDARD FEATURES

- All-Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x4" Subframe Tubing
- Torsion Ride Suspension
- Screwless .030" Bonded Side Panels
- One-Piece Aluminum Roof
- Rear Ramp Door w/ Spring Assist
- 19"x58" Front Access Door
- 5/8" Water Resistant Decking
- Recessed LED Marker Lights
- 12" Plywood Kickplate
- Interior Dome Light
- Louver Vents
- Full Length Slide Track w/ Ski Tie Down Bars
- Wishbone Tongue w/ Straight Coupler
- Round Radius Diamond Plate Nose
- 1200# Wheel Jack
- (2) 5000# Safety Chains
- Limited 4-Year Warranty
- 26"x53" Side Door w/ Paddle Handle



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PFS7X16-X	PFS7.5X16-X
BOX WxLxH	84"X16'X66"	90"X16'X66"
INTERIOR WxLxH	81"X15'10"X64"	91"X15'10"X64"
OVERALL WxLxH	81"X20'2"X7'8"	91"X20'2"X7'8"
DECK HEIGHT	19"	19"
HITCH HEIGHT	15"	15"
REAR RAMP OPENING	76"X62"	82"X62"
COUPLER RATING/BALL	6000#/2" Ball	6000#/2" Ball
AXLE(S) - QTY/RATING	1-3500# Idler	2-2200# Braked
WHEELS	15" Silver Mods	15" Silver Mods
TIRES	ST205/75R15	ST205/75R15
GVWR	2990#	4400#
CURB WEIGHT	1200#	1390#
PAYLOAD	1790#	3010#

POPULAR OPTIONS

ACCESSORIES

- Tongue Mount Spare
- Ski Guides
- Track Mats
- Paddle Grabbers

OPENINGS

- 14"x14" Fuel Door

SPECIAL PKGS

- Crossover Side-by-Side Pkg

CONSTRUCTION OPTIONS

- Two Tone Color Pkg.
(with 6" Anodized Divider)
- Upgrade to Quad Ply Floor

WHEELS/TIRES

- Spare 15" Silver Mod

POPULAR ENCLOSED SNOW OPTIONS

SPECIAL PACKAGES

Boondocker Package - Snow Trailers: Includes Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp with Spring Assist (72" opening), & 6" DP Kickplate

Extreme Weather Package - Deckover Snow Trailers: Includes Upgrade to Insulated Walls and Ceiling, 110 Package #2, 60 AMP Converter w/ Breaker Box, Exterior MotoBase Plug, 35,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO2 Detector, & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box and (1) 40# Underslung Propane Tank

Extreme Weather Package - Inline Snow Trailers: Includes Upgrade to White Vinyl Walls & Ceiling, Foam Insulated Insulated Walls and Ceiling, 110 Package #2, 60 AMP Converter w/ Breaker Box, Exterior MotoBase Plug, 35,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO2 Detector & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box and (1) 20# Tongue-Mounted Propane Tank

Ducted Cabinet Package - Upgrade for Extreme Weather Package. Includes 4" Flex Piping w.030 Aluminum Surround (60") and 48" Cabinet

Midnight Package - Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24"

Track Melt System (Add to Models w/ Extreme Weather Package) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet

Track Melt System (Add to Deckover Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 40# Underslung Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet

Track Melt System (Add to Inline Models) - Includes (2) Full Length Aluminum Duct Work Tracts, 35,000 BTU Furnace, 20# Tongue-Mounted Propane Tank, Marine Grade Grade Battery w/ Box, & 4' Base Cabinet

CONSTRUCTION OPTIONS

Upgrade to Radius Roof Construction (Up to 30')

Add Slope in V-Nose

6" Extra Height

12" Extra Height

Height Decrease 6"

Height Decrease 12"

Additional Length in 2' Intervals (7 wide)

Additional Length in 2' Intervals (7.5 wide)

Additional Length in 2' Intervals (8.5 wide)

2 5/16" Coupler Upgrade

Add Showing Beavertail (MES 101" Models)

Add Beavertail w/ Extra High Door (6.5 wide +, 16' +)

Reverse Beavertail Construction on (7' wides & Up)

5.2K Axle Frame Upgrade for MES Models

Upgrade to 16" O/C Floor Crossmembers

Upgrade to .090 Wall Studs (6.5 wide +)

Upgrade to Trussed Roof System (Not compatible w/Radius)

DOORS, RAMPS & COMPARTMENTS

26" x 58" Side Access Door (Crossover's & MES DL's)

32" x 58" Side Access Door

32" x 66" Side Access Door

32" x 72" Side Access Door

Upgrade to 32" x 72" Radius Side Access Door (from 32" x 66" or 72" Door)

Radius RV Door 32" x 72" w/Screen (Window Optional)

Upgrade to 36" Wide Side Access Door (from 32")

POPULAR ENCLOSED SNOW OPTIONS (cont.)

DOORS, RAMPS & COMPARTMENTS (cont.)

Upgrade to 48" Wide Side Access Door (from 32")
Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)
Spring Assist Front Ramp
Fuel Door 14" x 14" w/Paddle Handle
Fuel Door 24" x 24" w/Paddle Handle
RV-Style Pull-Out Step (Steel)
Aluminum Pull-Out Step
Alluminum Fold Down Step
Aluminum Loop Step Stationary
Keyed Locking Hasps for Rear Ramp
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Stainless Steel Locking Bar for Barn Door
Upgrade to 48" Stainless Locking Bars for Ramp
Rear Door Air Curtain
Keyless Paddle Handle Entry System for SAD

EXTERIOR OPTIONS

24" Anodized Side & Rear Trim Panel
24" Diamond Plate Side & Rear Trim Panel
.040 Skin Upgrade (Call for Colors)
.050 Skin Upgrade (Call for Colors)
Upgrade to 36" Stone Guard from 24"
Upgrade to 48" Stone Guard from 24"
Two-Tone Color w/ 6" Anodized Divider
Two-Tone Color w/ 12" Anodized Divider
Two-Tone Color w/ 24" Anodized Divider
Anodized Nose Cap

INTERIOR OPTIONS

White .030 Aluminum Side Walls, Bonded
White .030 Aluminum Side Walls, Screwed
White .030 Aluminum Ceiling, Bonded
White .030 Aluminum Ceiling, Screwed
White Vinyl Faced Luan Ceiling
White Vinyl Faced Luan Walls
Upgrade to 3/8" Plywood Walls
3/4" Foam Insulation - Side Walls
3/4" Foam Insulation - Ceiling (Require Ceiling liner)
.030 Aluminum Cove (All Colors)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
White .030 Spring Cover
Diamond Plate Kick Plate (12")
Upgrade to 3/4" Marine Grade Plywood (from 3/4" Water Resistant)
Upgrade to Quad-Ply Flooring

POPULAR ENCLOSED SNOW OPTIONS (cont.)

TRACK MATS & SKI GUIDES

Ski Guides 12' Box Only
Ski Guides 14' Box Only
Ski Guides 16' Box Only
Ski Guides 18' Box Only
Ski Guides 20' & 22' Box Only
Ski Guides - Front Ramp
Ski Guides - Rear Ramp
Track Mats 12' Box only
Track Mats 14' Box only
Track Mats 16' Box only
Track Mats 18' Box only
Track Mats 20' Box only
Track Mats 22' Box only
Track Mats - Front Ramp
Track Mats - Rear Ramp
Paddle Grabbers - (Set of 6 Pieces)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Upgrade to 13" Tires from 12" Tires
Upgrade to 15" Tires from 12" Tires
Upgrade to 13" Aluminum Rims From 13" Silver
Upgrade to 15" Silver Mod From 13" Silver Mod
Upgrade to 15" 225 Silver Mod From 15" 205's
Upgrade to 15" Aluminum Rims From 15" Silver Mod
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 12" Silver Mod (145/R12E)
Spare 13" Silver Mod (175/R8013")
Spare 15" Silver Mod (205/75R15")
Spare 13" Aluminum Rim (175R13") T07
Spare 15" Aluminum Rim (205/75R15) T07
Spare 15" Silver Mod Wheel (225/75R15)
Spare 15" Aluminum (225/75R15)
Elevated Spare Tire Mount
Spare Tire Mount - Floor Level
Recessed Diamond Plate Spare Tire Well

AXLES

Upgrade from 1-3500 Idler to 2-2200# Braked Axles
Upgrade from 1-3500# Idler to 1-3500# Braked Axles
Upgrade from 1-3500# Idler to 2 -3500# Braked Axles
Upgrade from 2-2200 Braked to 2-3500# Braked Axles
Required MES Frame Upgrade for 9990GVWR
Upgrade from 2-3500 Braked to 3-3500# Braked Axles
Upgrade from 2-3500 Braked to 2-5200# Braked Axles w/ Frame Upgrade
Upgrade to Surge Brakes (from compatible brake size)

POPULAR ENCLOSED SNOW OPTIONS (cont.)

TIE-DOWNS

Additional Sliding D-Rings (for Slide Track)
Surface Mounted D-Rings
Heavy-Duty Recessed D-Rings
Heavy-Duty Recessed 6000# Swivel D-Rings (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings (Stainless Steel)
Single Wheel Chock w/ 4 D-Rings
Tandem Wheel Chocks w/ 8 D-Rings
Single Wheel Chock w/ 4 HD-Rings
Tandem Wheel Chocks w/ 8 HD-Rings
Additional Recessed Wheel Chock
Additional Row of Recessed Slide Track (Per Row)
E-Track Surface Mounted (Wall)
E-Track HD Recessed w/Backing Plate (Floor)
E-Track HD with Backing Plate (Walls)
E-Track Aluminum Surface Mounted (Wall)
E-Track Aluminum HD Recessed w/ Backing Plate (Floor)
E-Track Aluminum HD Recessed w/ Backing Plate (Walls)
Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings

12V LIGHTING & ELECTRICAL

LED Back Up Lights
Additional LED Brake Lights
Additional LED Marker Lights
Anodized Loading Lights (Over Spring)
Cold Weather HD Arctic Flex 7-Way Wire Harness
(2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen)
12V LED Load Light (Single Light w/ Switch, 950 Lumen)
LED Loading Light Package for Side of Trailer (1 Light w/Switch, 950 lumens, & Housing)
12V LED Porch Light w/Wall Switch
Midship Turn Signals (LED)
Angled Backup Lights (Mounts on side of trailer)
12v Electric Jack w/Battery
Additional 12V LED Dome Light (460 lumens)
12V Standard Wall Switch
LED Puck Light Package (Includes 8 recessed lights & wall switch)(requires ceiling liner)
18" Recessed LED Dome Light (require ceiling liner)
12V Battery Trickle Charger
Deep Cycle Battery & Box - Wired
LED Strip Light w/ Housing Package (Per Foot, Per Section)
Rear Canopy Loading Light System - 2013 Version (Not available w/Radius Roof)
Rear Canopy Loading Light System - 2015 Version (Not available w/Radius Roof)

POPULAR ENCLOSED SNOW OPTIONS (cont.)

110V LIGHTING & ELECTRICAL

110V Package #1 - (Includes (1) 15 AMP Motobase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ this package)

110V Package #2 - (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights

110V Package #5 - (Includes -60AMP Breaker w/ Converter, (1) Motorbase Plug, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, Deep Cycle Battery & Box

Upgrade to 50 AMP Breaker w/25' Shore Line

30 AMP Motorbase Plug (Replaces Shoreline)

30 AMP Power Converter

110V Interior Wall Switch

110V 3-Way Switch

Interior GFI Receptacle

Exterior GFI Receptacle

4' LED Light (Wraparound)

500W Recessed Quartz Light w/Housing

13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2)

Heat Strip for A/C Unit

Brace & Wire Stub for Future A/C

16,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separately)

35,000 BTU Furnace w/Deep Cycle Battery, Propane Tank (Cabinet Sold Separately)

CABINETS

4' Straight Wall 2-Door Cabinet

6' Straight Wall 2-Door Cabinet

8' Straight Wall 4-Door Cabinet

8' Overhead Cabinet w/ 4 - Doors

4' Overhead Deluxe Cabinet 48"Lx18"Hx12"D - 2Door

62" Economy Overhead Cabinet - 1Door, 62"Lx18"Hx12"D

60" Angled Base Cabinet (Snow Trailer V-Nose)

AWNINGS

12' Carefree Acrylic Fabric with Alumuaguard Awning

13' Carefree Acrylic Fabric with Alumuaguard Awning

14' Carefree Acrylic Fabric with Alumuaguard Awning

15' Carefree Acrylic Fabric with Alumuaguard Awning

16' Carefree Acrylic Fabric with Alumuaguard Awning

17' Carefree Acrylic Fabric with Alumuaguard Awning

18' Carefree Acrylic Fabric with Alumuaguard Awning

19' Carefree Acrylic Fabric with Alumuaguard Awning

20' Carefree Acrylic Fabric with Alumuaguard Awning

21' Carefree Acrylic Fabric with Alumuaguard Awning

VENTS & WINDOWS

Roof Vent (Extra)

12 Volt Power Vent

110 Volt Power Vent (Require 110V PKG #2)

Maxx Air Vent Cover

Plastic Side Wall Vents

Aluminum, Two-Way Directional Salem Vents

18" x 24" Radius Sliding Window

24" x 36" Radius Sliding Window

24" x 36" Radius Sliding Egress Window

POPULAR ENCLOSED SNOW OPTIONS (cont.)

MISC. OPTIONS & ACCESSORIES

Fold-Down Sofa/Sleeper

Fold-Down Bunk Beds

Fold-Down Dinette/Sleeper

Stabilizer Jacks

Scissor Jacks (Camper Style)

Fold-Down Aluminum Work Bench or Sitting Bench

30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Guage (Requires Marine Grade Battery)

Stay Dry Package (8' Slide Channel Installed in Roof w/ 8 Sliding Hooks)

Basic Stereo Package - Includes (4) Boss Speakers

EXTREME WEATHER PACKAGE - ADD-ONS

Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Blue Tooth Capabilities.)

Boot Warmer Package

OPEN SNOW [TILT] Two Place

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- Torsion Ride Suspension
- 1/2" Marine Tech Decking
- Recessed LED Marker Lights
- Anti-Rattle Tilt System
- 4-Way Flat Power Connection
- Adjustable Tie Down System w/ Ski Tie Down Bars
- Wishbone Tongue
- 3500# Straight Coupler w/ 2" Ball
- (2) 5000# Safety Chains
- Limited 1-Year Warranty



STANDARD SPECIFICATIONS

May 30 - June 20, 2016	PFS101x10P	PFS101x12P
Deck WxL	101"x10'	101"x12'
Overall WxL	101"x13'8"	101"x15'8"
Subframe Tubing	2"x4"	2"x4"
Deck Height	25"	25"
Hitch Height	21"	21"
Axle(s) - Qty/Rating)	1-2200#	1-3500#
Wheels	12" E-Rated Silver Mod	12" E-Rated Silver Mod
Tires	ST145/R12E	ST145/R12E
GVWR	2200#	2990#
Curb Weight	440#	500#
Payload	1760#	2490#
Power Connection	Standard	Standard

OPTIONS & ACCESSORIES

AXLES

Upgrade from 1 - 2200# Idler
to 1 - 3500# Idler

WHEELS

Upgrade to 13" Tires from 12"

Upgrade to 15" Tires from 12"

Spare 12" Silver Mod
(145/R12E)

Tongue Mounted Spare
Mount (Bolt-On)

ACCESSORIES

1200# Wheel Jack

Single Prop Tilt Assist System

Ski Guides (10')

Ski Guides (12')

101" Diamond Plate Salt
Shield

Upgrade to Full length

Slide Track: (2) rows

FLOORING


Upgrade to 5/8" Marine

Grade Decking

OPEN SNOW [DRIVE ON/OFF]

STANDARD FEATURES

- All-Aluminum Construction
- 24" O/C Crossmembers
- Torsion Ride Suspension
- 1/2" Marine Tech Decking
- 4' Stowaway Ramp w/ Super Guides
- Recessed LED Marker Lights
- 1200# Wheel Jack
- Straight Pull w/Underwings
- 6000# Straight Cou
- (2) 5000# Safety Chains
- Full Length Slide Track Tie Down System w/ (1) Sliding D-Ring & (1) Ski Tie Down Bar Per Machine
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS

Trailer Model	PFS101x12LV	PFS101x14LV	PFS101x14LV-BR	PFS101x16LV	PFS101x18LV	PFS101x20LV	PFS101x22LV
Deck WxL	101"x12'	101"x14'	101"x14'	101"x16'	101"x18'	101"x20'	101"x22'
Overall WxL	101"x18'	101"x20'	101"x20'	101"x22'	101"x24'	101"x24'	101"x26'
Subframe Tubing	2"x3"	2"x4"	2"x4"	2"x4"	2"x5"	2"x5"	2"x5"
Deck Height	25"	27"	27"	27"	27"	27"	27"
Hitch Height	22"	22"	22"	22"	22"	22"	22"
Axle(s) - Qty/Rating	1-3500#, Idler	2-2200#, Idler	2-2200#, Braked	2-2200#, Braked	2-2200#, Braked	2-2200#, Braked	2-2200#, Braked
Wheels	12" Silver Mod	13" Silver Mod	13" Silver Mod	13" Silver Mod	13" Silver Mod	13" Silver Mod	13" Silver Mod
Tires	ST145R14E	175/80R13	175/80R13	175/80R13	175/80R13	175/80R13	175/80R13
GVWR	2200#	2990#	4400#	4400#	4400#	4400#	4400#
Curb Weight	575#	815#	815#	870#	TBD	1120#	1120#
Payload	1625#	2175#	3585#	3530#	TBD	3280#	3280#
Power Connection	4-Way Flat	4-Way Flat	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Rolled Rear Edge Load	Standard	Standard	Standard	Standard	Standard	Standard	Standard

OPTIONS & ACCESSORIES

WHEELS

- Upgrade to 13" Tires from 12"
- Upgrade to 15" Tires from 12"
- Upgrade to 15" Tires from 13"
- Upgrade to 15" Alum. Rims
- Spare 12" Silver Mod (145/R12E)
- Spare 13" Silver Mod (175/80R13)
- Spare 15" Silver Mod (205/75R15)
- Tongue Mounted Spare Mount

ACCESSORIES

- *NEW* Deluxe Drive On/Off Salt Shield
- Ski Tie Down Bars ilo Sliding D-Rings
- Paddle Grabbers (Set of 6)
- Upgrade to UTV/ATV Ramp Kit



SPECIALTY [SPORT DECK]

STANDARD FEATURES

- All-Aluminum Construction
- 5/8" Marine Tech Plywood Decking
- 10' 6" Telescoping Ramp
- 1000# Ramp Capacity
- Caliber LowPro Grip Glides For Ramp
- Full Length Slide Track Tie-Down System
- Removable Headache Rack
- *NEW* Sliding Leg System (Fits Most Truck Sizes)
- New Leg Design
- Recessed LED Lights
- Sliding Sides System
- Limited 1-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PSD
DECK WxL	101"X8'
OVERALL WxL	101"X102"
RAMP WxL	52 1/4"X10'4"
CURB WEIGHT	400#
PAYLOAD CAPACITY	2000#

POPULAR OPTIONS

ACCESSORIES

- Shim Kit (F-150 High Sides)
- Super Clamps 2
- Super Clamps Rear
- Super Guides For Deck

CONSTRUCTION OPTIONS

- Powder Coated Pkg
(inc. Powder Coated Sides, Headache Rack, and Polished Rear Tube)
- Beavertail Upgrade
- Upgrade to Quad Ply Floor
- ATV Side Load Safety Kit
- Custom 7' Deck

UTV RACK

STANDARD FEATURES

- All-Aluminum Construction
- Fits Inside Wheel Base Width 46" and Larger
- 10' 6" Telescoping Ramps
- 1800# Ramp Capacity
- (4) Welded Deck Hooks
- (2) Front Welded Machine Tie Down Points
- Limited 4-Year Warranty



STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	Stand Alone UTV Rack
Deck WxL	71" x 116"
Base WxL	56" x 71"
Ramp WxL	18" x 10'6"
Curb Weight	290#
Payload Capacity	2000#

PERSONAL WATERCRAFT [2 PLACE]

STANDARD FEATURES

- All-Aluminum Construction
- 2"X3" Subframe Tubing
- LED Lighting
- Pressure Treated Bunks w/ Plastic Glide-Ons
- 1200# Wheel Jack
- Limited 1 Year Warranty
- 2" Coupler
- 4-Way Flat Connector
- 5000# Safety Chains
- Plastic Fenders
- (2) Crank Winches

STANDARD SPECIFICATIONS & PRICING

TRAILER MODEL	PPWC1	PPWC2-L	PPWC2-T
BUNKS		72" Adjustable	72" Adjustable
OVERALL WxL	171" X 56"	101" x 172"	101" x 172"
BUNK HEIGHT	24"	24"	24"
HITCH HEIGHT	18"	18"	18"
DECKING	PT Bunks w/ Plastic Glide-Ons	Pressure Treated Bunks w/ Plastic Glide-Ons	Pressure Treated Bunks w/ Plastic Glide-Ons
SUSPENSION	Leaf Spring Idler	Leaf Spring Idler	Torsion Idler
AXLES-QTY/RATING	1 - 1500#	1 - 2700#	1-3500#
WHEELS	8" Galvanized	13" Silver Mod	13" Silver Mod
TIRES	20.5 x 8	175/80R13	175/80R13
GVWR	1500#	2700#	2990#
CURB WEIGHT	275#	490#	490#
PAYLOAD	1225#	2210#	2500#
WHEEL JACK	1200#	1200#	1200#

POPULAR OPTIONS

WHEELS/TIRES

Upgrade to 13" Galvanized Wheels (From 13" Silver Mod)

Spare 13" Silver Mod

Spare 13" Galvanized Wheel

Tongue Mounted Spare Tire Holder (Bolt On)



POLARIS[®]

TRAILERS



Polaris and its vehicle body designs and names are registered trademarks of Polaris Industries Inc. used under license. Polaris designs, engineers, manufactures and markets snowmobiles, all-terrain vehicles (ATVs), Victory motorcycles and the Polaris RANGER for recreational and utility use. Information about the complete line of Polaris products, apparel and vehicle accessories is available from authorized Polaris dealers or anytime from the Polaris homepage at www.polarisindustries.com.

www.polaris-trailers.com