

# Engineered wood flooring

**PARADOR**

living performance

# The art of living meets performance demands

—  
living performance



**PARADOR**

living performance



# Good reasons for Parador

## Philosophy

We live for products that make every home the most beautiful home in the world. Our value compass points the way: Innovative, sustainable and ecological, we are committed to the highest quality standards in all aspects of our company. In the process we always keep our feet on the ground – the basis of our success.

## Inspiration & Design

The contemporary design of our floors is influenced by the latest trends from art, design, architecture and lifestyle. This inspiration is taken up by our design team, which transforms them into innovative and special looks that turn our products into trendsetters of living space design with an outstanding ecological balance.

## Quality & Materiality

Parador offers aesthetic flooring concepts for every application, which are produced from high quality and recyclable materials. An authentic look, functional design and the environmentally friendly selection of materials enable the implementation of sophisticated "Made in Germany and Austria" living ideas.

## Technology

In order to make laying by hand simple and effective, Parador offers intelligent click connections or high-quality adhesive systems that ensure long-term stability, depending on the product. From use in damp rooms to the integration of underfloor heating, flooring from Parador provides the perfect solution in premium quality for every context.

## Healthy living

The production of environmentally friendly products is a key concern for us and is firmly anchored in our corporate philosophy. Our floors promote healthy living, are low-emission and create a pleasant living environment. We mainly use natural raw materials which are subject to constant review.

## Sustainability

As a traditional wood processing company, the high regard for the environment is the foundation of our work. For this reason, we want to set standards in all aspects of ecologically responsible production – from raw materials to finished products to logistics.



**PARADOR**

# Engineered wood flooring – the timeless classic

Engineered wood flooring is the classic among floor-coverings – being both timeless and modern, its material quality represents a natural and pleasant living experience. The wide variety of designs and formats allow for personalised floor design. Parador engineered wood flooring is highly durable, creates a positive indoor climate, is warm underfoot and has considerable charisma.

The Basic, Classic and Trendtime product lines offer engineered wood flooring for every requirement, turning individual living dreams into reality. With the intelligent click system, you can quickly and effortlessly benefit from this timeless “Made in Germany and Austria” classic.







Parador

Engineered wood flooring





—  
Perfectly staged rooms



Oak nougat  
Living  
Wide plank  
Trendtime 4





# A sense of space with a system

We understand high-quality floors in a holistic way: the perfect interplay of all elements underlines the systemic principles that set Parador apart. Our accessories continue in the design and quality of the high-quality line of engineered wood floors down to the last detail. Skirting boards, end caps, underlays and the perfect care make your floor what it really is: the stage of your life.

# Engineered wood flooring – elegant and classic

The solid wood of the high-quality engineered wood flooring from Parador is provided with a lacquer or natural oil surface and is particularly durable. The lamella impregnation on the head side as well as the all-round impregnated top layer ensure enhanced swell-protection. The engineered wood flooring is extremely dimensionally stable thanks to a solid spruce pine middle layer. The patented click mechanism ensures a stable connection. The counter layer veneer made of spruce provides additional support to the composite of the plank. For a long-lasting, beautiful floor covering.



- ① **Top layer**  
Untreated, lacquer or natural oil solid wood
- ② **Spruce pine middle layer**  
excellent shape stability even under the most demanding conditions
- ③ **Counter layer**  
high shape and dimensional stability
- ④ **Click connection**  
custom-fit and connection stable



# Product lines

Parador engineered wood flooring is the healthy living classic: the natural material represents a particularly valuable and pleasant living experience. A variety of designs, formats and surfaces allow for the individual design and implementation of personal living dreams. Discover the unique world of the Parador engineered wood flooring in the Basic, Classic and Trendtime lines.



## Basic

Those who are price-conscious yet don't want to forgo quality will find in the Basic line a convincing selection of attractive engineered wood floors for a beautiful home.



## Classic

Uncompromising in quality, classic in design and universally applicable: the Classic line is created for people with high design and quality requirements.



## Trendtime

Impressing everyone for whom flooring is a statement, the Trendtime line offers a unique design range for trend-conscious set-up at the highest level.

# Basic

## Product advantages



Natural product – each plank is unique



Durable and dimensionally stable



Suitable for everyday use and easy care



Pleasant and warm underfoot



Impregnation for enhanced swell-protection



Suitable for underfloor heating















Automatic Click® System





# Basic 11-5

3-strip (L 2200 x W 185 x H 11.5 mm)





# Basic 11-5

3-strip (L 2200 x W 185 x H 11.5 mm)




Knotty oak  
Rustikal  
1518245  
Oak E 001\*



Oak Pure  
Rustikal  
1595164  
Oak E 007\*



Oak white  
Rustikal  
1595130  
Oak E 007\*




American walnut  
Rustikal  
1569686  
Walnut E 001\*

# Basic 11-5

Wide plank (L 2200 x W 185 x H 11.5 mm)



Oak  
Classic

 1518262 (M4V)\*\*  
Oak E 002\*



Oak  
Rustikal

 1396114 (M4V)\*\*  1518249 (M4V)\*\*  
Oak E 001\* Oak E 002\*




Oak  
Rustikal

 1518250 (M4V)\*\*  1518261 (M4V)\*\*  
Oak E 007\* Oak E 003\*




Oak brushed  
Rustikal

 1518264 (M4V)\*\*  
Oak E 002\*





Oak brushed  
Rustikal

 1595135 (M4V)\*\*  
Oak E 003\*





Oak Pure  
Classic


 1595165 (M4V)\*\*  
Oak E 007\*

 untreated


 lacquer


 matt lacquer

 white matt lacquer

 natural oil

 natural oil white




 natural oil plus

 natural oil white plus



# Basic 11-5

Extra-sized wideplank (L 2380 x W 233 x H 11.5 mm)



\*Recommended moulding decor

\*\*Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel

# Classic

## Product advantages



Natural product – each plank is unique



Durable and dimensionally stable



Suitable for everyday use and easy care



Pleasant and warm underfoot



Impregnation for enhanced swell-protection



Suitable for underfloor heating



Automatic Click® System






# Classic 3060

3-strip (L 2200 x W 185 x H 13 mm)




Canadian maple  
Natur

 1518086  
Maple E 001\*





European maple  
Natur

 1518122  
European maple E 001\*




Beech  
Living

 1518103  
Beech E 002\*




Beech  
Natur

 1518088  
Beech E 002\*




Beech Mont Blanc  
Living

 1739899  
Oak E 019\*




Oak  
Living


 1247126  
Oak E 001\*  1739905  
Oak E 002\*

 untreated


 lacquer


 matt lacquer

 white matt lacquer

 natural oil







 natural oil white

 natural oil plus

 natural oil white plus

# Classic 3060












3-strip (L 2200 x W 185 x H 13 mm)






\*Recommended moulding decor

# Classic 3060

3-strip (L 2200 x W 185 x H 13 mm)



\*Recommended moulding decor


















# Classic 3060

Wide plank (L 2200 x W 185 x H 13 mm)



🌿 untreated

👍 lacquer

👍 matt lacquer

👍 white matt lacquer

🌿 natural oil

🌿 natural oil white

🌿 natural oil plus

🌿 natural oil white plus

# Classic 3060

Wide plank (L 2200 x W 185 x H 13 mm)




Lightly smoked Oak  
Rustikal  
🔥 1739907 (M4V)\*\*  
Oak E 024\*



Oak Barolo  
Rustikal  
🔥 1739908 (M4V)\*\*  
Oak E 016\*




Oak Chablis  
Rustikal  
🔥 1739909 (M4V)\*\*  
Oak E 027\*



Oak Europa  
Rustikal  
👍 1601482 (M4V)\*\*  
Oak E 023\*



Oak brushed  
Rustikal  
👍 1368979 (M4V)\*\* 🧴 1739910 (M4V)\*\*  
Oak E 001\* Oak E 002\*




Oak brushed  
Rustikal  
🔥 1739925 (M4V)\*\*  
Oak E 003\*



Oak limed  
Natur  
👍 1518126 (M4V)\*\*  
Oak E 005\*



Oak grey  
Natur  
👍 1601486 (M4V)\*\*  
Oak E 025\*



Oak grey-brown  
Natur  
👍 1601487 (M4V)\*\*  
Oak E 026\*

\*Recommended moulding decor

\*\*Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel









Oak Barolo  
Rustikal  
Wide plank  
Classic 3060





# Classic 3060

Wide plank (L 2200 x W 185 x H 13 mm)




Oak smoked  
Natur

 1518242 (M4V)\*\*  
Oak E 020\*




Oak smoked  
Rustikal

 1518243 (M4V)\*\*  
Oak E 020\*




Oak Muscat  
Rustikal

 1739911 (M4V)\*\*  
Oak E 003\*




Oak Pure  
Natur

 1601485 (M4V)\*\*  
Oak E 007\*




Oak Pure  
Rustikal

 1739912 (M4V)\*\*  
Oak E 007\*




Oak soft texture  
Rustikal

 1739902 (M4V)\*\*  
Oak E 001\*





Oak Verdecchio  
Rustikal

 1739921 (M4V)\*\*  
Oak E 002\*





Ash  
Living

 1739922 (4V)\*\*  
Ash E 001\*





Ash  
Living


 1739926 (4V)\*\*  
Ash E 003\*


 untreated


 lacquer


 matt lacquer

 white matt lacquer

 natural oil

 natural oil white


 natural oil plus

 natural oil white plus




# Classic 3060


Wide plank (L 2200 x W 185 x H 13 mm)




Larch  
Rustikal  
1739923 (M4V)\*\*  
Larch E 001\*



Larch smoked Soft texture  
Rustikal  
1739904 (M4V)\*\*  
Oak E029\*



Thermo oak medium brushed  
Living  
1739924 (4V)\*\*  
Oak E 020\*



Thermo oak medium brushed  
Living  
1739927 (4V)\*\*  
Oak E 022\*

\*Recommended moulding decor

\*\*Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel

# Trendtime

## Product advantages



Natural product – each plank is unique



Durable and dimensionally stable



Suitable for everyday use and easy care



Pleasant and warm underfoot



Impregnation for enhanced swell-protection



Suitable for underfloor heating



Automatic Click® System



Allround-Click® System



Oak grey sawn texture  
Living  
3-strip  
Trendtime 6



# Trendtime 3

Strip/herringbone installation (L 570 x W 95 x H 10.5 mm)




Oak Living  
 1601582 (M4V)\*\*  
 Oak E 001\*  
 1739935 (M4V)\*\*  
 Oak E 007\*




Oak cream Living  
 1739932 (M4V)\*\*  
 Oak E 023\*



Oak limed Living  
 1601583 (M4V)\*\*  
 Oak E 005\*



Oak nougat Living  
 1739933 (M4V)\*\*  
 Oak E 030\*



Oak mother-of-pearl Living  
 1739934 (M4V)\*\*  
 Oak E 031\*



Oak Pure Living  
 1601580 (M4V)\*\*  
 Oak E 007\*



Oak black Living  
 1601584 (M4V)\*\*  
 Oak E 019\*

untreated

lacquer

matt lacquer

white matt lacquer

natural oil








natural oil white

natural oil plus

natural oil white plus

# Trendtime 4

Wide plank (L 2100 x W 160 x H 13 mm)



\*Recommended moulding decor

\*\*Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel

# Trendtime 6

3-strip / Wide plank (L 2200 x W 185 x H 13 mm)



**Beech white sawn texture**  
Living, 3-strip  
👍 1739940 (4V)\*\*  
Plain white D001 / Stainless steel look\*










**Oak grey sawn texture**  
Living, 3-strip  
👍 1739941 (4V)\*\*  
Oak E033\*



**Oak mother-of-pearl sawn texture**  
Living, 3-strip  
👍 1739942 (4V)\*\*  
Ash E003\*



**Oak noir sawn texture**  
Living, wide plank  
👍 1739943 (4V)\*\*  
Oak E019\*



\*\*Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel

\*Recommended moulding decor





# Trendtime 8

Wide plank (L 1882 x W 190 x H 15 mm)



Oak elephant skin  
Classic

1739952 (4V)\*\*  
Oak E 002\*




Oak brushed handscraped  
Classic

1739953 (4V)\*\*  
Oak E 002\*




Oak brushed handscraped  
Classic

1739959 (4V)\*\*  
Oak E 007\*




Oak smoked elephant skin  
Classic

1739954 (4V)\*\*  
Oak E 021\*




Oak smoked brushed handscraped  
Classic

1739955 (4V)\*\*  
Oak E 021\*



Oak smoked tree plank  
Classic

1739956 (4V)\*\*  
Oak E 015\*



Oak tree plank  
Classic

1739957 (4V)\*\*  
Oak E 002\*



Seaport Oak  
Classic

1739958 (4V)\*\*  
Oak E 002\*

untreated

lacquer

matt lacquer

white matt lacquer

natural oil

natural oil white

natural oil plus

natural oil white plus




# Trendtime 8

Wide plank (L 1882 x W 190 x H 14 mm)




Oak handcrafted  
Classic

 1739944 (4V)\*\*  
Oak E 001\*





Oak limed handcrafted  
Classic

 1739950 (4V)\*\*  
Oak E 036\*




Oak smoked grey handcrafted  
Classic

 1739951 (4V)\*\*  
Oak E 037\*



Oak smoked handcrafted  
Classic

 1739945 (4V)\*\*  
Oak E 024\*

\*Recommended moulding decor



\*\*Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel







# Trendtime 9





Chevron (L 2380 x W 233 x H 15 mm)



Module 1 Module 2



\*Recommended moulding decor



# Surface design


Real beauty not only pleases the eye: the natural appearance of the Parador engineered wood flooring surfaces determine the characteristic profile of the floor. Due to the different surface treatments and grades, the character of the wood material is noticeably brought out. It is embossed deeper and flatter, yet is always perceptible.

## Bevel design



### Without bevel

In the case of the classic laying, the planks connect without any clearly recognisable spaces. The harmonious image of the floor creates a closed overall impression.



### 4-sided bevel / mini bevel

The long and end edges bevelled on four sides stress the naturalness of the wood flooring, whose every plank is accentuated by the mini 4-V bevel, while the 4-V bevel provides more emphasis.



## Finishing



### Untreated

Floors without surface treatment are suitable for individual refinement.



### Matt lacquer

The protective natural matt appearance of oil treatment emphasises colour and texture.



### Natural oil

The original character of the wood is brought out. Its own patina develops with optimal protection.



### Natural oil plus

The special protection allows for a fuller feel with improved safety and performance for a home-ready floor.



### Lacquer

A noble, silky shiny lacquer surface offers optimum protection against dirt and stress.



### White matt lacquer

In addition to matt lacquer: adjustment of colour and textural nuances in the wood by white colouring.



### Natural oil white

In addition to natural oil: adjustment of colour and textural nuances in the wood by white colouring.



### Natural oil white plus

In addition to natural oil plus: adjustment of colour and textural nuances in the wood by white colouring.

## Surface structures



### Elephant Skin

Wood features such as grains, knots and cracks are accentuated and give the floor a unique character.




### Brushed texture

With stainless steel brushes the natural grain of the wood is intensified and an authentic feel is created.



### Handscraped

Individually hand-worked surface, which creates an original character by manual planing.



### Handcrafted

A particularly soft and subtle variant among the surface structures, which combines all variants.



### Sawn texture

Saw marks from a time when there were no grinders are being recreated for an old world look.



### Soft texture

A deep, intensive brushing with soft transitions.

## Grade




### Select

Due to their harmonious structuring and fine colour nuances, extraordinary floor surfaces can be designed.



### Natur

For a floor design with a natural but balanced overall effect, the Natur grade offers the best foundation.



### Classic

The Classic grade boasts a vibrant range between a harmonious, natural look and an earthy look.



### Living

The Living assortment is characterised by vibrant looks and stresses the earthy character of the wood.



### Rustikal

With a knotty appearance, pronounced colour scheme and distinct grain, the grade is particularly original.









Larch smoked Soft texture  
Rustikal  
Wide plank  
Classic 3060

# A customised sense of space




①

3-strip

Basic:  
2200 x 185 x 11.5 mm

Classic:  
2200 x 185 x 13 mm

Trendtime 6:  
2200 x 185 x 13 mm




②

Wide plank in three formats

Trendtime 8:  
1882 x 190 x 15/14 mm




Trendtime 4:  
2010 x 160 x 13 mm



Basic:  
2200 x 185 x 11.5 mm

Classic:  
2200 x 185 x 13 mm

Trendtime 6:  
2200 x 185 x 13 mm




③

Extra-sized wideplank

Basic:  
2380 x 233 x 11.5 mm





④

Strip  
(Herringbone installation)

Trendtime 3:  
570 x 95 x 1,5mm



⑤

Chevron  
(Module 1/Module 2)













Trendtime 9:  
2380 x 233 x 15mm



## Overview of the range

## Basic

## Classic

Range		Basic 11-5	Classic 3060
	Grade	Natur, Classic, Rustikal	Select, Natur, Living, Rustikal
	Surface finish		
	Plank look	<ol style="list-style-type: none"> <li>1 3-strip</li> <li>2 Wide plank</li> <li>3 Extra-sized wideplank</li> <li>4 Strip (herringbone installation)</li> <li>5 Chevron</li> </ol> 	
	Groove pattern	 4-sided mini bevel (M4V) ✓	✓
		 4-sided bevel (4V)	✓
Quality	Guarantee	10 years	25 years
			
Technology	Format	(1,2) 2200×185 mm (3) 2380×233 mm	2200×185 mm
	Plank thickness	11,5 mm	13 mm
	Composition	3-layer sandwich composition	✓
	Middle layer	Solid spruce-fir middle layer	✓
	Top layer	ca. 2,5 mm	ca. 3,6 mm
	Swell protection	 All-round lamella and top layer impregnation	✓
	Click mechanism	 Automatic-Click® system with long-side and end-joint locking	✓
		 Allround-Click® system without the need for left and right-hand tongues	
	Underfloor heating	 Suitable for installation on underfloor heating	✓
		 Individual look thanks to craftsmanship surface treatment	

## Trendtime

Trendtime 3	Trendtime 4	Trendtime 6	Trendtime 8	Trendtime 9
Living	Natur, Living	Living	Classic	Classic
				
				
4	2	1 2	2	5
✓	✓			✓
	✓	✓	✓	
25 years	25 years	25 years	25 years	25 years
570×95mm	2010×160mm	2200×185mm	1882×190mm	2380×233mm
10,5mm	13mm	13mm	14 mm/15 mm	15mm
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
ca. 2,5mm	ca. 3,6mm	ca. 3,6mm	ca. 3 mm/4 mm	ca. 3,6mm
✓	✓	✓	✓	✓
	✓	✓	✓	✓
✓				
✓	✓	✓	✓	✓
			✓	









# Skirting boards and caps

Parador engineered wood flooring offers a wide range of optically matching skirting boards for a harmonious look for any wood surface. Alternatively, the colours of stainless steel, white and black or a primed surface for individual colour design enable the possibility of conscious accentuation.

Depending on the condition of the substrate (masonry), clip or glue joints can be used for optimum wall mounting. Parador skirting boards are prepared for easy installation: with a clip system or groove for adhesive mounting. Interior and exterior corners as well as end caps and transition caps hide saw cuts and make mitre cuts unnecessary. Simply perfect!

## Caps



The practical, flexible skirting board caps create clean transitions, corner solutions and finishes for the skirting boards SL3, SL5, SL6 and SL18. The caps are offered in Aluminium look or white.



For the Hamburg mouldings HL1, HL2 and HL3 Parador offers new height variable caps in white.



## Skirting boards



Hamburg moulding HL 1

Moulding clip green or for gluing




Hamburg moulding HL 2

Moulding clip green or for gluing




Hamburg moulding HL 3

Moulding clip green or for gluing




Skirting board SL 2

Moulding clip green or for gluing



Skirting board SL 4

Moulding clip red or for gluing



Skirting board SL 18

Moulding clip red or for gluing



# Profiles

Combine profiles from Parador, bridge and create finishes for a floor aesthetic that is perfect in every respect. Thanks to the patented swivel-joint technology, the profiles are particularly flexible in height. As transition profiles, combine high floor coverings and expansion joints. Adapting profiles are used for the transition between different high floor coverings. End profiles create clean borders with tiles or doors and stair edge profiles create reliable transitions at staircases.


## Aluminium profiles

All four versions are offered as aluminium profiles in anodised silver or stainless steel.



They ensure particularly successful transitions from room to room, while providing elegant and skilful accents.




Transition profile  
Aluminium anodised silver / stainless steel




Adapting profile  
Aluminium anodised silver / stainless steel



End profile  
Aluminium anodised silver / stainless steel



Stair edge profile  
Aluminium anodised silver/stainless steel







# Underlays

Parador offers the optimal solution for every application: the underlays smooth out minor unevenness and at the same time provide high compressive strength. With an integrated vapour barrier the right underlay ensures the required moisture protection in the case of mineral substrates.

Whether a high-tech solution or pure natural product made of wood fibres: underlays from Parador really emphasise the quality of the floor covering.

## Product features



**Footfall sound / Ambient sound**  
Parador underlays offer footfall sound insulation in three stages – one, two or three shafts provide particularly effective footfall sound insulation.



**Suitable for underfloor heating**  
Parador floors are optimally compatible with underfloor heating.



**Moisture resistance**  
Parador underlays offer moisture resistance in two stages, which are marked with one drop or two drops (high protection).



**Suitable for uneven substrates**  
Parador underlays compensate for unevenness and are recommended during renovation.



**Compressive strength / dimensional stability**  
Parador underlays are characterised by high dimensional stability and compressive strength in three stages – from 20,000 kg/m<sup>2</sup> above 45,000 kg/m<sup>2</sup> up to 50,000 kg/m<sup>2</sup>.


## Designs



**Akustik-Protect 100**  
Mineral substrates  
High-tech acoustic mats  
Thickness: 1.8 mm



**Akustik-Protect 200**  
Non-mineral substrates /  
Wood substrates  
High-tech acoustic mats  
Thickness: 2 mm



**Akustik-Protect 300**  
Mineral substrates  
High-tech acoustic mats  
Thickness: 2.8 mm



**Uno Protect**  
Non-mineral substrates /  
Wood substrates  
Footfall sound underlay  
Compressive strength up to 20.000 kg/m<sup>2</sup>  
Thickness: 2.2 mm



**Duo Protect**  
Mineral substrates  
Damp protection and  
footfall sound insulation in a Compressive  
strength up to 20.000 kg/m<sup>2</sup>  
Thickness: 2.5 mm





Parador

Engineered wood flooring







# Parador service with a system

A perfect overall impression is a question of detail: as a system supplier, Parador keeps matching accessories available for laying and maintenance. Ease of assembly and low maintenance create long-lasting enjoyment when it comes to your floor – from the beginning.

At [www.parador.eu](http://www.parador.eu), we present an exceptionally convenient service offering, which makes individual room planning as well as decor and material decisions easier. The great product overview, useful tips and many helpful tools make working with Parador floors a real pleasure.

## Added value at [www.parador.eu](http://www.parador.eu)



Tool



Catalogue order



Adhesive



Hand sample order



Cleaning and maintenance



Room and material planner



Availability check



# Parador engineered wood flooring to suit every lifestyle

Parador engineered wood flooring represents a particularly valuable and pleasant living experience. Depending on individual requirements for living comfort, healthy living and design exclusivity, the customer – with Parador engineered wood flooring, Eco Balance engineered wood flooring and the Parador series of editions by international designers – receives an extraordinary offer for inspiration and the realisation of very personal living requirements.



Engineered wood flooring – the classic Parador engineered wood flooring represents a natural and noble living experience. The wide variety, the value of the wood and the perfect processing make it one of the most popular floor coverings.




Eco Balance Engineered wood flooring – those who want to live in a modern, stylish and ecological way will find innovation and protection of the environment in equilibrium with Eco Balance Engineered wood flooring.



Edition – individual floor designs from Parador in cooperation with reputable designers, setting new standards for the expression of special value and creativity.



# Sustainable setting standards



# Certified security from responsibility

As a brand manufacturer, Parador is fully and continuously certified by independent institutions. Production processes, materials, resource and environmental management, as well as product quality, meet the high corporate values of a brand with responsibility, in addition to the legal requirements. Our quality requirement for engineered wood flooring goes beyond legal requirements, which is proved by the various certifications.



EN 14342:2013

## EN 14342:2013

The CE marking is obligatory according to EU law in connection with product safety.


[www.blauer-engel.de/uz176](http://www.blauer-engel.de/uz176)

## The Blue Angel

The "Blue Angel" has certified Parador Engineered wood flooring with a lacquered surface as a low-emission product. The eco-label RAL-UZ 176.



## eco-INSTITUT

Products with this seal meet the most stringent pollutant and emission requirements prescribed by the eco-INSTITUT. (Only for painted products)



## PEFC™

This trademark is awarded to products that meet the requirements of the certification system for the documentation and improvement of sustainable forest management with regard to economic, ecological and social standards.


[www.realwood.eu](http://www.realwood.eu)

## Real Wood

The "Real Wood" seal is an initiative of the FEP (European Federation of the Parquet Industry) to facilitate the identification of solid or multi-layer real wood floors.



## Émissions dans l'air intérieur (Class A+)

This national classification valid in France indicates the quality of indoor air.


 CERTIFIED BY  
SCS Global Services

## FloorScore®

FloorScore® is one of the most recognized indoor air quality (IAQ) certification standards for hard surface flooring materials, adhesives and underlayments.



## TÜV Rheinland

Parador Engineered wood flooring has earned the TÜV certification mark thanks to its perfect product quality, product safety, understandable user documentation and the independent monitoring by the objective institute TÜV Rheinland Germany.



## EPD

Against the background of energy efficiency, sustainability and increasing building certifications, the Environmental Product Declaration (EPD), which is awarded on the basis of the life cycle assessment (LCA), is becoming increasingly important.

# Good reasons for Parador

## Our stance

As a traditional wood processing company, we have a special awareness of our environment. For us at Parador, sophisticated living goes hand in hand with the responsibility to preserve nature for future generations. This includes the sustainable use of our resources. Every product made of wood is an active contribution towards climate protection. As a vital carbon store, wood products are increasingly entering people's consciousness, especially in the field of construction and renovation. Products made of wood and wood materials are sustainable and help to secure the future of the next generations.

## Production

Our main raw material is wood from predominantly sustainably managed forests. We offer exclusively real wood from controlled sources of supply. The demand for transparency spans all aspects of the value chain and is documented in defined environmental standards for our suppliers. Our production is characterised by the avoidance of emissions and the return of reusable materials into the production cycle, short transport distances and the use of recyclable materials.

## Commitment

Parador is the first and so far the only producer of floor coverings to be EMAS-certified. In this way, we are committed to constantly optimising our environmental management: the requirements and components of EMAS include the involvement of all the company's employees, transparent and sustainable communication with the public, continuous improvement of our own environmental performance and compliance with applicable legislation. EMAS is recognised worldwide as the most demanding system for sustainable environmental management.

## Society

We have been involved with the "Plant for the Planet" foundation since 2011, whose goal is to put a stop to the climate crisis. Against this background, Plant for the Planet has set itself the task of planting a trillion new trees worldwide by 2020. Parador is supporting the initiative with tree planting and the organisation of children's academies. In the meantime, we have trained 550 children to become climate ambassadors and have planted 110,000 trees.







# www.parador.eu

Laminate flooring | Resilient floor coverings | Engineered wood flooring  
ClickBoard | Panels | Mouldings and accessories

Parador GmbH  
Millenkamp 7-8  
48653 Coesfeld  
Germany

Hotline +49 (0)2541 736 678  
info@parador.de  
www.parador.de  
www.facebook.com/parador

Status: 1/2019 © Parador  
Subject to errors and alterations  
Media label 1740283

