




ULTRASUN
RECHARGE YOURSELF

PRODUCT LEAFLET



Q18
2020-2021



AVAILABLE COLOURS



Dream White Metallic

CONTROL SYSTEMS



Ultrasun Manager



Paytronic



Wireless Management System

* When placing the Ultrasun Q18 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.

* The dimensions indicate an open Ultrasun Q18.

STANDARD EQUIPPED WITH

ADDITIONAL OPTIONS



IQ Touch Control



Age Control



Electronic Ballasts¹



BodyCooler



Facial Lamps



Shoulder Tanner



Airco



Breeze

+



Aroma



Music Pro



Wellness Sound



Voice Guide



Bluetooth



Body Shaped Acrylic



Rainbow Manager



Air Extraction Hose



CollaTan Lamps

¹ High-Pressure lamps excluded.

LAMP SPECIFICATIONS

Q18 MAGNUM POWER

NON-EU UV4	
Top Lamps	25 x Sunfit VRX 160W E-Tronic 176 cm
Base Lamps	20 x Sunfit VX 180W Premium 190 cm
Facial Lamps	4 x Sunfit WL 1000W High-Pressure
Shoulder Lamps	6 x Sunfit S 25W
Maximum exposure time	15 minutes

EU UV3	
Top Lamps	25 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps	20 x Sunfit VX3 180W Premium 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder Lamps	6 x Sunfit S 25W
Maximum exposure time	20 minutes

Q18 HIGH POWER

NON-EU UV4	
Top Lamps	25 x Sunfit RX 100W E-Tronic 176 cm
Base Lamps	20 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder Lamps	6 x Sunfit S 25W
Maximum exposure time	15 minutes

EU UV3	
Top Lamps	25 x Sunfit RX3 100W E-Tronic 176 cm
Base Lamps	20 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	4 x Sunfit WL 500W High-Pressure
Shoulder Lamps	6 x Sunfit S 25W
Maximum exposure time	20 minutes

TECHNICAL SPECIFICATIONS

Q18 MAGNUM POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	32A CEE 5 x 4 mm ²
Power	UV4: 13.000W UV3: 11.400W
Breaker/fuse (slow)	3 x 25A
Minimum net weight ¹	UV4: 465 kg UV3: 450 kg
Minimum crated weight ¹	UV4: 510 kg UV3: 495 kg
Boxed dimensions	235 x 141 x 172 cm

Q18 HIGH POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm ²
Power (+airco)	UV4 / UV3: 7.700W (8.700W)
Breaker/fuse (slow) (+airco)	3 x 16A (3 x 16A)
Minimum net weight ¹ (+airco)	400 kg (440 kg)
Minimum crated weight ¹ (+airco)	450 kg (490 kg)
Boxed dimensions	235 x 141 x 172 cm

¹ Minimum weight is based on an Ultrasun Q18 with standard configuration. Machine specific weight information available on request.



Granaatstraat 6
7554 TR Hengelo
The Netherlands



+31 (0)74 2912215



info@ultrasun.nl



Ultrasoninternational.com