



ULTRASUN
RECHARGE YOURSELF

PRODUCT LEAFLET

Q22
2020-2021





AVAILABLE COLOURS



Dream White Metallic



Fancy Red Metallic

CONTROL SYSTEMS



Ultrasun Manager



Paytronic



Wireless Management System

* When placing the Ultrasun Q22 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.

* The dimensions indicate an open Ultrasun Q22.

STANDARD EQUIPPED WITH



IQ Touch Control



Age Control



Electronic Ballasts¹



Turbo BodyCooler



Facial Lamps



HP Shoulder Tanner



Airco



Airco Cooled Acrylic



Breeze



Aroma



Music Pro



Wellness Sound



Voice Guide



Bluetooth



Rainbow Manager



Air Extraction Hose


¹ High-Pressure lamps excluded.

LAMP SPECIFICATIONS

Q22 MAGNUM POWER

NON-EU UV4	
Top Lamps	30 x Sunfit VRX 160W E-Tronic 176 cm
Base Lamps	22 x Sunfit VRX 160W E-Tronic 176 cm
Facial Lamps	4 x Sunfit SE 1000W High-Pressure
Shoulder Lamps	2 x Sunfit SE 250W High-Pressure
Maximum exposure time	12 minutes

EU UV3	
Top Lamps	30 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps	22 x Sunfit VRX3 180W E-Tronic 176 cm
Facial Lamps	4 x Sunfit SE 500W High-Pressure
Shoulder Lamps	2 x Sunfit SE 250W High-Pressure
Maximum exposure time	20 minutes



TECHNICAL SPECIFICATIONS

Q22 MAGNUM POWER

	NON-EU UV4	EU UV3
Power supply	3 x 400V + N + PE 50/60 Hz	3 x 400V + N + PE 50/60 Hz
Plug and cable	32A CEE 5 x 6 mm ²	32A CEE 5 x 4 mm ²
Power	14.400W	12.400W
Breaker/fuse (slow)	3 x 35A	3 x 25A
Minimum net weight ¹	545 kg	525 kg
Minimum crated weight ¹	635 kg	615 kg
Boxed dimensions	235 x 143 x 173 cm	235 x 143 x 173 cm





Granaatstraat 6
7554 TR Hengelo
The Netherlands



+31 (0)74 2912215



info@ultrasun.nl



Ultrasuninternational.com