




ULTRASUN
RECHARGE YOURSELF

PRODUCT LEAFLET



Q6

2020-2021



AVAILABLE COLOURS



CONTROL SYSTEMS



Ultrasun Manager



Paytronic



Wireless Management System

- * When placing the Ultrasun Q6 make sure that the device is surrounded by 10-15 centimetres of free space for air circulation.
- * The dimensions indicate an open Ultrasun Q6.

STANDARD EQUIPPED WITH

ADDITIONAL OPTIONS



IQ Touch Control



Age Control



Electronic Ballasts¹



BodyCooler



Facial Lamps



Music Pro



Wellness Sound



CollaTan Lamps



Voice Guide



Bluetooth



Rainbow Manager

¹ High-Pressure lamps excluded.

LAMP SPECIFICATIONS

Q6 MAGNUM POWER

NON-EU UV4	
Top Lamps	16 x Sunfit VRX 160W E-Tronic 176 cm
Base Lamps	16 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	2 x Sunfit WL 500W High-Pressure
Maximum exposure time	15 minutes

EU UV3	
Top Lamps	16 x Sunfit VRX3 160W E-Tronic 176 cm
Base Lamps	16 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	2 x Sunfit WL 500W High-Pressure
Maximum exposure time	20 minutes

Q6 HIGH POWER

NON-EU UV4	
Top Lamps	16 x Sunfit RX 100W E-Tronic 176 cm
Base Lamps	16 x Sunfit XL 120W E-Tronic 190 cm
Facial Lamps	2 x Sunfit WL 500W High-Pressure
Maximum exposure time	20 minutes

EU UV3	
Top Lamps	16 x Sunfit RX3 100W E-Tronic 176 cm
Base Lamps	16 x Sunfit XL3 120W E-Tronic 190 cm
Facial Lamps	2 x Sunfit WL 500W High-Pressure
Maximum exposure time	20 minutes

TECHNICAL SPECIFICATIONS

Q6 MAGNUM POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5 mm ²
Power	6.200W
Breaker/fuse (slow)	3 x 16A
Minimum net weight	215 kg
Minimum crated weight	270 kg
Boxed dimensions	227 x 114 x 148 cm
Special boxed dimensions	227 x 114 x 133 cm

Q6 HIGH POWER

Power supply	3 x 400V + N + PE 50/60 Hz
Plug and cable	16A CEE 5 x 2,5mm ²
Power	5.700W
Breaker/fuse (slow)	3 x 16A
Minimum net weight	200 kg
Minimum crated weight	235 kg
Boxed dimensions	227 x 114 x 148 cm
Special boxed dimensions	227 x 114 x 133 cm



Granaatstraat 6
7554 TR Hengelo
The Netherlands



+31 (0)74 2912215



info@ultrasun.nl



Ultrasuninternational.com